PROGRESS PLOT DATE: 12/05/2023

# RESERVE @ MITCHELL MILL

# PRELIMINARY SUBDIVISION PLAT V1-PSP-23-03

## TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

Please revise the plan set to include the correct address.

### SITE INFORMATION:

| | |
|---|---|
| LOCATION: | 5019 MITCHELL MILL ROAD |
| COUNTY: | ~~WAKE COUNTY~~ |
| PARENT PIN: | 1757571035 |
| DB/PG: | DB 8659, PG 954 |
| ZONING: | RM_CZ & NC-CZ |
| TOTAL ACREAGE: | 6,140,471 SF (141.23 AC) |
| NC-CZ ZONE ACREAGE | 55 AC (EST) |
| COMMERCIAL TRACT (15%): | 8.18 AC |
| RESIDENTIAL ZONE RM-CZ: | 86 AC (EST) |
| MAXIMUM UNITS PERMITTED: | 395 UNITS (134 TOWNHOMES) |
| ZONING AND ANNEXATION: | MA 22-06 &ANX22-03 |

MINIMUM SINGLE FAMILY HOMES SETBACKS RH-CZ CLUSTER OPTION

| | |
|---|---|
| FRONT YARD: | 20' |
| SIDE YARD: | 10' |
| REAR YARD: | 20' |
| CORNER YARD: | 12' |
| SITE PERIMETER BUFFER TYPE 2: | 15' |
| THOROFARE BUFFER (JONESVILLE & MITCHELL MILL): | 30' |

MIMIMUM TOWNHOME SETBACKS NC-CZ (EMPLOYMENT OF TA 23-06)

| | |
|---|---|
| FRONT 20 YARD: | 20' |
| SIDE YARD (STREET FRONTAGE): | 10' |
| REAR YARD: | 20' |
| BUILDING SEPARATION: | 30' |
| PARKING REQUIREMENT: | 2.25 CARS PER UNIT |
| SHOWN UNITS: | 110 |
| REQUIRED PARKING: | 248 |
| OFF-STREET PARKING: | 265 |

RIGHT OF WAY & OTHER AREAS:

| | |
|---|---|
| NATURAL WETLANDS: | 1,215,431 SF (27.90 AC) |

LOT ACREAGE:

**NC ZONING DISTRICT**

| | DSF: | TOWNHOME: |
|---|---|---|
| TOTAL NUMBER PROPOSED LOTS: | 79 LOTS | 110 LOTS |
| MINIMUM PROPOSED LOT SIZE: | 5000 SF | 1800 SF |
| MAXIMUM PROPOSED LOT SIZE: | 8183 SF | 1800 SF |

**RM ZONE**

| | DSF: |
|---|---|
| TOTAL NUMBER PROPOSED LOTS: | 190 LOTS |
| MINIMUM PROPOSED LOT SIZE: | 5000 SF |
| MAXIMUM PROPOSED LOT SIZE: | 10667 SF |

OPEN SPACE BREAKDOWN:
SEE OPEN SPACE CHART PAGE C-1.2


IMPERVIOUS AREAS:

**NC ZONING DISTRICT:**

| | |
|---|---|
| ROADWAYS / PARKING: | 309,188 SF (7.10 AC) |
| SIDEWALKS: | 94,148 SF (2.16 AC) |
| TOTAL ON-SITE IMPERVIOUS AREA: | 403,336 SF (8.26 AC) |
| TOTAL ON-SITE IMPERVIOUS PERCENT: | 6.57% |

**RM ZONE**

| | |
|---|---|
| ROADWAYS / PARKING: | 301,219 SF (6.92 AC) |
| SIDEWALKS: | 115,977 SF (2.66 AC) |
| TOTAL ON-SITE IMPERVIOUS AREA: | 417,196 SF (9.58 AC) |
| TOTAL ON-SITE IMPERVIOUS PERCENT: | 6.79% |




**VICINITY MAP**

1" = 600'

FRIS MAP # 3720175700K
PANEL # 1757
EFFECTIVE DATE: 07/19/2022

### OWNER:

HOPPER COMMUNITIES
CONTACT: BILL HARRELL
BHARRELL@HOPPERCOMMUNITIES.COM

### SURVEYOR:

THE TIMMONS GROUP
5410 TRINITY ROAD, Suite 102 | RALEIGH, NC 27607
TEL 919.866.4951

### ENVIRONMENTAL CONSULTANT:

SOIL & ENVIRONMENTAL CONSULTANTS
8412 FALLS OF NEUSE RD. SUITE 104
RALEIGH, NC 27615

### CIVIL ENGINEERING:

STRONGROCK ENGINEERING GROUP
PO BOX 99552
RALEIGH, NC 27624
INFORMATION@STRONGROCKGROUP.COM

Please update the plan set with the new site data table provided in the comment response letter.

811 Know what's below. Call before you dig.

Per LDO Sec 3.4.3.C, a maximum of 75% of the gross acreage of the NC district can be dedicated to residential uses.

**SHEET INDEX**


| | | |
|---|---|---|
| 01 | C-1.0 | COVER SHEET |
| 02 | C-1.1 | ZONING CONDITION |
| 03 | C-1.2 | OPEN SPACE DIAGRAM |
| 04 | C-2.0 | CIVIL NOTES |
| 05 | C-3.0 | EXISTING CONDITIONS PLAN |
| 06 | C-3.1 | OVERALL TREE INVENTORY MAP |
| 07 | C-3.2 | PARTIAL TREE INVENTORY MAP I |
| 08 | C-3.3 | PARTIAL TREE INVENTORY MAP II |
| 09 | C-3.4 | PARTIAL TREE INVENTORY MAP III |
| 10 | C-3.5 | PARTIAL TREE INVENTORY MAP IV |
| 11 | C-3.6 | PARTIAL TREE INVENTORY MAP V |
| 12 | C-3.7 | PARTIAL TREE INVENTORY MAP VI |
| 13 | C-3.8 | PARTIAL TREE INVENTORY MAP VII |
| 14 | C-3.9 | TREE INVENTORY TABLE |
| 15 | C-4.0 | DEMOLITION PLAN |
| 16 | C-5.0 | OVERALL SITE PLAN |
| 17 | C-5.1 | PARTIAL SITE PLAN I |
| 18 | C-5.2 | PARTIAL SITE PLAN II |
| 19 | C-5.3 | PARTIAL SITE PLAN III |
| 20 | C-5.4 | PARTIAL SITE PLAN IV |
| 21 | C-5.5 | PARTIAL SITE PLAN V |
| 22 | C-5.6 | PARTIAL SITE PLAN VI |
| 23 | C-5.7 | PARTIAL SITE PLAN VII |
| 24 | C-5.8 | PARTIAL SITE PLAN VIII |
| 25 | C-5.9 | PARTIAL SITE PLAN IX |
| 26 | C-6.0 | OVERALL UTILITY PLAN |
| 27 | C-6.1 | PARTIAL UTILITY PLAN I |
| 28 | C-6.2 | PARTIAL UTILITY PLAN II |
| 29 | C-6.3 | PARTIAL UTILITY PLAN III |
| 30 | C-6.4 | PARTIAL UTILITY PLAN IV |
| 31 | C-6.5 | PARTIAL UTILITY PLAN V |
| 32 | C-6.6 | PARTIAL UTILITY PLAN VI |
| 33 | C-6.7 | PARTIAL UTILITY PLAN VII |
| 34 | C-6.8 | PARTIAL UTILITY PLAN VIII |
| 35 | C-6.9 | PARTIAL UTILITY PLAN IX |
| 36 | C-7.0 | OVERALL GRADING AND DRAINAGE PLAN |
| 37 | C-7.1 | PARTIAL GRADING AND DRAINAGE PLAN I |
| 38 | C-7.2 | PARTIAL GRADING AND DRAINAGE PLAN II |
| 39 | C-7.3 | PARTIAL GRADING AND DRAINAGE PLAN III |
| 40 | C-7.4 | PARTIAL GRADING AND DRAINAGE PLAN IV |
| 41 | C-7.5 | PARTIAL GRADING AND DRAINAGE PLAN V |
| 42 | C-7.6 | PARTIAL GRADING AND DRAINAGE PLAN VI |
| 43 | C-7.7 | PARTIAL GRADING AND DRAINAGE PLAN VII |
| 44 | C-7.8 | PARTIAL GRADING AND DRAINAGE PLAN VIII |
| 45 | C-7.9 | PARTIAL GRADING AND DRAINAGE PLAN IX |
| 46 | C-7.10 | STORM DRAINAGE TABLES |
| 47 | C-7.11 | STORM DRAINAGE TABLES |
| 48 | C-8.0 | OVERALL LANDSCAPE PLAN |
| 49 | C-8.1 | PARTIAL LANDSCAPE PLAN I |
| 50 | C-8.2 | PARTIAL LANDSCAPE PLAN II |
| 51 | C-8.3 | PARTIAL LANDSCAPE PLAN III |
| 52 | C-8.4 | PARTIAL LANDSCAPE PLAN IV |
| 53 | C-8.5 | PARTIAL LANDSCAPE PLAN V |
| 54 | C-8.6 | PARTIAL LANDSCAPE PLAN VI |
| 55 | C-8.7 | PARTIAL LANDSCAPE PLAN VII |
| 56 | C-8.8 | PARTIAL LANDSCAPE PLAN VIII |
| 57 | C-8.9 | PARTIAL LANDSCAPE PLAN IX |


| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**COVER SHEET**

DRAWING SHEET
**C-1.0**

**01 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

Revision Date: January 10, 2023 **Attachment 2**

## Exhibit D
## Mixed-Use Neighborhood Center Conditional Zoning District (NC-CZ) and Residential Medium Density Conditional Zoning District (RM-CZ) Zoning Conditions

**Conditions Applicable to the entire property:**

1. The subject property shall be developed generally in accordance with the sketch plan attached hereto as Exhibit 1 and incorporated herein as if fully set out. The approximately 55± acre portion of the subject property located west of Jonesville Road and further described as Parcel 1 on the attached Exhibit 2 attached hereto shall be zoned NC-CZ and the approximately 86± acre portion of the property located east of Jonesville Road and further described as Parcel 2 on Exhibit 2 attached hereto shall be zoned RM-CZ. The improvements described herein may be developed in phases in accordance with a phasing plan approved by the Town of Rolesville.
2. The total number of dwellings on the subject property shall not exceed 395 dwelling units and no more than 134 of these dwelling units shall be permitted to be Dwellings, Single Family, Attached (Townhouse.)
3. Mixture of Uses: At least 50,000 square feet of non-residential building area shall be permitted (issuance of a building permit) prior to permitting (issuance of a building permit) more than 197 dwelling units.
4. Affordable Housing:
   a. Prior to the issuance of the first building permit for a dwelling unit, the property owner shall donate Thirty Thousand Dollars and No Cents ($30,000.00) to Homes for Heroes.
   b. Prior to the issuance of the 200th building permit, the property owner shall donate one (1) Dwelling, Single Family, Attached (townhome) to Passage Homes, CASA, Habitat for Humanity of Wake County or other similar organization providing homes to low-income people.
5. Pollinator Plantings: At least twenty percent (20%) of the landscaping planted in common areas on the subject property shall utilize plant materials that are listed as Native Pollinator Plants on North Carolina Wildlife Federation ("NCWF") or other resources for native plants recommended by the NCWF on their website, currently found at https://ncwf.org/habitat/native-polinator-plants/ Where evergreen plantings or street trees are required by the Rolesville Land Development Ordinance as the same may be amended from time to time, pollinator plantings shall not be required. Nothing herein shall be construed to limit the plant materials permitted on individual residential lots. Compliance with this condition shall be demonstrated at construction infrastructure drawings for each phase.
6. Recreational Amenities: The following recreational amenities shall be provided generally as shown on the attached Exhibit 1 as a part of the development of the subject property and dedicated to the Homeowner's Association except for those areas offered to and accepted by the Town of Rolesville:
   a. A swimming pool and cabana, including changing rooms and restrooms shall be constructed prior to the issuance of the 150th building permit for a dwelling unit;
   b. At least one fenced playground shall be constructed prior to the issuance of the 150th building permit for a dwelling unit;
   c. At least one fenced dog park shall be constructed prior to the issuance of the 150th building permit for a dwelling unit;
   d. Public greenway on a greenway easement dedicated to the Town of Rolesville with paved trails at least ten feet wide (10') shall be constructed generally as shown on the attached Exhibit 1;
   e. A greenway trail head with at least four (4) parking spaces shall be constructed generally as shown on Exhibit 1 and offered to the Town of Rolesville for use as a greenway trail head prior to the issuance of the 200th building permit for a dwelling unit. The Town of Rolesville may accept or reject the offer of dedication in its sole discretion prior to the issuance of the 250th building permit. If the Town of Rolesville accepts dedication of this trailhead, the area dedicated to the Town of Rolesville shall be credited to this project as active open space. If the Town of Rolesville does not accept or reject the dedication of this area in writing prior to issuance of the 250th building permit, it shall be dedicated to the homeowner's association.
   f. At least one (1) community garden shall be provided prior to issuance of the 336th building permit for a dwelling unit; and
   g. At least one (1) acre of undeveloped land in the area located at the northeast quadrant of the intersection of Jonesville Road and Mitchell Mill Road shall be offered to the Town of Rolesville generally as shown on the attached Exhibit 1 for recreational uses prior to the issuance of the 150th building permit for a dwelling unit. The Town of Rolesville may accept or reject the offer of dedication in its sole discretion prior to the issuance of the 200th building permit. If the Town of Rolesville accepts dedication of this property, the area dedicated to the Town of Rolesville shall be credited to this project as active open space. If the Town of Rolesville does not accept or reject the dedication of this area in writing prior to the issuance of the 200th building permit, it shall be dedicated to the homeowner's association.
7. Additional Driveway Access and Crosswalk to Commercial Area: Prior to the issuance of the first building permit, the property owner shall apply to NCDOT to allow the installation of an additional driveway access and cross-walk across Jonesville Road from the property zoned RM-CZ to the commercial area located in the northwest quadrant of the intersection of Mitchell Mill and Jonesville Road, both as generally shown as "Potential Additional Driveway and Cross Walk Connection Per Condition #7 of Zoning Conditions" on Exhibit 1. The application to NCDOT shall include a plan for the driveway connection and crosswalk drawn by an engineer and an update to the existing traffic impact analysis prepared by a traffic engineer. If NCDOT approves such a crosswalk and/or driveway access, the property owner shall install them in accordance with the requirements of NCDOT.
8. Transportation Improvements: To address transportation impacts reasonably expected to be generated by the development, the following road improvements shall be installed in accordance with future phasing plans approved by the Town:
   a. Jonesville Road:
      i. Widen Jonesville Road along the site frontage between Site Access 1 and Mitchell Mill to the roadways ultimate cross section per Rolesville Community Transportation Plan, 2 lanes with two-way left turn lanes.
   b. Mitchell Mill Road:
      i. Widen one-half section along the site frontage to this roadway's ultimate cross-section per the Rolesville Community Transportation Plan, 4-lane median divided.
   c. Mitchell Mill Road and Jonesville Road/Peebles Road:
      i. Provide a southbound (Jonesville Road) left turn lane with at least 100 feet of storage and appropriate decel and taper; and
      ii. Construct an eastbound (Mitchell Mill Road) left-turn lane with at least 100 feet of storage and appropriate decel and taper.
   d. Jonesville Road and Site Access 1:
      i. Construct the westbound approach (Site Access 1) with one ingress lane and one egress lane;
      ii. Provide stop-control for westbound approach (Site Access 1); and
      iii. Construct a southbound (Jonesville Road) left-turn lane with at least 100 feet of storage and appropriate decel and taper.
   e. Jonesville Road and Site Access 2:
      i. Construct the westbound approach (Site Access 2) with one ingress lane and one egress lane;
      ii. Provide stop-control for westbound approach (Site Access 2); and
      iii. Construct a southbound (Jonesville Road) left-turn lane with at least 100 feet of storage and appropriate decel and taper.
   f. Jonesville Road and Site Access 3:
      i. Construct the eastbound and westbound approaches (Site Access 3) with one ingress lane and one egress lane;
      ii. Provide stop-control for eastbound and westbound approach (Site Access 3);
      iii. Construct northbound (Jonesville Road) left-turn lane with at least 100 feet of storage and appropriate decel and taper;
      iv. Construct northbound (Jonesville Road) right-turn lane with at least 100 feet of storage and appropriate decel and taper;
      v. Construct a southbound (Jonesville Road) left-turn lane with at least 100 feet of storage and appropriate decel and taper; and
      vi. Construct a southbound (Jonesville Road) right-turn lane with at least 100 feet of storage and appropriate decel and taper.
   g. Jonesville Road and Site Access 4:
      i. Construct the eastbound approach (Site Access 4) with one ingress lane and one egress lane;
      ii. Provide stop-control for eastbound approach (Site Access 4);
      iii. Provide a northbound (Jonesville Road) left-turn lane with at least 100 feet of storage and appropriate decel and taper; and
      iv. Provide a southbound (Jonesville Road) right-turn lane with at least 100 feet of storage and appropriate decel and taper.
   h. Michell Mill and Site Access 5:
      i. Construct the southbound approach (Site Access 5) with one ingress lane and one egress lane;
      ii. Provide stop-control for southbound approach (Site Access 5) restricted to right-in, right-out operations unless left-turn access is approved by NCDOT; and
      iii. Construct an exclusive westbound (Mitchell Mill Road) right-turn lane with at least 100 feet of storage and appropriate decel and taper.
   i. Mitchell Mill and Site Access 6:
      i. Construct the southbound approach (Site Access 6) with one ingress lane and one egress lane striped as an exclusive right-turn lane; and
      ii. Provide stop-control for southbound approach (Site Access 6) restricted to right-in, right-out operations.
   j. Mitchell Mill and Site Access 7:
      i. Construct the southbound approach (Site Access 7) with one ingress lane and one egress lane;
      ii. Provide stop-control for southbound approach (Site Access 7); and

These zoning conditions have been voluntarily offered by the property owner. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Signature: _____ Print Name: Dana Bright

Date:

Signature: _____ Print Name: Randy Bright

Date:

Signature: _____ Print Name: Giny Wheeler

Date:

Signature: _____ Print Name: Stephen Wheeler

Date:

Signature: _____ Print Name: Leigh Fowler

Date:

Signature: _____ Print Name: James Robert Fowler III

Date:

Revision Date: January 10, 2023

These zoning conditions have been voluntarily offered by the property owner. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Signature: _____ Print Name: Dana Bright

Date:

Signature: _____ Print Name: Randy Bright

Date:

Signature: _____ Print Name: Giny Wheeler

Date:

Signature: _____ Print Name: Stephen Wheeler

Date:

Signature: _____ Print Name: Leigh Fowler

Date:

Signature: _____ Print Name: James Robert Fowler III

Date:

Revision Date: January 10, 2023

These zoning conditions have been voluntarily offered by the property owner. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Signature: _____ Print Name: Dana Bright

Date:

Signature: _____ Print Name: Randy Bright

Date:

Signature: _____ Print Name: Giny Wheeler

Date:

Signature: _____ Print Name: Stephen Wheeler

Date:

Signature: _____ Print Name: Leigh Fowler

Date:

Signature: _____ Print Name: James Robert Fowler III

Date:

Revision Date: January 10, 2023

These zoning conditions have been voluntarily offered by the property owner. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Signature: _____ Print Name: Dana Bright

Date:

Signature: _____ Print Name: Randy Bright

Date:

Signature: _____ Print Name: Giny Wheeler

Date:

Signature: _____ Print Name: Stephen Wheeler

Date:

Signature: _____ Print Name: Leigh Fowler

Date:

Signature: _____ Print Name: James Robert Fowler III

Date:

Revision Date: January 10, 2023

These zoning conditions have been voluntarily offered by the property owner. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Signature: _____ Print Name: Dana Bright

Date:

Signature: _____ Print Name: Randy Bright

Date:

Signature: _____ Print Name: Giny Wheeler

Date:

Signature: _____ Print Name: Stephen Wheeler

Date:

Signature: _____ Print Name: Leigh Fowler

Date:

Signature: _____ Print Name: James Robert Fowler III

Date:

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL: NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**ZONING CONDITION**

DRAWING SHEET
**C-1.1**

**02 OF 57**

Revision Date: January 10, 2023

iii. Construct an exclusive eastbound (Mitchell Mill Road) left-turn lane with at least 100 feet of storage and appropriate decel and taper.

k. Mitchell Mill Road and Site Access 8:
   i. Construct the southbound approach (Site Access 8) with one ingress lane and one egress lane striped as an exclusive right-turn lane;
   ii. Provide stop-control for southbound approach (Site Access 8). This proposed intersection will be restricted to right-in/right-out operations; and
   iii. Construct an exclusive westbound (Mitchell Mill Road) right-turn lane with at least 100 feet of storage and appropriate decel and taper.

l. Signal Analysis and Funding:
   i. US 401 Bypass and Jonesville Road: Conduct a full signal warrant analysis prior to full build-out of the proposed development and install a traffic signal if warranted and approved by the Town and NCDOT. Nothing herein shall prohibit the property owner or developer from entering into cost-sharing agreements with others who may also benefit from a signal at this location.
   ii. US 401 Bypass and Eastern U-turn Location: Conduct a full signal warrant analysis prior to full build-out of the proposed development and install a traffic signal if warranted and approved by the Town and NCDOT. Nothing herein shall prohibit the property owner or developer from entering into cost-sharing agreements with others who may also benefit from a signal at this location.
   iii. Jonesville and Mitchell Mill Road: Conduct a full signal warrant analysis prior to full build-out of the proposed development and install a traffic signal if warranted and approved by the Town and NCDOT. Nothing herein shall prohibit the property

These zoning conditions have been voluntarily offered by the property owner. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Signature: _____ Print Name: Dana Bright

Date:

Signature: _____ Print Name: Randy Bright

Date:

Signature: _____ Print Name: Giny Wheeler

Date:

Signature: _____ Print Name: Stephen Wheeler

Date:

Signature: _____ Print Name: Leigh Fowler

Date:

Signature: _____ Print Name: James Robert Fowler III

Date:

Revision Date: January 10, 2023

owner or developer from entering into cost-sharing agreements with others who may also benefit from a signal at this location.

iv. If no traffic signal has been warranted and approved by the Town and NCDOT at any of the locations identified in Condition 8(l)(i)-(iii) at full build-out of the proposed development (issuance of certificate of occupancy for the 380th dwelling unit and 50,000 square feet of non-residential uses), the property owner shall contribute Fifty Thousand Dollars ($50,000.00) to the Town of Rolesville to be used by the Town of Rolesville to install a traffic light at any one of the locations identified in Condition 8(l)(i)-(iii) above when warranted and approved by NCDOT.

**Conditions Applicable to Dwelling, Single Family, Detached only:**

9. All homes shall include either crawl space foundations or stem wall foundations. Any stem wall foundations shall be at least eighteen inches (18") in height across the front façade of the home and shall have brick or stone veneer on all sides facing a public street.
10. The minimum building square footage shall be 2,000 square feet.

**Conditions Applicable to Dwellings, Single Family, Attached (Townhouse) only:**

11. No Dwelling, Single Family, Attached (Townhouse) building shall exceed six (6) dwellings.
12. The minimum building square footage for townhomes shall be 1,200 square feet.

**Conditions Applicable to the NC-CZ District only:**

These zoning conditions have been voluntarily offered by the property owner. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Signature: _____ Print Name: Dana Bright

Date:

Signature: _____ Print Name: Randy Bright

Date:

Signature: _____ Print Name: Giny Wheeler

Date:

Signature: _____ Print Name: Stephen Wheeler

Date:

Signature: _____ Print Name: Leigh Fowler

Date:

Signature: _____ Print Name: James Robert Fowler III

Date:

| OVERAL OPEN SPACE | AC | SF | Requirement | |
|---|---|---|---|---|
| | | | | |
| OVERALL SITE | 139.05 | 6,057,192 | | |
| **Code Cluster Requirement 3.1.B.1** | **55.62** | | **40%** | |
| | | | | |
| **Shown Open Space** | **92.06** | **3,056,020** | **50%** | |
| | | | | |
| HARRIS CREEK & WETLANDS/MARSH | 33.05 | 1,439,648 | | |
| | | | | |
| PERIMETER BUFFER & STREET YARD | 7.89 | 343,483 | | |
| SCM ALLOWED OPEN SPACE | 8.29 | 360,922 | | |
| GREEN WAY | 1.42 | 62,040 | | |
| Community Garden | 1.59 | 69,181 | | |
| Sewer Easement | 2.72 | 118,548 | | |
| Open Space #1 | 1.29 | 56,353 | | |
| Open Space #1 | 1.09 | 47,487 | | |
| **Subtotal** | **24.29** | **1,058,014** | | |
| | | | | |
| | | | | |
| | | | | |
| **PASSIVE OPEN SPACE** | **54.95** | **2,497,662** | | |
| Passive minus Harris Creek | 24.29 | 1,058,014 | | |
| | | | | |
| **ACTIVE OPEN SPACE** | | | | |
| Required 6.2.D.1.b. | 12.14 | 529,007 | 50% of Passive | |
| Shown Active Open Space | 12.82 | 558,358 | 53% | |
| | | | | |
| | | | | |
| **RH-CZ District Section 6.2.1.D.1.b.** | | | | |
| 1. Medium Open Space (Area B) | 1.48 | 64,341 | 1 to 2.5 Acres | Clubhouse |
| 2. Medium Open Space (Area A) | 1.05 | 45,842 | 1 to 2.5 Acres | Park 4 Infield |
| 3. Small Open Space (Area C) | 0.39 | 17,051 | . 011 to 1.0 Acre | Playground A |
| | **2.92** | **127,234** | | |
| | | | | |
| **NC-CZ District Section 6.2.1.D.2.C** | | | | |
| 1. Medium Open Space 1 (TH) | 2.463 | 107,272 | 1 to 2.5 Acres | Measured Mile Cross County Circuit |
| 2. Medium Open Space 2 (SFH) | 1.705 | 74,283 | 1 to 2.5 Acres | Frisbee golf course |
| 3.Small Open Space 1 | 0.496 | 21,601 | . 011 to 1.0 Acre | Exercise stations |
| 4. Small Open Space 2 | 0.034 | 1,500 | . 011 to 1.0 Acre | Chess Square |
| 5. Small Open Space 3 | 0.505 | 22,000 | . 011 to 1.0 Acre | Future Commercial Plaza |
| | **5.203** | **226,655** | | |
| | | | | |
| **Community Wide** | | | | |
| PARK 1 - ACTIVE OPEN SPACE | 1.20 | 52,287 | | Kiddie Cricket Pitch |
| PARK 3 - ACTIVE OPEN SPACE | 0.18 | 7,911 | | playground Age 5-9 |
| Park #2 SCM 3 | 2.26 | 98,356 | | Wilderness Agility course |
| Park #4 SCM 4 | 1.05 | 45,915 | | Parkour Circuit |
| | **4.69** | **204,469** | | |

Please refer to comment memo for full comments on the open space calculations.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL: NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**OPEN SPACE DIAGRAM**

DRAWING SHEET
**C-1.2**

**03 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

## GENERAL CONSTRUCTION NOTES:

1. SEE GENERAL NOTES ON SHEET C-5.0.
2. WITHIN ALL NOTES, THE TERM CONTRACTOR WILL MEAN THE GENERAL CONTRACTOR AND ANY SUBCONTRACTORS OR VENDORS PERFORMING WORK ON THE PROJECT.
3. ANY CONTRACTOR SUBMITTING A BID FOR THIS PROJECT SHALL MAKE A SITE VISIT PRIOR TO SUBMITTING BID.
4. BOUNDARY DATA PERFORMED BY TIMMONS GROUP. SEE SURVEY FOR BENCHMARK & TBM INFORMATION. SURVEY IS REFERENCED TO NC GRID NAD 83. REFER TO EXISTING CONDITIONS PLAN
5. ANY RELOCATION OF BENCHMARKS SHALL BE PERFORMED BY A NC LICENSED SURVEYOR.
6. ALL WORK, CONSTRUCTION AND MATERIALS SHALL BE IN ACCORDANCE WITH THE TOWN OF ROLESVILLE, WAKE COUNTY, NCDOT OR & CITY OF RALEIGH STANDARDS AND SPECIFICATIONS, LATEST EDITION.
7. ALL WORK, CONSTRUCTION AND MATERIALS WITHIN NCDOT RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH THE 2018 NCDOT STANDARDS SPECIFICATIONS FOR ROADS AND STRUCTURES.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL WORK ZONE TRAFFIC CONTROL IN OR ADJACENT TO NCDOT RIGHT-OF-WAY. TRAFFIC CONTROL SHALL BE MAINTAINED AT ALL TIMES WITH PROPER SIGNAGE, SIGNALS, LIGHTING, FLAGMEN. ALL SIGNS, PAVEMENT MARKINGS AND OTHER TRAFFIC CONTROL DEVICES SHALL CONFORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), LATEST EDITION.
9. COPIES OF ALL PERMITS AND APPROVED PLANS MUST BE KEPT ON SITE IN A PERMIT BOX THAT IS CONSPICUOUSLY LOCATED AND EASILY ACCESSIBLE DURING CONSTRUCTION. THIS INCLUDES APPROVED CONSTRUCTION PLANS, APPROVED EROSION CONTROL PLANS, ENCROACHMENT AGREEMENTS, DRIVEWAY PERMITS, WATER/SEWER PERMITS, ETC.
10. LOCATION OF UNDERGROUND UTILITIES ARE APPROXIMATE AND MUST BE FIELD VERIFIED. CONTACT THE NC ONE CALL CENTER AT LEAST 72 HOURS PRIOR TO DIGGING @ 1.800.632.4949. UNDERGROUND LINES SHOWN HEREON ARE APPROXIMATE OR AS REPORTED BY VARIOUS RESPONSIBLE PARTIES. THE SURVEYOR DOES NOT GUARANTEE THAT ANY UNDERGROUND STRUCTURES SUCH AS UTILITIES, TANKS AND PIPES ARE LOCATED HEREON.
11. THE CONTRACTOR SHALL NOTIFY AND COOPERATE WITH ALL UTILITY COMPANIES OR FIRMS HAVING FACILITIES ON OR ADJACENT TO THE SITE BEFORE DISTURBING, ALTERING, REMOVING, RELOCATING, ADJUSTING OR CONNECTING TO SAID FACILITIES.
12. THE CONTRACTOR IS RESPONSIBLE FOR REPAIR OF ANY TOWN, CITY OF RALEIGH OR NCDOT DAMAGED PROPERTY. THE CONTRACTOR SHALL REPAIR THE DAMAGED PROPERTY TO THE LATEST STANDARDS AND SPECIFICATIONS OF THE AGENCY HOLDING JURISDICTION AT NO COST TO THE OWNER.
13. ANY DAMAGE DONE TO PRIVATE PROPERTY OWNERS SIGNS, MAILBOX, DRIVEWAY CULVERTS, LANDSCAPING OR OTHER PROPERTY SHALL BE RESTORED TO ORIGINAL CONDITION. AT NO COST TO OWNER.
14. CONTRACTOR IS RESPONSIBLE FOR FENCING AND SECURITY OF HIS LAYDOWN AND STORAGE AREA.
15. THE CONTRACTOR IS REQUIRED TO MEET ALL APPLICABLE FEDERAL, OSHA, STATE AND LOCAL REGULATIONS CONCERNING PROJECT SAFETY AND ASSUMES FULL RESPONSIBILITY FOR SAFETY ON THE PROJECT.
16. CONTRACTOR SHALL KEEP ALL ROADS FREE OF DIRT AND DEBRIS AT ALL TIMES.
17. CONTRACTOR SHALL PROTECT EXISTING PAVEMENTS AND UTILITIES FROM HEAVY EARTH MOVING EQUIPMENT. PROVIDE TRAFFIC CONTROL AND ADEQUATE PROTECTION METHODS AT ALL EQUIPMENT CROSSINGS.
18. ALL STRUCTURAL FILL MATERIAL SHALL BE FREE OF ALL STICKS, ROCKS, AND CLUMPS OF MUD. ALL ROCKS GREATER THAN 3" DURING EXCAVATION SHALL BE REMOVED.
19. CONCRETE SIDEWALKS THAT ARE TO BE REMOVED SHALL BE CUT BACK TO NEAREST EXPANSION OR CONTROL JOINT AND REPLACED WITH 4-INCH CONCRETE SIDEWALK FINISHED TO MATCH EXISTING SIDEWALKS.
20. CONTRACTOR TO COORDINATE WITH CITY OF RALEIGH FOR TEMPORARY WATER NEEDED DURING CONSTRUCTION. IF PERMITTED TO CONNECT TO EXISTING FIRE HYDRANT A REDUCED PRESSURE ZONE (RPZ) BACKFLOW PREVENTER WILL BE REQUIRED.
21. THE TRANSITION OF PROPOSED ROADWAY TO EXISTING ROADWAY SHALL BE DONE WITH A MINIMUM 8-FT TRANSITION WHERE THE EXISTING PAVEMENT IS MILLED TO A MINIMUM DEPTH OF 1-1/2" AND OVERLAID.
22. ALL PAVEMENT SAW CUTS SHALL BE NEAT, STRAIGHT AND FULL DEPTH.
23. ALL RIP-RAP IS TO BE INSTALLED WITH NON-WOVEN FILTER FABRIC BENEATH (MIRAFI 14ON OR APPROVED EQUAL).
24. HDPE PIPE SHALL BE ADS N-12 WT (ASTM D3212) OR APPROVED EQUAL INSTALLED IN STRICT ACCORDANCE WITH MANUFACTURERS REQUIREMENTS AND RECOMMENDATIONS.
25. ALL SITE CONSTRUCTION MUST BE INSPECTED BY THE GEOTECHNICAL ENGINEER AT THE FOLLOWING STAGES:
    - A. COMPLETION OF GRADING SUBGRADE PRIOR TO PLACING STONE BASE.
    - B. COMPLETION OF STONE PLACEMENT PRIOR TO PAVING.
    - C. FINAL INSPECTION WHEN ALL WORK IS COMPLETE.
26. PRIOR TO PLACING CABC STONE BASE, THE CONTRACTOR SHOULD NOTIFY THE GEOTECHNICAL ENGINEER TO INSPECT THE PROOF ROLL OF THE SUBGRADE. ANY STONE PLACED WITHOUT PRIOR APPROVAL WILL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND SUBJECT TO RE-CONSTRUCTION IF SUBGRADE DOES NOT MEET TOWN AND NCDOT STANDARDS & SPECIFICATIONS.
27. ALL UTILITY SERVICES, (POWER, TELEPHONE, CABLE, ETC.) ARE PROPOSED TO BE UNDERGROUND. THE CONTRACTOR SHALL COORDINATE WITH THE PRIVATE UTILITY SERVICE COMPANIES FOR ANY REQUIRED CONDUITS OR POINT OF CONTACT CONDITIONS.
28. ALL PUBLIC UTILITIES THAT REQUIRE AN ENGINEERING CERTIFICATION MUST BE INSPECTED BY A PROFESSIONAL ENGINEER ON A PERIODIC BASIS. THE CONTRACTOR SHALL CONTACT THE PROJECT ENGINEER WHEN INSTALLING UTILITIES FOR PERIODIC INSPECTIONS. THE CONTRACTOR SHALL CONTACT THE PROJECT ENGINEER AT THE TIME OF PRESSURE TESTING AND WATER LINE DISINFECTION. THE CONTRACTOR SHALL SUPPLY THE PROJECT ENGINEER PRESSURE TEST RESULTS.
29. INFORMATION CONCERNING UNDERGROUND UTILITIES WAS OBTAINED FROM AVAILABLE RECORDS AND FIELD CONDITIONS WHEN POSSIBLE, BUT THE CONTRACTOR MUST DETERMINE THE EXACT LOCATION AND ELEVATION OF ALL EXISTING UTILITIES BY DIGGING TEST PITS BY HAND AT ALL UTILITY CROSSINGS WELL IN ADVANCE OF TRENCHING. IF THE CLEARANCES ARE LESS THAN SPECIFIED ON THE PLANS OR 12 INCHES, WHICH EVER IS LESS, CONTACT THE PROJECT ENGINEER PRIOR TO PROCEEDING WITH CONSTRUCTION.
30. THE CONTRACTOR SHALL INCLUDE IN HIS CONTRACT PRICE THE REMOVAL AND DISPOSAL, TO AN APPROVED NCDENR LOCATION, OF ANY EXCESS TOPSOIL OR UNCLASSIFIED EXCAVATION HE DETERMINES IS NOT REQUIRED TO PERFORM THE FINAL GRADING AND LANDSCAPING OPERATION.
31. THE CONTRACTOR SHALL INCLUDE IN THE CONTRACT PRICE DAILY RECORD KEEPING OF THE AS-BUILT CONDITION OF ALL OF THE UNDERGROUND UTILITIES, CONSTRUCTION STAKEOUT ASSOCIATED WITH THE PROJECT. PREPARATION OF THE NECESSARY/REQUIRED AS-BUILT PLANS TO BE SUBMITTED TO TOWN OF ROLESVILLE AND/OR CITY RALEIGH PUBLIC UTILITIES AND/OR ALL OTHER INFORMATION REQUIRED IN CONNECTION WITH RELEASE OF BONDS.
32. THE CONTRACTOR SHALL INCLUDE IN THE PRICE, ANY AND ALL COSTS ASSOCIATED WITH PROVIDING A PROFESSIONAL ENGINEER ON SITE IF REQUIRED, DURING THE CONSTRUCTION OF THE STORMWATER MANAGEMENT FACILITIES, UNDERGROUND UTILITIES, ETC. AS REQUIRED FOR AS-BUILT CERTIFICATION.
33. THE CONTRACTOR IS RESPONSIBLE FOR THE DESIGN AND IMPLEMENTATION OF ALL REQUIRED/NECESSARY SHEETING, SHORING, AND SPECIAL EXCAVATION MEASURES REQUIRED ON THE PROJECT TO MEET OSHA, FEDERAL, STATE AND LOCAL REGULATIONS PURSUANT TO THE INSTALLATION OF THE WORK INDICATED ON THE DRAWINGS. NCDOT, TOWN OF ROLESVILLE, CITY OF RALEIGH, & ENGINEER OF RECORD ACCEPT NO RESPONSIBILITY FOR THE DESIGN TO INSTALL SAID ITEMS.
34. TESTING BY CONTRACTOR: CONTRACTOR SHALL EMPLOY AT HIS EXPENSE AN OUTSIDE INDEPENDENT SOIL TESTING SERVICE (APPROVED BY THE OWNER) TO PERFORM SOIL TESTING AND INSPECTION SERVICE FOR QUALITY CONTROL TESTING DURING EARTHWORK OPERATIONS. COPIES OF RESULTS OF TESTS SHALL BE SUBMITTED BY THE TESTING SERVICE DIRECTLY TO THE CONTRACTOR, THE OWNER, AND THE APPLICABLE APPROVING AGENCY. --THE TESTING SERVICE WILL CLASSIFY PROPOSED ON-SITE AND BORROW SOILS TO VERIFY THAT SOILS COMPLY WITH SPECIFIED REQUIREMENTS AND TO PERFORM REQUIRED FIELD AND LABORATORY TESTING. (MINIMUM REQUIRED SOIL BEARING CAPACITY IS NOTED ON THE STRUCTURAL DRAWINGS). -IN PAVED AND BUILDING SLAB AREAS, THE TESTING SERVICE SHALL MAKE AT LEAST ONE FIELD DENSITY TEST FOR EACH 2000 SQUARE FEET OF FILL IN EACH COMPACTED FILL LAYER. IF A TEST SHOULD FAIL TO MEET REQUIRED DENSITY, THE CONTRACTOR SHALL RE-COMPACT THAT LAYER. THE SOIL TESTING SERVICE SHALL PERFORM ADDITIONAL TESTS AT THE CONTRACTOR'S EXPENSE TO SHOW THAT THE FAILED LAYER HAS REACHED THE REQUIRED COMPACTION. --IN FOUNDATION WALL AREAS, THE TESTING SERVICE SHALL MAKE AT LEAST ONE FIELD DENSITY TEST FOR EACH 100 FEET OR LESS OF WALL LENGTH OF FILL IN EACH COMPACTED FILL LAYER, WITH NO LESS THAN TWO TESTS ALONG A WALL FACE. IF A TEST SHOULD FAIL TO MEET REQUIRED DENSITY, THE CONTRACTOR SHALL RE-COMPACT THAT LAYER. THE SOIL TESTING SERVICE SHALL PERFORM ADDITIONAL TESTS AT THE CONTRACTOR'S EXPENSE TO SHOW THAT THE FAILED LAYER HAS REACHED THE REQUIRED COMPACTION.
35. COMPACTION: COMPACT EACH LAYER OF BACKFILL AND FILL SOIL MATERIALS AND THE TOP 12" OF SUBGRADE IN CUT AREAS TO 98% OF MAXIMUM DENSITY IN ACCORDANCE WITH AASHTO T99 FOR STRUCTURES, SLABS, AND PAVEMENTS AND 95% OF MAXIMUM DENSITY FOR EMBANKMENTS OR UNPAVED AREAS. MAX LIFT THICKNESS FOR FILL AREAS IS 8 INCHES.
36. DESIGN/FIELD CONDITIONS QUITE EASILY MAY VARY FROM THAT REPRESENTED IN THE INITIAL SOILS REPORT AND/OR TOPOGRAPHICAL REPORT. ISOLATED AREAS MAY SHOW UP WEAK AND ADVERSE SOILS OR GROUNDWATER CONDITIONS MAY BE DISCOVERED THAT WERE NOT REVEALED DURING THE INITIAL SOILS INVESTIGATION. THEREFORE, THE OWNER/CLIENT IS TO BE AWARE THAT ENGINEER OF RECORD WILL NOT AND CANNOT BE HELD RESPONSIBLE FOR ANY FAILURES TO EITHER A STREET OR PARKING LOT PAVEMENT DESIGN UNLESS WE CAN BE FULLY AND TOTALLY INVOLVED IN THE CONSTRUCTION PROCESS WHICH MAY INCLUDE, BUT MAY NOT NECESSARILY BE LIMITED TO, TESTING SUBGRADE AND BASE DENSITY, ENGAGING THE GEOTECHNICAL ENGINEER FOR THE EVALUATION OF THE SUBGRADE AND FOR THE OBSERVATION OF PROOF ROLLING SUBGRADE AND BASE AT VARIOUS STEPS OF CONSTRUCTION, OPPORTUNITY FOR THE DESIGN ENGINEER TO CALL IN A GEOTECHNICAL ENGINEER FOR CONSULTATION AND ADVICE, ETC. - STEPS WHICH TAKEN ALTOGETHER WITH THE INITIAL DESIGN SHOWN ON THE PLANS, CONSTITUTE THE COMPLETE DESIGN OF THE ROAD, STREET OF PARKING AREA (PRIVATE OR PUBLIC). THE DESIGN ENGINEER MUST BE GIVEN THE FULL LATITUDE AND OPPORTUNITY TO COMPLETE THE DESIGN BY FULLY PARTICIPATING IN THE CONSTRUCTION PROCESS. PLAN DESIGN IS A SMALL PORTION OF THE DESIGN AND CANNOT BE SEPARATED FROM THE CONSTRUCTION PROCESS IF THE OWNER'S/CLIENT'S DESIRE IS TO HAVE THE DESIGN ENGINEER STAND BEHIND THE COMPLETED DESIGNED PROJECT.
37. CONTRACTOR SHALL PROVIDE POSITIVE DRAINAGE AWAY FROM ALL BUILDING PADS.
38. THE SITE PREVIOUSLY CONTAINED RESIDENTIAL / FARM STRUCTURES CONTRACTOR RESPONSIBLE FOR REMOVAL OF ANY FOUNDATIONS AND SEPTIC SYSTEMS PER NCDNR REQUIREMENTS.

## GENERAL ABBREVIATIONS:

| IDENTIFIER | DESCRIPTION |
|---|---|
| & | AND |
| ℄ | CENTERLINE |
| Ø | DIAMETER OR ROUND |
| ℙ | PROPERTY LINE |
| ABC | AGGREGATE BASE ASPH ASPHALT |
| AVE | AVENUE |
| BLVD | BOULEVARD |
| BLDG | BUILDING |
| BOC | BACK OF CURB |
| BW | BOTTOM OF WALL |
| CB | CATCH BASIN |
| CI | CURB INLET |
| CIP | CAST IRON PIPE |
| CLS | CLASS |
| CJ | CONTROL JOINT |
| CO | CLEANOUT |
| CONC | CONCRETE |
| DI | DROP INLET |
| DIA | DIAMETER |
| DIP | DUCTILE IRON PIPE |
| DOM | DOMESTIC |
| DR | DRIVE |
| (XX) | EXISTING ELEVATION |
| E | EAST, EASTING |
| EL | ELEVATION |
| EJ | EXPANSION JOINT |
| EOP | EDGE OF PAVEMENT |
| EX | EXISTING |
| EVAP | EVAPORATIVE |
| FDC | FIRE DEPARTMENT CONNECTION |
| FES | FLARED END SECTION |
| FFE | FINISHED FLOOR ELEVATION |
| FG | FINISHED GRADE |
| FHA | FIRE HYDRANT ASSEMBLY |
| FL | FLOW LINE |
| FT | FOOT OR FEET |
| G | GAS |
| GALV | GALVANIZED |
| GB | GRADE BREAK |
| GE | GENERAL ELECTRIC |
| GR | GRADE |
| HDPE | HIGH DENSITY POLYETHYLENE |
| HORIZ | HORIZONTAL |
| HOV | HIGH OCCUPANCY VEHICLE |
| HP | HIGH POINT |
| IAW | IN ACCORDANCE WITH |
| I.H. | INTERSTATE HIGHWAY |
| INV | INVERT |
| LEN | LENGTH |

## GENERAL ABBREVIATIONS:

| IDENTIFIER | DESCRIPTION |
|---|---|
| LEV | LOW EMISSION VEHICLE |
| LF | LINEAR FEET |
| LP | LOW POINT |
| MAX | MAXIMUM |
| MH | MANHOLE |
| MIN | MINIMUM |
| N | NORTH, NORTHING |
| NCDENR | NORTH CAROLINA DEPARTMENT OF ENVIRONMENT & NATURAL RESOURCES |
| NCDOT | NORTH CAROLINA DEPARTMENT OF TRANSPORTATION |
| NTS | NOT TO SCALE |
| OH | OVERHEAD |
| OCB | OFF-SET CATCH BASIN |
| PCC | PORTLAND CEMENT CONCRETE |
| PE | POLYETHYLENE |
| PKWY | PARKWAY |
| POC | POINT OF CONNECTION |
| PVC | POLYVINYL CHLORIDE |
| R | RADIUS |
| RCP | REINFORCED CONCRETE PIPE |
| R.O.W | RIGHT OF WAY |
| RPDA | REDUCED PRESSURE DETECTOR ASSEMBLY |
| RPZ | REDUCED PRESSURE ZONE |
| S | SOUTH |
| SD | STORM DRAIN |
| SDMH | STORM DRAIN MANHOLE |
| SDE | SIGHT DISTANCE EASEMENT |
| SSMH | SANITARY SEWER MANHOLE |
| SS | SANITARY SEWER |
| STA | STATION |
| STD | STANDARD |
| ST.STL | STAINLESS STEEL |
| SWPPP | STORMWATER POLLUTION PREVENTION PLAN |
| TB | TOP OF BARRIER |
| TC/TOC | TOP OF CURB |
| TD | TEMPORARY DIVERSION |
| TH | TEST HEADER |
| TOP | TOP OF PIPE |
| TP | TOP OF PAD |
| TYP | TYPICAL |
| TW | TOP OF WALL |
| UG | UNDERGROUND |
| VEG | VEGETATED |
| VERT | VERTICAL |
| W | WEST |
| W/ | WITH |
| W/O | WITHOUT |
| YI | YARD INLET |

** ALL SYMBOLS & ABBREVIATIONS SHOWN ON THIS SHEET MAY OR MAY NOT BE USED IN THIS DRAWING PACKAGE **

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**CIVIL NOTES**


DRAWING SHEET
**C-2.0**

**04 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| PARCEL CURVE TABLE | | | | |
|---|---|---|---|---|
| CURVE | RADIUS | LENGTH | CHORD | BEARING |
| C1 | 2310.00' | 177.73' | 177.68' | N 84°38'46" W |
| C2 | 1293.60' | 5.35' | 5.35' | N 86°58'07" W |
| C3 | 1293.60' | 337.11' | 336.16' | S 85°26'50" W |
| C4 | 713.00' | 127.72' | 127.55' | S 83°06'48" W |
| C5 | 713.00' | 48.21' | 48.20' | N 89°49'04" W |
| C6 | 3289.02' | 363.69' | 363.50' | N 84°42'47" W |
| C7 | 1415.00' | 134.86' | 134.81' | N 84°16'32" W |
| C8 | 4219.80' | 259.16' | 259.12' | N 11°21'15" E |
| C9 | 760.57' | 442.47' | 436.25' | N 07°04'17" W |
| C10 | 5980.51' | 249.26' | 249.25' | N 24°55'52" W |
| C11 | 4196.85' | 289.52' | 289.47' | N 24°08'56" W |
| C12 | 1444.00' | 809.14' | 798.60' | N 06°07'11" W |

| PARCEL LINE TABLE | | |
|---|---|---|
| COURSE | BEARING | DISTANCE |
| L1 | S 81°44'51" E | 203.47' |
| L2 | N 25°12'36" E | 0.99' |
| L13 | N 07°04'28" E | 19.71' |
| L14 | N 07°09'19" E | 160.38' |
| L15 | S 81°18'24" E | 4.60' |
| L16 | N 79°20'16" E | 165.95' |
| L17 | N 69°21'06" E | 141.50' |
| L18 | N 86°51'01" W | 73.68' |
| L19 | S 77°58'54" W | 193.04' |
| L20 | N 87°52'51" W | 288.79' |
| L21 | N 87°52'51" W | 8.74' |
| L22 | N 81°32'43" W | 147.86' |
| L23 | N 09°55'59" E | 101.17' |




**VICINITY MAP**

1" = 800'

GRAPHIC SCALE

200 0 100 200 400 800


( IN FEET )
1 inch = 200 ft.

**LEGEND:**

- MASTER PLAN BOUNDARY
- EXISTING ADJOINER PROPERTY LINE
- 5' CONTOUR
- 1' CONTOUR
- EXISTING STREAM
- EXISTING BUFFER
- 500 YEAR FLOOD LINE
- 100 YEAR FLOOD LINE
- EXISTING TREE
- EXISTING WETLAND
- FLOOD HAZARD
- FLOODZONE AE
- FLOODWAY
- SWAMP/MARSH HARRIS CREEK

**The dashed symbol used for the tree line is incredibly difficult to see amongst the contour lines and neither that symbol nor the tree protection fencing symbol are included in the legend. Please revise for clarity and to clearly identify the location of the TPF.**

**Please add a note to the plan set stating, "All adjacent properties are Wake County zoned R-30 properties according to the according to the Wake County Register of Deeds."**




| DRAWING SHEET |
|---|
| C-3.0 |

05 OF 57

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |


NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT
SEAL

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| STRONG ROCK PROJECT PSP-23-03 | NOT FOR CONSTRUCTION | SCALE | AS SHOWN | DESIGNED BY | JWL |
|---|---|---|---|---|---|
| | | | | DRAWN BY | SRG |
| | | | | CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**EXISTING CONDITIONS PLAN**

PROGRESS PLOT DATE: 12/05/2023




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK

ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN


# OVERALL TREE INVENTORY MAP

DRAWING SHEET
C-3.1

06 OF 57

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN


# PARTIAL TREE INVENTORY MAP I

DRAWING SHEET
C-3.2

07 OF 57


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN


# PARTIAL TREE INVENTORY MAP II

DRAWING SHEET
C-3.3

08 OF 57


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023




THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

# PARTIAL TREE INVENTORY MAP III

DRAWING SHEET
C-3.4

09 OF 57

PROGRESS PLOT DATE: 12/05/2023




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN

**PARTIAL TREE INVENTORY MAP IV**


DRAWING SHEET

**C-3.5**

**10 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023




THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN

# PARTIAL TREE INVENTORY MAP V

DRAWING SHEET

C-3.6

11 OF 57

PROGRESS PLOT DATE: 12/05/2023




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

# PARTIAL TREE INVENTORY MAP VI

DRAWING SHEET
C-3.7

12 OF 57


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA.
PRELIMINARY SITE PLAN

# PARTIAL TREE INVENTORY MAP VII

DRAWING SHEET
C-3.8

13 OF 57


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| Tree Code | Botanical Name | DBH | Condition Overall |
|---|---|---|---|
| AJ-001 | LITU | 19" | Good |
| AJ-002 | CATO | 10" | Good |
| AJ-003 | QUAL | 10" | Good |
| AJ-004 | JUVI | 6" | Good |
| AJ-005 | CATO | 13" | Good |
| AJ-006 | QURU | 10" | Good |
| AJ-007 | QURU | 8" | Good |
| AJ-008 | LIST | 18" | Good |
| AJ-009 | QUAL | 6" | Good |
| AJ-010 | QURU | 14" | Good |
| AJ-011 | QUAL | 14" | Good |
| AJ-012 | QUAL | 12" | Good |
| AJ-013 | CATO | 6" | Good |
| AJ-014 | ACRU | 14" | Good |
| AJ-015 | QUNI | 5" | Good |
| AJ-016 | LIST | 4" | Good |
| AJ-017 | LIST | 4" | Good |
| AJ-018 | PITA | 16/18" | Good |
| AJ-019 | ACRU | 4" | Good |
| AJ-020 | QUNI | 10" | Good |
| AJ-021 | LIST | 16" | Good |
| AJ-022a | PITA | 20" | Good |
| AJ-022b | PITA | 20" | Good |
| AJ-023 | ACRU | 13" | Good |
| AJ-024 | QUST | 22" | Fair |
| AJ-025 | LIST | 7" | Good |
| AJ-026 | PITA | 17" | Good |
| AJ-027 | QUNI | 4" | Good |
| AJ-028 | PITA | 25" | Good |
| AJ-029 | CATO | 9" | Fair |
| AJ-030 | QURU | 20" | Good |
| AJ-031 | LIST | 19" | Good |
| AJ-032 | CATO | 12" | Good |
| AJ-033 | LITU | 27" | Good |
| AJ-034 | LIST | 18" | Good |
| AJ-035 | LITU | 23" | Good |
| AJ-036 | PITA | 20" | Good |
| AJ-037 | ULAL | 14" | Good |
| AJ-038 | LITU | 19" | Good |
| AJ-039 | LIST | 36" | Good |
| AJ-040 | ACRU | 22" | Good |
| AJ-041a | ACRU | 15" | Good |
| AJ-041b | ACRU | 18" | Good |
| AJ-042 | LITU | 22" | Good |
| AJ-043 | LITU | 18" | Good |
| AJ-044 | PRSE | 19" | Fair |
| AJ-045 | LITU | 19" | Good |
| AJ-046 | LITU | 17 | Good |
| AJ-047 | QUVE | 31" | Good |
| AJ-048 | LIST | 6" | Fair |
| AJ-049 | QUNI | 17" | Good |
| AJ-050 | QUAL | 12" | Good |
| AJ-051 | QUAL | 12" | Good |
| AJ-052 | QURU | 12" | Good |
| AJ-053 | QUAL | 4" | Good |
| AJ-054 | QUAL | 32" | Good |
| AJ-055 | OXAR | 6" | Good |
| AJ-056 | QURU | 19" | Good |
| AJ-057 | QUAL | 13" | Good |
| AJ-058 | LITU | 17" | Good |
| AJ-059 | LITU | 24" | Good |
| AJ-060 | QURU | 32" | Good |
| AJ-061 | ILOP | 6" | Good |
| AJ-062 | QURU | 20" | Good |

| Tree Code | Botanical Name | DBH | Condition Overall |
|---|---|---|---|
| AJ-063 | LITU | 12" | Good |
| AJ-064 | QURU | 19" | Good |
| AJ-065 | LITU | 16" | Good |
| AJ-066 | OXAF | 14" | Good |
| AJ-067 | ACRU | 4" | Good |
| AJ-068 | ACRU | 6" | Good |
| AJ-069 | ACRU | 10" | Good |
| AJ-070 | ACRU | 6" | Good |
| AJ-071 | ACRU | 6" | Good |
| AJ-072 | PRSE | 9" | Good |
| AJ-073 | DIVI | 3" | Good |
| AJ-074 | LITU | 8" | Fair |
| AJ-075 | ACRU | 21" | Good |
| AJ-076 | LITU | 13" | Good |
| AJ-077 | LIST | 13" | Good |
| AJ-078 | LIST | 4" | Good |
| AJ-079 | LITU | 18" | Poor |
| AJ-080 | LITU | 25" | Good |
| AJ-081 | PRSE | 9" | Good |
| AJ-082 | LITU | 22" | Good |
| AJ-083 | LITU | 21" | Good |
| AJ-084 | PLOC | 41" | Good |
| AJ-086 | ACRU | 9" | Good |
| AJ-087 | LITU | 30" | Good |
| AJ-088 | LIST | 4" | Good |
| AJ-089 | ACRU | 18" | Good |
| AJ-090 | ACRU | 30" | Good |
| AJ-091 | ACRU | 30" | Good |
| AJ-092 | LIST | 4" | Good |
| AJ-093 | LIST | 9" | Good |
| AJ-094 | FRPE | 22" | Good |
| AJ-095 | LIST | 21" | Good |
| AJ-096 | LIST | 18" | Good |
| AJ-097 | LITU | 19" | Good |
| AJ-098 | PRSE | 8" | Good |
| AJ-099 | QUNI | 4" | Good |
| AJ-100 | ILOP | 4" | Good |
| AJ-101 | QUST | 29" | Poor |
| AJ-102 | QURU | 18" | Good |
| AJ-103 | LIST | 6" | Good |
| AJ-104 | QURU | 19" | Good |
| AJ-105 | QUNI | 17" | Good |
| AJ-106 | LIST | 7" | Good |
| AJ-107 | QURU | 28" | Good |
| AJ-108 | LIST | 5" | Good |
| AJ-109 | QUST | 18" | Good |
| AJ-110 | PRSE | 6" | Good |
| AJ-111 | LIST | 14" | Good |
| AJ-112 | PITA | 21" | Good |
| AJ-113 | QUPH | 18" | Good |
| AJ-114 | PITA | 28" | Good |
| AJ-115 | CACA | 5" | Good |
| AJ-116 | QUST | 20" | Good |
| AJ-117 | CACA | 6" | Good |
| AJ-117 | CACA | 7" | Good |
| AJ-118 | QUNI | 16" | Good |
| AJ-123 | PITA | 23" | Good |
| AJ-124 | PITA | 25" | Good |
| AJ-125 | PRSE | 6" | Good |
| AJ-126 | QUNI | 7" | Good |
| AJ-127 | QUNI | 7" | Good |
| AJ-128 | PITA | 20" | Good |
| AJ-129 | PITA | 20" | Good |
| AJ-130 | LITU | 21" | Good |
| AJ-131 | ULRU | 8" | Good |

| Tree Code | Botanical Name | DBH | Condition Overall |
|---|---|---|---|
| KH-002 | PITA | 30" | Good |
| KH-003 | ACRU | 31" | Good |
| KH-004 | LITU | 45" | Fair |
| KH-005 | QUAL | 7" | Good |
| KH-006 | LIST | 10" | Good |
| KH-007 | LIST | 6" | Good |
| KH-008 | CATO | 5" | Good |
| KH-009 | JUVI | 5 | Good |
| KH-010 | QURU | 4" | Good |
| KH-011 | CATO | 6" | Good |
| KH-012 | QUAL | 21" | Good |
| KH-013 | CATO | 9" | Good |
| KH-014 | QUAL | 20" | Good |
| KH-015 | QUPA | 15" | Good |
| KH-016 | CATO | 10" | Good |
| KH-017 | QUPA | 10" | Good |
| KH-019 | QUAL | 20" | Good |
| KH-019 | LIST | 11" | Good |
| KH-020 | CATO | 12" | Good |
| KH-020 | QUNI | 12" | Good |
| KH-021 | PITA | 40" | Excellent |
| KH-023 | LIST | 5" | Good |
| KH-024 | LIST | 8" | Good |
| KH-025 | JUVI | 8" | Good |
| KH-026 | PRSE | 6" | Good |
| KH-027 | PITA | 13" | Good |
| KH-028 | PITA | 13" | Good |
| KH-029 | JUVI | 8" | Good |
| KH-030 | PRSE | 5" | Good |
| KH-031 | PLOR | 3" | Fair |
| KH-032 | DIVI | 18" | Good |
| KH-033 | PITA | 25" | Excellent |
| KH-034 | PITA | 18" | Excellent |
| KH-035 | PITA | 29" | Good |
| KH-036 | LIST | 8" | Good |
| KH-037 | ULRU | 14" | Good |
| KH-038 | PITA | 17" | Good |
| KH-039 | PITA | 13" | Good |
| KH-040 | PITA | 16" | Good |
| KH-041 | QUAL | 6" | Good |
| KH-042 | PITA | 18" | Good |
| KH-043 | ULRU | 6" | Good |
| KH-044 | QUNI | 5" | Fair |
| KH-045 | QUNI | 8" | Good |
| KH-046 | QUNI | 6" | Good |
| KH-047 | PITA | 21" | Good |
| KH-048 | PITA | 21" | Good |
| KH-049 | QUNI | 5" | Good |
| KH-050 | QUNI | 5" | Good |
| KH-051 | QURU | 6" | Good |
| KH-052 | LIST | 8" | Good |
| KH-053 | QUAL | 8" | Good |
| KH-054 | PITA | 20" | Good |
| KH-055 | JUVI | 5" | Good |
| KH-056 | KOFL | 3" | Good |
| KH-057 | QUNI | 5" | Good |
| KH-058 | QUAL | 10" | Good |
| KH-059 | QUAL | 5" | Good |
| KH-060 | LIST | 5" | Good |
| KH-061 | QUNI | 5" | Good |
| KH-062 | QUAL | 8" | Good |
| KH-063 | QUNI | 8" | Good |
| KH-064 | QUAL | 6" | Good |
| KH-065 | PITA | 10" | Good |
| KH-066 | PITA | 16" | Good |

| Tree Code | Botanical Name | DBH | Condition Overall |
|---|---|---|---|
| KH-067 | PITA | 13" | Good |
| KH-068 | JUVI | 9" | Good |
| KH-069 | PITA | 27" | Excellent |
| KH-070 | ULRU | 9" | Good |
| KH-071 | ULRU | 12" | Good |
| KH-072 | LIST | 14" | Good |
| KH-073 | PITA | 12" | Good |
| KH-075 | QUNI | 12" | Good |
| KH-076 | QUAL | 9" | Good |
| KH-077 | QUAL | 4" | Good |
| KH-078 | QUAL | 7" | Good |
| KH-079 | PITA | 14" | Good |
| KH-080 | QUAL | 7" | Good |
| KH-081 | PITA | 10" | Good |
| KH-082 | PLOR | 4" | Good |
| KH-083 | PLOR | 4" | Good |
| KH-084 | PITA | 15" | Good |
| KH-085 | PITA | 18" | Good |
| KH-086 | QUNI | 8" | Good |
| KH-087 | MORU | 4" | Good |
| KH-088 | MORU | 5" | Good |
| KH-089 | MORU | 5" | Good |
| KH-090 | OXAR | 7" | Good |
| KH-091 | PRSE | 22/14" | Poor |
| KH-092 | QUNI | 19" | Good |
| KH-093 | MORU | 6" | Good |
| KH-094 | JUVI | 7" | Good |
| KH-095 | PRSE | 14/16" | Good |
| KH-096 | PRSE | 25" | Good |
| KH-097 | PRSE | 4" | Fair |
| KH-098 | PITA | 11" | Good |
| KH-099 | ULAL | 3" | Good |
| KH-100 | PITA | 19" | Good |
| KH-101 | QUNI | 3" | Good |
| KH-102 | ULRU | 15" | Good |
| KH-103 | ULRU | 6" | Good |
| KH-104 | PITA | 11" | Good |
| KH-105 | PITA | 23" | Good |
| KH-106 | PITA | 22" | Good |
| KH-107 | PITA | 29" | Good |
| KH-108 | PITA | 26" | Good |
| KH-109 | PITA | 28" | Good |
| KH-110 | QUNI | 11" | Good |
| KH-111 | QUNI | 10" | Good |
| KH-112 | QUNI | 7" | Good |
| KH-113 | QUNI | 11" | Good |
| KH-114 | QURU | 11" | Good |
| KH-115 | PRSE | 4" | Poor |
| KH-116 | PITA | 12" | Good |
| KH-117 | PITA | 12" | Good |
| KH-118 | PITA | 13/10" | Good |
| KH-119 | PITA | 8" | Fair |
| KH-120 | QUAL | 11" | Good |
| KH-121 | QUNI | 27" | Good |
| KH-121 | LIST | 7" | Good |
| KH-122 | PRSE | 5" | Good |
| KH-123 | PITA | 10/5" | Good |
| KH-124 | JUVI | 6" | Good |
| KH-125 | LIST | 7" | Good |
| KH-126 | LIST | 3" | Good |
| KH-127 | PLOC | 11" | Good |
| KH-128 | PITA | 10" | Good |
| KH-130 | PITA | 21" | Good |
| KH-131 | PITA | 25" | Good |

| Tree Code | Botanical Name | DBH | Condition Overall |
|---|---|---|---|
| KH-132 | PITA | 5" | Good |
| KH-133 | PITA | 8" | Good |
| KH-134 | PITA | 14" | Good |
| KH-135 | QUNI | 7" | Good |
| KH-136 | PITA | 29" | Good |
| KH-137 | PITA | 11" | Good |
| KH-138 | QUNI | 5" | Good |
| KH-139 | QUNI | 4" | Fair |
| KH-140 | PITA | 8" | Good |
| KH-141 | LIST | 5" | Good |
| KH-142 | PITA | 14" | Good |
| KH-143 | ULRU | 10" | Good |
| KH-144 | QUNI | 8" | Good |
| KH-145 | PITA | 24" | Good |
| KH-146 | QUNI | 7" | Good |
| KH-147 | QUNI | 12" | Good |
| KH-148 | QUNI | 14" | Good |
| KH-149 | ULRU | 7" | Good |
| KH-150 | LISI | 3" | Fair |
| KH-151 | ULRU | 9" | Good |
| KH-154 | MORU | 10" | Fair |
| KH-155 | ULRU | 13" | Good |
| KH-156 | PITA | 31" | Good |
| KH-157 | PRSE | 9" | Good |
| KH-158 | QURU | 37" | Excellent |
| KH-159 | LIST | 5" | Good |
| KH-160 | LITU | 34" | Good |
| KH-163 | QUAL | 24" | Good |
| KH-164 | QURU | 23" | Good |
| KH-165 | ILOP | 9" | Good |
| KH-167 | QUAL | 21" | Good |
| KH-168 | QUFA | 21" | Good |
| KH-169 | QUAL | 22" | Good |
| KH-170 | QURU | 23" | Good |
| KH-171 | PITA | 21" | Good |
| KH-172 | PITA | 24" | Good |
| KH-173 | LIST | 9/8" | Fair |
| KH-174 | PITA | 5" | Good |
| KH-175 | PITA | 4" | Good |
| KH-176 | PITA | 6" | Good |
| KH-177 | JUVI | 6" | Good |
| KH-178 | PITA | 15" | Good |
| KH-179 | QUNI | 7" | Good |
| KH-180 | QUNI | 9" | Good |
| KH-181 | QURU | 6" | Good |
| KH-182 | QUAL | 8" | Good |
| KH-183 | QUNI | 6" | Good |
| KH-184 | QUAL | 8" | Good |
| KH-185 | QUAL | 8" | Good |
| KH-186 | QUAL | 13" | Good |
| KH-187 | QUNI | 10" | Good |
| KH-188 | QUNI | 5" | Good |
| KH-189 | QUAL | 13" | Good |
| KH-190 | QUAL | 10" | Good |
| KH-191 | QUAL | 14/13/12" | Good |
| KH-192 | QUNI | 5" | Good |
| KH-193 | QUAL | 4" | Good |
| KH-194 | PRSE | 6/5" | Good |
| KH-195 | QUNI | 7" | Good |
| KH-196 | PRSE | 7" | Good |
| KH-197 | PITA | 20" | Good |
| KH-198 | PITA | 14" | Good |
| KH-199 | PITA | 14" | Good |
| KH-200 | PITA | 20" | Good |

| Tree Code | Botanical Name | DBH | Condition Overall |
|---|---|---|---|
| KH-201 | QUNI | 4/4" | Fair |
| KH-202 | QUNI | 7" | Good |
| KH-203 | QUAL | 9" | Good |
| KH-204 | QUNI | 8" | Good |
| KH-205 | PITA | 20" | Poor |
| KH-206 | PRSE | 11" | Fair |
| KH-207 | PITA | 20" | Good |
| KH-208 | PITA | 12" | Good |
| KH-209 | PITA | 15" | Good |
| KH-210 | PITA | 13" | Good |
| KH-211 | PITA | 12" | Good |
| KH-212 | PITA | 12" | Good |
| KH-213 | PITA | 16" | Good |
| KH-214 | PITA | 10" | Good |
| KH-216 | PITA | 14" | Good |
| KH-217 | PITA | 14" | Good |
| KH-218 | ULRU | 11" | Good |
| KH-219 | QUNI | 4" | Good |
| KH-220 | ULRU | 15" | Good |
| KH-221 | JUVI | 5" | Good |
| KH-222 | QURU | 56" | Good |
| KH-223 | QURU | 22" | Good |
| KH-224 | QURU | 26" | Good |
| KH-225 | ULRU | 10" | Good |
| KH-226 | CATO | 6" | Good |
| KH-227 | QURU | 11" | Good |
| KH-228 | PITA | 22" | Good |
| KH-229 | QURU | 13" | Good |
| KH-230 | QUAL | 16" | Good |
| KH-231 | QURU | 17" | Fair |
| KH-232 | QURU | 18" | Good |
| KH-232 | QURU | 20/11" | Good |
| KH-233 | QURU | 10" | Good |
| KH-234 | QURU | 10/7/7/7/7" | Fair |
| KH-235 | QURU | 8" | Good |
| KH-236 | QUAL | 9/7/7" | Good |
| KH-237 | QURU | 15" | Good |
| KH-238 | QUAL | 14/11" | Good |
| KH-239 | PITA | 26" | Good |
| KH-240 | QUAL | 11/11" | Good |
| KH-241 | QURU | 13/10/9" | Good |
| KH-242 | QURU | 6/4" | Good |
| KH-243 | QUAL | 3" | Good |
| KH-244 | QUAL | 12/10/9/7" | Good |
| KH-245 | QUAL | 18/10" | Good |
| KH-246 | QUAL | 7" | Good |
| KH-247 | PITA | 25" | Good |
| KH-248 | QUAL | 8" | Good |
| KH-249 | QUAL | 10" | Good |
| KH-250 | QURU | 24" | Good |
| KH-251 | LITU | 31/12" | Good |
| KH-252 | QURU | 7" | Good |
| KH-253 | QURU | 23" | Good |
| KH-254 | QUNI | 11" | Poor |
| KH-260 | LIST | 16" | Good |
| KH-261 | LITU | 22" | Good |
| KH-262 | LIST | 9" | Good |
| KH-263 | QURU | 17" | Good |
| KH-264 | QUAL | 8" | Good |
| KH-265 | PITA | 16" | Good |
| KH-266 | QURU | 14" | Good |
| KH-267 | QUAL | 11" | Good |
| KH-268 | QUAL | 12" | Good |
| KH-269 | PITA | 15" | Good |

| Tree Code | Botanical Name | DBH | Condition Overall |
|---|---|---|---|
| KH-270 | PITA | 15" | Good |
| KH-271 | QURU | 8" | Good |
| KH-272 | PRSE | 6" | Poor |
| KH-273 | PRSE | 7" | Fair |
| KH-274 | ULRU | 20" | Fair |
| KH-275 | LISI | 6" | Fair |
| KH-276 | LISI | 3" | Fair |
| KH-277 | PITA | 28" | Good |
| KH-278 | ILOP | 11" | Good |
| KH-279 | PRSE | 8" | Good |
| KH-280 | QURU | 13" | Good |
| KH-281 | QUNI | 12" | Poor |
| KH-282 | PITA | 25" | Good |
| KH-283 | QUAL | 16" | Good |
| KH-284 | QUNI | 20" | Good |
| KH-285 | QUNI | 8" | Poor |
| KH-286 | LIST | 8" | Good |
| KH-287 | PRSE | 5" | Good |
| KH-288 | ILOP | 5" | Good |
| KH-289 | QUNI | 6" | Good |
| KH-290 | PRSE | 4" | Good |
| KH-291 | QUST | 11" | Fair |
| KH-292 | QUNI | 4" | Good |
| KH-293 | PITA | 7" | Good |
| KH-294 | QUNI | 4" | Good |
| KH-295 | QUNI | 7" | Good |
| KH-296 | ILOP | 6" | Good |
| KH-297 | QUNI | 5" | Good |
| KH-298 | QUNI | 3" | Good |
| KH-299 | QUNI | 5" | Fair |
| KH-300 | NYSY | 5" | Good |
| KH-301 | ILOP | 5" | Good |
| KH-302 | PITA | 14" | Good |
| KH-303 | NYSY | 4" | Good |
| KH-304 | ILOP | 6" | Good |
| KH-305 | QUNI | 19" | Good |
| KH-306 | QUFA | 19" | Good |
| KH-307 | QURU | 19" | Good |
| KH-308 | QUPH | 10" | Good |
| KH-309 | LIST | 5" | Good |
| KH-310 | QUNI | 17" | Fair |
| KH-311 | QURU | 6" | Good |
| KH-312 | LITU | 15" | Good |
| KH-313 | LITU | 18" | Good |
| KH-314 | ACRU | 14" | Good |
| KH-315 | LITU | 14" | Good |
| KH-316 | LIST | 8" | Good |
| KH-317 | QUAL | 20" | Good |
| KH-318 | QUNI | 14" | Good |
| KH-319 | QUAL | 29" | Good |
| N/A | OAK | 4" | Good |

**5109 Mitchell Mill Road – Tree Inventory Species List**

ACRU - Acer rubrum
CACA - Carpinus caroliniana
CATO - Carya tomentosa
COFL - Cornus florida
DIVI - Diospyros virginiana
FRPE - Fraxinus pennsylvanica
ILOP - Ilex opaca
JUVI - Juniperus virginiana
LISI - Ligustrum sinense
LIST - Liquidambar styraciflua
LITU - Liriodendron tulipifera
MORU - Morus rubra
NYSY – Nyssa sylvatica
OXAR - Oxydendrum arboreum
PITA - Pinus taeda
PLOC - Platanus occidentalis
PLOR - Platycladus orientalis
PRSE - Prunus serotina
QUAL - Quercus alba
QUFA - Quercus falcata
QUNI - Quercus nigra
QUPA - Quercus pagoda
QUPH - Quercus phellos
QURU - Quercus rubra
QUST - Quercus stellata
QUVE - Quercus velutina
ULAL - Ulmus alata
ULRU - Ulmus rubra

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

**TREE INVENTORY TABLE**

DRAWING SHEET
C-3.9

| PARCEL CURVE TABLE | | | | |
|---|---|---|---|---|
| CURVE | RADIUS | LENGTH | CHORD | BEARING |
| C1 | 2310.00' | 177.73' | 177.68' | N 84°38'46" W |
| C2 | 1293.60' | 5.35' | 5.35' | N 86°58'07" W |
| C3 | 1293.60' | 337.11' | 336.16' | S 85°26'50" W |
| C4 | 713.00' | 127.72' | 127.55' | S 83°06'48" W |
| C5 | 713.00' | 48.21' | 48.20' | N 89°49'04" W |
| C6 | 3289.02' | 363.69' | 363.50' | N 84°42'47" W |
| C7 | 1415.00' | 134.86' | 134.81' | N 84°16'32" W |
| C8 | 4219.80' | 259.16' | 259.12' | N 11°21'15" E |
| C9 | 760.57' | 442.47' | 436.25' | N 07°04'17" W |
| C10 | 5980.51' | 249.26' | 249.25' | N 24°55'52" W |
| C11 | 4196.85' | 289.52' | 289.47' | N 24°08'56" W |
| C12 | 1444.00' | 809.14' | 798.60' | N 06°07'11" W |

| PARCEL LINE TABLE | | |
|---|---|---|
| COURSE | BEARING | DISTANCE |
| L1 | S 81°44'51" E | 203.47' |
| L2 | N 25°12'36" E | 0.99' |
| L13 | N 07°04'28" E | 19.71' |
| L14 | N 07°09'19" E | 160.38' |
| L15 | S 81°18'24" E | 4.60' |
| L16 | N 79°20'16" E | 165.95' |
| L17 | N 69°21'06" E | 141.50' |
| L18 | N 86°51'01" W | 73.68' |
| L19 | S 77°58'54" W | 193.04' |
| L20 | N 87°52'51" W | 288.79' |
| L21 | N 87°52'51" W | 8.74' |
| L22 | N 81°32'43" W | 147.86' |
| L23 | N 09°55'59" E | 101.17' |




VICINITY MAP

1" = 800'

GRAPHIC SCALE

200 0 100 200 400 800

( IN FEET )

1 inch = 200 ft.

**LEGEND:**

- MASTER PLAN BOUNDARY
- EXISTING ADJOINER PROPERTY LINE
- 5' CONTOUR
- 1' CONTOUR
- EXISTING STREAM
- EXISTING BUFFER
- 500 YEAR FLOOD LINE
- 100 YEAR FLOOD LINE
- EXISTING TREE
- EXISTING WETLAND
- FLOOD HAZARD
- FLOODZONE AE
- FLOODWAY
- SWAMP/MARSH HARRIS CREEK

**Label the tree line and tree protection fencing areas.**

**DEMOLITION KEYNOTES:**

1. EXISTING BUILDING TO BE REMOVED.
2. EXISTING TREES TO BE REMOVED.

CHARLES E. FERRELL AND WIFE GRETTA LOUISE FERRELL PIN: 1757481951 DB 1813 PG 421

ABRAHAM T. BURNHAM AND KYLA L. BURNHAM PIN: 1757481832 DB 19140 PG 734

JOE L. GREEN PIN: 1757483799 BY WILL

ROZELIA J. HARTSFIELD HEIRS PIN: 1757481740 BY WILL

UNIVERSAL CHURCH OF PRAYER PIN: 1757388408 NO DEED FOUND INCORRECT REFERENCE SHOWN ON WAKE COUNTY GIS

HENRY ALSTON AND WIFE, MARIE J. ALSTON PIN: 1757481376 DB 3198 PG 631 BM 1982 PG 721

PING CHEN PIN: 1757471559 DB 18953 PG 592 NEW LOT 1 - BM 2007 PG 1224

CHARLES ALFONSA JONES AND WIFE ALLIE V. JONES PIN: 1757484609 DB 2305 PG 673

BENJAMIN FERRELL DB 1697 PG 465

ALESHIA FERRELL & ARRON WALKER DB 6374 PG 89

CHRIST HOLINESS CHURCH #1 DB 2928 PG 328

CHRIST HOLINESS CHURCH #1 DB 4321 PG 788

CHRIST HOLINESS CHURCH #1 DB 9467 PG 430

ALICIA BROWN & CARL T. JONES DB 16128 PG 183

RS RENTAL II LLC DB 18703 PG 2414

KAREN E. BASS DB 12560 PG 1626

JAMES K. WILLIAMS DB 16784 PG 1013

GRO PEG PROPERTIES LLC DB 18359 PG 1707

N/F JAMES ROBERT FOWLER. III PIN: 1757571035 DB 8659, PG 954

GRO PEG PROPERTIES LLC DB 18359 PG 1707

SCOTT & THERESA CARLE DB 14863 PG 2493

GRO PEG ROAD 60' PRIVATE R/W RECORDED BOOK OF MAPS 1980 PAGE 396

JONESVILLE RD.

MITCHELL MILL RD. 60' PUBLIC R/W

PEEBLES RD. 60' PUBLIC R/W

JERRI JO MASSEY & TAMMY G. BUTLER DB 8265 PG 202

MEGAN KULAWIAK DEED BOOK 16226 PAGE 1133

MARCIE L. HOLDEN DEED BOOK 15599 PAGE 1003

BERNARD MILLER DEED BOOK 15416 PAGE 1651

KENNETH S. TOUTLOFF DEED BOOK 9236 PAGE 2229

HEATHER MARIE PERRY PIN: 1757357582 DB 18954 PG 338 LOT 1 & 2 - BM 1990 PG 956

NICHOLAS JAMES PIGNATTI AND, HOLLY BETH NIEDERHOFER PIN: 1757355367 DB 17247 PG 2571 LOT 1 - BM 2009 PG 353

PHETIS JONES BRADSHER PIN: 1757349473 DB 15208 PG 2320 BM 2013 PG 868

CURTIS L. HONEYCUTT AND WIFE, CHARITY M. HONEYCUTT PIN: 1757540996 DB 10488 PG 1888 LOT 1 - BM 2018 PG 1333

TODD KENDALL HONEYCUTT PIN: 1757551202 DB 13474 PG 1974 LOT 2 - BM 2018 PG 1333

ABAHOR ELIAS AND SPOUSE, SUSAN ELIAS PIN: 1757553215 DB 17220 PG 2509 LOT 3 - BM 2018 PG 1333

CHRISTOPHER GHOLSON AND WIFE, KELLY GAITHER GHOLSON PIN: 1757556361 DB 17855 PG 457 LOT 4 - BM 2018 PG 1333

CECIL L. GOODNIGHT AND WIFE, JUDY J. GOODNIGHT PIN: 1757650296 DB 5344 PG 819

CECIL L. GOODNIGHT AND WIFE, JUDY J. GOODNIGHT PIN: 1757641415 DB 5344 PG 819

MOUNT CALVARY HOLINESS CHURCH OF WAKE COUNTY, INC. PIN: 1757660324 DB 10124 PG 2778 LOT 1 - BM 2002 PG 991

G.ARCHIE UNDERHILL, JR. AND WIFE, TERESSA C. UNDERHILL PIN: 1757653765 DB 8443 PG 2129 BM 1999 PG 1357

GENADIUS MAC PREDDY AND WIFE, MATTIE F. PREDDY PIN 1757656586 DB 1882 PG 342

MT. CALVARY HOLINESS CHURCH OF WAKE CO. INC DEED BOOK 10124 PAGE 2778

GROVER ARCHIE UNDERHILL JR. BOOK OF MAPS 1982 PAGE 581

JAMES ROBERT FOWLER, III PIN: 1757571035 DB 8659 PG 954

JAMES ROBERT FOWLER, III PIN: 1757571035 DB 8659 PG 954

FLOODWAY FRIS MAP # 3720175700K PANEL # 1757 EFFECTIVE DATE: 07/19/2022

ZONE AE FRIS MAP # 3720175700K PANEL # 1757 EFFECTIVE DATE: 07/19/2022

0.2% ANNUAL CHANCE FLOOD HAZARD FRIS MAP # 3720175700K PANEL # 1757 EFFECTIVE DATE: 07/19/2022

SWAMP/MARSH HARRIS CREEK

EXISTING 30 TOWN OF ROLESVILLE HARRIS CREEK INTERCEPTOR BM 1992 PG 655

EXISTING DRY POND

BRIDGE

1 STORY WOOD FRAME HOUSE

1 STORY BRICK HOUSE

1 STORY MOBILE HOME

SHED

SHED GARAGE

ABANDONED

HIGH WATER MARK

TREE LINE

SSMH RIM ELEV. = 238.66' INV. OUT = 222.87'

SSMH RIM ELEV. = 238.84' INV. IN = 222.34' INV. OUT = 222.22'

SSMH RIM ELEV. = 239.09' INV. IN = 221.51'

N 03°38'31"E 6691.23' TO NCGS MONUMENT SCARBORO - NAD83 NC GRID COORDINATES N = 785291.32 E = 2153832.22

**MASTER PLAN NOTES:**

1. ALL DIMENSIONS ARE TO BACK OF CURB UNLESS OTHERWISE NOTED.
2. ALL RADII ARE 5' UNLESS OTHERWISE NOTED.
3. ALL PROPOSED SIDEWALKS ARE 5' WIDE UNLESS OTHERWISE NOTED.
4. ALL PROPOSED CROSSWALKS ARE 10' WIDE UNLESS OTHERWISE NOTED.
5. ALL PROPOSED ACCESSIBLE RAMPS ARE 5' WIDE UNLESS OTHERWISE NOTED.
6. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH DETECTABLE WARNING SURFACES.
7. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MAXIMUM SLOPE OF 8.33%.
8. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MAXIMUM CROSS SLOPE OF 2%.
9. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MAXIMUM LANDING SLOPE OF 2%.
10. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM LANDING LENGTH OF 5'.
11. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM LANDING WIDTH OF 5'.
12. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MAXIMUM RISE OF 30".
13. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MAXIMUM RUN OF 360".
14. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM CLEAR WIDTH OF 36".
15. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM CLEAR HEIGHT OF 80".
16. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM CLEAR LENGTH OF 60".
17. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM CLEAR WIDTH OF 36".
18. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM CLEAR HEIGHT OF 80".
19. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM CLEAR LENGTH OF 60".
20. ALL PROPOSED ACCESSIBLE RAMPS ARE TO BE CONSTRUCTED WITH A MINIMUM CLEAR WIDTH OF 36".

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT SEAL

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**DEMOLITION PLAN**

DRAWING SHEET
**C-4.0**

**15 OF 57**

PROGRESS PLOT DATE: 12/05/2023

| LINE TABLE | | | | | |
|---|---|---|---|---|---|
| NAME | ROADWAY | LENGTH | DIRECTION | BEGIN STATION | END STATION |
| L1 | STREET 'A' | 1264.52' | N0°23'26"W | 10+00.00 | 22+64.52 |
| L2 | STREET 'B' | 201.11' | N1°32'18"W | 10+00.00 | 12+01.11 |
| L3 | STREET 'C' | 153.03' | N89°36'34"E | 10+00.00 | 11+53.03 |
| L4 | STREET 'C' | 453.67' | N88°27'42"E | 11+73.07 | 16+26.73 |
| L5 | STREET 'D' | 370.32' | N90°00'00"E | 10+00.00 | 13+70.32 |
| L6 | STREET 'E' | 118.49' | S56°12'22"W | 10+00.00 | 11+18.49 |
| L7 | STREET 'E' | 363.97' | S79°05'59"W | 12+38.37 | 16+02.33 |
| L8 | STREET 'E' | 205.11' | S73°58'51"W | 16+91.67 | 18+96.78 |
| L9 | STREET 'E' | 236.89' | S89°36'34"W | 19+37.70 | 21+74.59 |
| L10 | STREET 'F' | 137.30' | N14°39'30"W | 10+00.00 | 11+37.30 |
| L11 | STREET 'F' | 45.89' | N2°10'11"W | 11+70.00 | 12+15.88 |
| L12 | STREET 'F' | 356.44' | N22°14'24"W | 12+68.43 | 16+24.87 |
| L13 | STREET 'F' | 97.77' | N8°29'13"W | 17+44.89 | 18+42.66 |
| L14 | STREET 'F' | 311.03' | N33°36'56"W | 19+74.23 | 22+85.26 |
| L15 | STREET 'F' | 122.32' | N10°59'05"W | 23+45.51 | 24+67.82 |
| L16 | STREET 'F' | 12.38' | N31°53'05"W | 25+18.00 | 25+30.38 |
| L17 | STREET 'G' | 525.23' | N58°06'55"E | 10+00.00 | 15+25.23 |
| L18 | STREET 'H' | 2.21' | N12°40'01"W | 10+00.00 | 10+02.21 |
| L19 | STREET 'H' | 202.12' | N33°39'46"W | 10+57.18 | 12+59.30 |
| L20 | STREET 'I' | 217.04' | S56°21'23"W | 10+00.00 | 12+17.04 |
| L21 | STREET 'I' | 309.72' | S81°30'47"W | 13+48.76 | 16+58.48 |
| L22 | STREET 'J' | 1222.94' | N56°12'22"E | 10+00.00 | 22+22.94 |
| L23 | STREET 'J' | 451.93' | S87°11'53"E | 25+42.30 | 29+94.22 |
| L24 | STREET 'K' | 772.72' | S33°46'39"E | 10+00.00 | 17+72.72 |
| L25 | STREET 'L' | 80.15' | S33°47'38"E | 10+00.00 | 10+80.15 |
| L26 | STREET 'L' | 738.73' | S1°10'42"E | 12+11.08 | 19+49.80 |
| L27 | STREET 'L' | 29.78' | S80°24'31"E | 21+57.23 | 21+87.01 |
| L28 | STREET 'M' | 101.92' | N33°46'39"W | 10+00.00 | 11+01.92 |
| L29 | STREET 'M' | 249.87' | N56°12'22"E | 12+19.71 | 14+69.58 |
| L30 | STREET 'M' | 101.90' | S33°47'38"E | 15+87.40 | 16+89.29 |

| LINE TABLE | | | | | |
|---|---|---|---|---|---|
| NAME | ROADWAY | LENGTH | DIRECTION | BEGIN STATION | END STATION |
| L31 | STREET 'N' | 22.85' | N30°29'12"W | 10+00.00 | 10+22.85 |
| L32 | STREET 'N' | 291.73' | N0°24'43"W | 11+01.59 | 13+93.32 |
| L33 | STREET 'N' | 258.45' | N88°19'47"E | 13+93.33 | 16+51.77 |
| L34 | STREET 'O' | 520.78' | N0°41'10"E | 10+00.00 | 15+20.78 |
| L35 | STREET 'P' | 118.66' | S30°29'12"E | 10+00.00 | 11+18.66 |
| L36 | STREET 'P' | 18.18' | S80°47'14"E | 12+50.36 | 12+68.53 |
| L37 | STREET 'P' | 110.54' | N62°12'45"E | 13+65.41 | 14+75.94 |
| L38 | STREET 'P' | 34.02' | N2°48'07"E | 16+31.49 | 16+65.50 |
| L39 | STREET 'Q' | 491.62' | N65°38'58"E | 10+00.00 | 14+91.62 |
| L40 | STREET 'Q' | 27.48' | N0°01'05"W | 19+50.07 | 19+77.54 |
| L41 | STREET 'S' | 802.07' | N89°58'55"E | 10+00.00 | 18+02.07 |
| L42 | PUBLIC ALLEY '1' | 12.72' | N8°29'13"W | 10+00.00 | 10+12.72 |
| L43 | PUBLIC ALLEY '1' | 424.06' | N33°36'56"W | 10+78.51 | 15+02.56 |
| L44 | PUBLIC ALLEY '1' | 16.22' | N10°54'01"W | 15+62.04 | 15+78.25 |
| L45 | PUBLIC ALLEY '2' | 41.90' | S12°46'01"E | 10+00.00 | 10+41.90 |
| L46 | PUBLIC ALLEY '2' | 475.15' | S33°36'56"E | 10+96.75 | 15+71.89 |
| L47 | PUBLIC ALLEY '3' | 10.18' | N10°54'01"W | 10+00.00 | 10+10.18 |
| L48 | PUBLIC ALLEY '3' | 135.64' | N56°20'14"E | 10+68.86 | 12+04.50 |
| L49 | PRIVATE DRIVEWAY '1' | 180.50' | N56°23'04"E | 10+00.00 | 11+80.50 |
| L50 | PRIVATE DRIVEWAY '2' | 180.63' | N56°23'04"E | 10+00.00 | 11+80.63 |
| L51 | PRIVATE DRIVEWAY '3' | 168.00' | N56°23'04"E | 10+00.00 | 11+68.00 |
| L52 | PRIVATE DRIVEWAY '4' | 168.00' | N56°23'04"E | 10+00.00 | 11+68.00 |
| L53 | PRIVATE DRIVEWAY '5' | 162.00' | N56°23'04"E | 10+00.00 | 11+62.00 |
| L54 | PRIVATE DRIVEWAY '6' | 295.00' | S33°36'56"E | 10+00.00 | 12+95.00 |
| L55 | PRIVATE DRIVEWAY '7' | 162.00' | N56°23'04"E | 10+00.00 | 11+62.00 |
| L56 | PRIVATE DRIVEWAY '8' | 59.75' | S79°05'59"W | 10+00.00 | 10+59.75 |
| L57 | PRIVATE DRIVEWAY '8' | 41.07' | N31°53'05"W | 10+59.76 | 11+00.82 |
| L58 | MEW '1' | 162.00' | N56°23'04"E | 10+00.00 | 11+62.00 |
| L59 | MEW '2' | 168.00' | N56°23'06"E | 10+00.00 | 11+68.00 |
| L60 | MEW '3' | 180.50' | N56°23'03"E | 10+00.00 | 11+80.50 |


| CURVE TABLE | | | | | | | |
|---|---|---|---|---|---|---|---|
| NAME | ROADWAY | RADIUS | ARC LENGTH | CHORD LENGTH | CHORD DIRECTION | BEGIN STATION | END STATION |
| C1 | STREET 'C' | 1000.00' | 20.03' | 20.03' | N89°02'08"E | 11+53.03 | 11+73.06 |
| C2 | STREET 'E' | 300.00' | 119.87' | 119.07' | S67°39'11"W | 11+18.49 | 12+38.36 |
| C3 | STREET 'E' | 1000.00' | 89.34' | 89.31' | S76°32'25"W | 16+02.33 | 16+91.67 |
| C4 | STREET 'E' | 150.00' | 40.92' | 40.79' | S81°47'43"W | 18+96.78 | 19+37.70 |
| C5 | STREET 'F' | 150.00' | 32.70' | 32.63' | N8°24'51"W | 11+37.30 | 11+70.00 |
| C6 | STREET 'F' | 150.00' | 52.54' | 52.28' | N12°12'17"W | 12+15.88 | 12+68.43 |
| C7 | STREET 'F' | 500.00' | 120.02' | 119.73' | N15°21'48"W | 16+24.87 | 17+44.89 |
| C8 | STREET 'F' | 300.00' | 131.57' | 130.52' | N21°03'04"W | 18+42.66 | 19+74.23 |
| C9 | STREET 'F' | 150.00' | 60.24' | 59.83' | N22°06'38"W | 22+85.26 | 23+45.50 |
| C10 | STREET 'F' | 150.00' | 50.18' | 49.95' | N21°28'28"W | 24+67.82 | 25+18.00 |
| C11 | STREET 'H' | 150.00' | 54.97' | 54.66' | N23°09'54"W | 10+02.21 | 10+57.18 |
| C12 | STREET 'I' | 300.00' | 131.72' | 130.66' | S68°56'05"W | 12+17.04 | 13+48.76 |
| C13 | STREET 'J' | 500.00' | 319.36' | 313.96' | N74°30'15"E | 22+22.94 | 25+42.30 |
| C14 | STREET 'L' | 230.00' | 130.93' | 129.17' | S17°29'10"E | 10+80.15 | 12+11.07 |
| C15 | STREET 'L' | 150.00' | 207.42' | 191.29' | S40°47'36"E | 19+49.80 | 21+57.23 |
| C16 | STREET 'M' | 75.00' | 117.79' | 106.05' | N11°12'52"E | 11+01.92 | 12+19.71 |
| C17 | STREET 'M' | 75.00' | 117.81' | 106.07' | S78°47'38"E | 14+69.58 | 15+87.39 |
| C18 | STREET 'N' | 150.00' | 78.74' | 77.83' | N15°26'57"W | 10+22.85 | 11+01.59 |
| C19 | STREET 'P' | 150.00' | 131.69' | 127.50' | S55°38'13"E | 11+18.66 | 12+50.35 |
| C20 | STREET 'P' | 150.00' | 96.87' | 95.19' | N80°42'46"E | 12+68.53 | 13+65.40 |
| C21 | STREET 'P' | 150.00' | 155.54' | 148.66' | N32°30'26"E | 14+75.94 | 16+31.48 |
| C22 | STREET 'Q' | 400.00' | 458.45' | 433.76' | N32°48'56"E | 14+91.62 | 19+50.06 |
| C23 | STREET 'R' | 1250.00' | 518.68' | 514.96' | S11°25'57"E | 10+00.00 | 15+18.68 |
| C24 | PUBLIC ALLEY '1' | 150.00' | 65.79' | 65.26' | N21°03'04"W | 10+12.72 | 10+78.51 |
| C25 | PUBLIC ALLEY '1' | 150.00' | 59.47' | 59.08' | N22°15'28"W | 15+02.56 | 15+62.03 |
| C27 | PUBLIC ALLEY '2' | 150.00' | 54.84' | 54.54' | S23°08'29"E | 10+41.90 | 10+96.74 |
| C28 | PUBLIC ALLEY '3' | 50.00' | 58.68' | 55.37' | N22°43'06"E | 10+10.18 | 10+68.86 |

## LEGEND:

- EXISTING PROPERTY LINE
- 500 YEAR FLOOD LINE
- 100 YEAR FLOOD LINE
- SIGN
- STOP BAR
- ROADWAY CENTER LINE
- PROPOSED PROPERTY LINE
- STANDARD CURB & GUTTER
- CONCRETE SIDEWALK
- ASPHALT PAVEMENT
- OPEN SPACE
- EXISTING WETLAND
- FLOOD HAZARD
- FLOODZONE AE
- FLOODWAY
- SWAMP/MARSH HARRIS CREEK

Different symbols are being used for Active Open Space and Passive Open Space. Please update the legend to showcase all symbols used within the plan set.

Please label the zoning line using Pink or Orange, something not typical in the review/mark up process.




**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

**GENERAL NOTES:**

1. ALL CONSTRUCTION SHALL CONFORM TO TOWN OF ROLESVILLE AND CITY OF RALEIGH STANDARDS AND SPECIFICATIONS.
2. ROADS AND DRIVEWAYS SHALL COMPLY WITH NCDOT AND TOWN OF ROLESVILLE STANDARDS.
3. SIGN PERMITS SHALL BE REQUIRED FOR ANY ENTRANCE SIGNAGE. PERMITS SHALL BE REQUIRED PRIOR TO FABRICATION OR INSTALLATION OF SIGNS. SIGNAGE SHALL BE RESTRICTED TO AN ON-SITE LOCATION.
4. THE WATER AND SEWER SYSTEMS SHALL COMPLY WITH CITY OF RALEIGH STANDARDS.
5. ALL DESIGN AND CONSTRUCTION METHODS SHALL COMPLY WITH WAKE COUNTY'S SEDIMENTATION AND EROSION CONTROL REGULATIONS. AN EROSION CONTROL PLAN SHALL BE APPROVED BY TOWN OF ROLESVILLE PRIOR TO ANY GRADING.
6. CONSTRUCTION DRAWINGS SHALL BE SUBMITTED AND APPROVED BY TOWN OF ROLESVILLE AND CITY OF RALEIGH PRIOR TO CONSTRUCTION.
7. ALL STREETS WITHIN THE SUBDIVISION WILL HAVE A POSTED SPEED LIMIT OF 25 MPH.
8. RESTRICTIVE COVENANTS SHALL BE APPROVED AND RECORDED PRIOR TO RECORDING OF FINAL PLAT.
9. STORMWATER CONTROL MEASURES SHALL BE CONTAINED IN AND ACCESSED VIA OPEN SPACE MAINTAINED AND OWNED BY THE HOMEOWNER'S ASSOCIATION. A MAINTENANCE PLAN MUST BE DEVELOPED TO ADDRESS THE STORMWATER CONTROL MEASURES AND APPROVED BY TOWN OF ROLESVILLE.
10. PRIVATE STORM DRAINAGE EASEMENTS SHALL BE MAINTAINED BY THE HOA.
11. SUBDIVISION LOTS MUST BE LOTS OF RECORD PRIOR TO RECEIVING A BUILDING PERMIT.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL: NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. L AMBERT

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2165
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| STRONG ROCK PROJECT PSP-23-03 | NOT FOR CONSTRUCTION | SCALE | AS SHOWN | DESIGNED BY | JWL |
|---|---|---|---|---|---|
| | | | | DRAWN BY | SRG |
| | | | | CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**OVERALL SITE PLAN**

DRAWING SHEET
**C-5.0**

**16 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

CHARLES ALFONSA JONES AND WIFE ALLIE V. JONES PIN: 1757484609 DB 2305 PG 673

BENJAMIN FERRELL DB 1697 PG 465

ALESHIA FERRELL & ARRON WALKER DB 6374 PG 89

15.0' TYPE II PERIMETER BUFFER

CHRIST HOLINESS CHURCH #1 DB 2928 PG 328

CHRIST HOLINESS CHURCH #1 DB 4321 PG 788

CHRIST HOLINESS CHURCH #1 DB 9467 PG 430

ALICIA BROWN & CARL T. JONES DB 16128 PG 183

RS RENTAL II LLC DB 18703 PG 2414

KAREN E. BASS DB 12560 PG 1626

PROPERTY LINE

MATCH LINE
FOR CONTINUATION, SEE C-5.2

STREET 'S'

STREET 'R'

STREET 'Q'

10'X70' SIGHT DISTANCE TRIANGLES

CROSSWALK (TYP.)

20.0' PUBLIC DRAINAGE EASEMENT

PARK #4
ACTIVE OPEN SPACE
45,842 SF

PARK #3
ACTIVE OPEN SPACE
7,639 SF

COMMUNITY GARDEN
69,181 SF

30.0' GREENWAY EASEMENT

10.0' GREENWAY

RETAINING WALL (TYP.)

SCM MAINTENANCE EASEMENT

SCM #6
WET POND

20.0' PRIVATE DRAINAGE EASEMENT

20.0' PUBLIC DRAINAGE EASEMENT

30.0' EXISTING GREEN INTERCEPTOR
TOWN OF ROLESVILLE HARRIS CREEK INTERCEPTOR
BM 1992 PG 655

SWAMP/MARSH
HARRIS CREEK

FLOODZONE AE

FLOODWAY

W1

HENRY ALSTON AND WIFE, MARIE J. ALSTON PIN: 1757481376 DB 3198 PG 631 BM 1982 PG 721

PING CHEN PIN: 1757471559 DB 18953 PG 592 NEW LOT 1 - BM 2007 PG 1224

JONESVILLE RD

Label ROW Width.

Label ramps as required by LDO Section 9.2.1.B.10

MATCH LINE
FOR CONTINUATION, SEE C-5.4

MAGNETIC NORTH
ADOPTED BOM 1980 PG 396

7°32'15.0"
NC GRID NORTH - NAD 83
ADOPTED BOM 1992 PG 655

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

C-5.1 C-5.2 C-5.3 C-5.4 C-5.5 C-5.6 C-5.7 C-5.8 C-5.9

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-5.0 FOR LEGEND.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT
SEAL:

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL SITE PLAN I**

DRAWING SHEET
**C-5.1**

**17 OF 57**

PROGRESS PLOT DATE: 12/05/2023

KAREN E. BASS
DB 12560 PG 1626

JAMES K. WILLIAMS
DB 16784 PG 1013

GRO PEG PROPERTIES LLC
DB 18359 PG 1707

MATCH LINE
FOR CONTINUATION, SEE C-5.1

PROPERTY LINE

SCM MAINTENANCE EASEMENT

**Stormwater facilities can go towards PASSIVE OPEN SPACE requirements so long as they meet the limitations of LDO Sec 6.2.1.G.7.**

**Label the required trail around the SCM.**

**SCM #5 WET POND**

20.0' PRIVATE DRAINAGE EASEMENT

20.0' PUBLIC DRAINAGE EASEMENT

30.0' GREENWAY EASEMENT

10.0' GREENWAY

15.0' TYPE II PERIMETER BUFFER

**Include greenway in Legend.**

30.0' EXISTING TOWN OF ROLESVILLE SANITARY SEWER CREEK INTERCEPTOR BM 1992 PG 855

SWAMP/MARSH
HARRIS CREEK

FLOODWAY

SWAMP/MARSH
HARRIS CREEK

SCM MAINTENANCE EASEMENT

FLOOD ZONE AE

**SCM #4 WET POND**

RETAINING WALL (TYP.)

***STREET 'N'***

***STREET 'O'***

***STREET 'N'***

CROSSWALK (TYP.)

SIDEWALK


SIDEWALK

GRO PEG PROPERTIES LLC
DB 18359 PG 1707

SCOTT & THERESA CARLE
DB 14863 PG 2493

MATCH LINE
FOR CONTINUATION, SEE C-5.3

| | | | |
|---|---|---|---|
| 76 | 7,516 SF | 77 | 5,921 SF |
| 78 | 5,311 SF | 79 | 5,000 SF |
| 80 | 5,000 SF | 81 | 5,678 SF |
| 82 | 7,311 SF | 83 | 5,516 SF |
| 84 | 5,282 SF | 85 | 5,705 SF |
| 86 | 5,701 SF | 87 | 5,697 SF |
| 88 | 5,694 SF | 89 | 5,691 SF |
| 90 | 5,688 SF | 91 | 5,684 SF |
| 92 | 5,681 SF | 93 | 5,144 SF |
| 94 | 5,140 SF | 95 | 5,149 SF |
| 96 | 5,151 SF | 97 | 6,054 SF |
| 98 | 5,705 SF | 99 | 5,164 SF |
| 100 | 5,207 SF | 101 | 5,044 SF |
| 102 | 5,019 SF | 75 | 6,935 SF |
| 74 | 5,666 SF | 73 | 5,500 SF |
| 72 | 5,500 SF | 71 | 5,500 SF |
| 70 | | | |




**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-5.0 FOR LEGEND.

7°32'15.0"
MAGNETIC NORTH
ADOPTED BOM 1980 PG 396
NC GRID NORTH, NAD 83
ADOPTED BOM 1992 PG 855

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

# RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
## PRELIMINARY SITE PLAN
## PARTIAL SITE PLAN II

DRAWING SHEET
**C-5.2**

PROGRESS PLOT DATE: 12/05/2023

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

**PARTIAL SITE PLAN III**

DRAWING SHEET

**C-5.3**

**19 OF 57**





THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

MAGNETIC NORTH
ADOPTED BOM 1980 PG 396


7°32'15.0"

NC GRID NORTH - NAD 83
ADOPTED BOM 1992 PG 655

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.




**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-5.0 FOR LEGEND.

MATCH LINE
FOR CONTINUATION, SEE C-5.1

MATCH LINE
FOR CONTINUATION, SEE C-5.3

MATCH LINE
FOR CONTINUATION, SEE C-5.5

Label street names and SCM/Open Space Sizes.

JON

SCM #3 WETPOND

SCM #7 WET POND

STREET 'M'

STREET 'J'

STREET 'K'

STREET 'L'

STREET 'E'

STREET 'H'

STREET 'G'

CLUB HOUSE
64,341 SF

0.2% ANNUAL CHANCE FLOOD HAZARD

30.0' STREAM BUFFER ZONE 1

30.0' STREAM BUFFER ZONE 2

PERENNIAL STREAM E

SCM MAINTENANCE EASEMENT

RETAINING WALL (TYP.)

20.0' PRIVATE DRAINAGE EASEMENT

20.0' PUBLIC DRAINAGE EASEMENT

20.0' PRIVATE DRAINAGE EASEMENT

20.0' PRIVATE EASEMENT

PUBLIC DRAINAGE EASEMENT

GREENWAY EASEMENT

30.0' GREENWAY EASEMENT

10.0' GREENWAY

SIDEWALK (TYP.)

SIDEWALK

STREET YARD BUFFER

TYPE II PERIMETER BUFFER

CROSSWALK (TYP.)

10'x70' SIGHT DISTANCE TRIANGLES

10'x70' SIGHT DISTANCE TRIANGLES

WTLD

100YR

500YR

SS

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

# PRELIMINARY SITE PLAN

## PARTIAL SITE PLAN IV

DRAWING SHEET

**C-5.4**

**20 OF 57**

PROGRESS PLOT DATE: 12/05/2023

**SITE KEY PLAN**

C-5.1 C-5.2 C-5.3 C-5.4 C-5.5 C-5.6 C-5.7 C-5.8 C-5.9

MAGNETIC NORTH ADOPTED BOM 1980 PG 399 — 7°32'15.0" — NC GRID NORTH - NAD 83 ADOPTED BOM 1992 PG 655

**LEGEND:**
SEE SHEET C-5.0 FOR LEGEND.

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

MATCH LINE
FOR CONTINUATION, SEE C-5.4

Label street names and SCM/Open Space Sizes.

SCM #7 WET POND
SCM #8 WET POND
SCM MAINTENANCE EASEMENT
20.0' PRIVATE DRAINAGE EASEMENT
TOWN OF ROLESVILLE INTERCEPTOR M 198 PG 490
30' EXISTING UNNAMED CREEK
30' SANITARY SEWER EASEMENT
RETAINING WALL (TYP.)
INTERMITTENT STREAM I
PERENNIAL STREAM G
INTERMITTENT STREAM J
W4
W6
EXISTING DRY POND
30.0' STREAM BUFFER ZONE 1
20.0' STREAM BUFFER ZONE 2
PROPERTY LINE
MEGAN KULAWIAK DEED BOOK 16226 PAGE 1133
15.0' TYPE II PERIMETER BUFFER
STREET 'A'
STREET 'E'
STREET 'G'
STREET 'H'
JONESVILLE RD
PUBLIC ALLEY '3'
PUBLIC ALLEY '1'
PUBLIC ALLEY '2'
STREET 'I'
STREET 'J'
STREET 'K'
STREET 'M'
MAIL KIOSK
CROSSWALK (TYP.)
10'X70' SIGHT DISTANCE TRIANGLES
10'X70' SIGHT DISTANCE TRIANGLES
20' PUBLIC DRAINAGE EASEMENT
PUBLIC DRAINAGE EASEMENT
GREENWAY EASEMENT
GREENWAY
SIDEWALK
ROW
B-B
EOP
36" CORRIDOR WS EASEMENT (TYP.)

MATCH LINE
FOR CONTINUATION, SEE C-5.6

MATCH LINE
FOR CONTINUATION, SEE C-5.8

What is this symbol indicating?

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT
SEAL

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM
STRONG ROCK ENGINEERING GROUP, PLLC
306 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

# RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
## PRELIMINARY SITE PLAN
## PARTIAL SITE PLAN V

DRAWING SHEET
**C-5.5**

PROGRESS PLOT DATE: 12/05/2023

STREET 'G'
STREET 'H'
JONESVILLE RD
STREET 'J'
CLUB HOUSE
64,341 SF
PUBLIC ALLEY '3'
MAIL KIOSK
STREET 'K'
STREET 'L'
STREET 'E'
PUBLIC ALLEY '2'
10'X70' SIGHT DISTANCE TRIANGLES
20.0' PUBLIC DRAINAGE EASEMENT
10'X70' SIGHT DISTANCE TRIANGLES
RETAINING WALL (TYP.)
STREET YARD BUFFER
MATCH LINE
FOR CONTINUATION, SEE C-5.7
PUBLIC ALLEY '1'
STREET 'I'
MATCH LINE
FOR CONTINUATION, SEE C-5.5
10'X70' SIGHT DISTANCE TRIANGLES
STREET 'L'
15.0'
TYPE II PERIMETER BUFFER
JONESVILLE RD
SCM MAINTENANCE EASEMENT
SCM #2
WET POND
LOT 1 BLOCK A
372,020 SF
30.0' GREENWAY EASEMENT
20.0' PUBLIC DRAINAGE EASEMENT
10.0' GREENWAY
20.0' PRIVATE EASEMENT
WTLD
96.0' CORRUGATED WBS EASEMENT (TYP.)
5.0' SIDEWALK
10.0' SIDEWALK
24.0' EOP
29.0' B-B
50.0' ROW




**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-5.0 FOR LEGEND.

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

7°32'15.0"
NC GRID NORTH, NAD 83
ADOPTED BOM 1992 PG 665
MAGNETIC NORTH
ADOPTED BOM 1980 PG 396

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

Label street names and SCM/Open Space Sizes.

What is this area adjacent to "Street I" (previously street C)?

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| STRONG ROCK PROJECT PSP-23-03 | NOT FOR CONSTRUCTION | SCALE | AS SHOWN | DESIGNED BY | JWL | DRAWN BY | SRG | CHECKED BY | JWL |
|---|---|---|---|---|---|---|---|---|---|


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL SITE PLAN VI**


DRAWING SHEET
**C-5.6**

**22 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023





**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-5.0 FOR LEGEND.




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

SEAL


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL SITE PLAN VII**


DRAWING SHEET

**C-5.7**


**23 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023




This open space is located across a ROW with no safe access. Open space shall be located and designed to be easily accessible for residents and/or users of the development.




**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-5.0 FOR LEGEND.

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

# RESERVE @ MITCHELL MILL

TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

## PRELIMINARY SITE PLAN


## PARTIAL SITE PLAN VIII

DRAWING SHEET

**C-5.8**

**24 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.





**SITE KEY PLAN**


**LEGEND:**

SEE SHEET C-5.0 FOR LEGEND.

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT




THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT
SEAL

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL SITE PLAN IX**

DRAWING SHEET
**C-5.9**

**25 OF 57**

## UTILITY NOTES

1. ALL UTILITY DESIGN AND CONSTRUCTION SHALL BE IN ACCORDANCE WITH ALL CITY OF RALEIGH DEPARTMENT OF PUBLIC UTILITIES (CORDPU) STANDARDS AND SPECIFICATIONS. UTILITY DESIGN SHALL ALSO MEET FIRE FLOW REQUIREMENTS OF NCFC.
2. UTILITY SIZES AND LOCATIONS ARE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY AND ARE SUBJECT TO CHANGE BASED ON FINAL DESIGN AND CONSTRUCTION DRAWING APPROVAL. THIS SHALL INCLUDE BUT NOT LIMITED TO FIRE HYDRANT LOCATIONS.
3. ANY EXISTING WATER AND SEWER LINES TO BE USED AS PART OF THE FINAL DESIGN OF THE PROJECT, SHALL BE LOCATED BY SURVEY, TESTED BY A LICENSED CONTRACTOR AND APPROVED BY THE CITY OF RALEIGH INSPECTOR PRIOR TO SUBMITTAL OF CONSTRUCTION DRAWINGS.
4. AS PART OF CONSTRUCTION DRAWING SUBMITTAL, FIRE FLOW CALCULATIONS SHALL BE PROVIDED SHOWING COMPLIANCE WITH NCFC. PROJECT MAY BE DEVELOPED IN PHASES AND ALL PHASES SHALL BE REQUIRED TO MEET THE MINIMUM REQUIRED FIRE FLOWS PER OCCUPANCY PROPOSED IN EACH PHASE.
5. AN APPROVED WATER SUPPLY FOR FIRE SUPPRESSION (TEMPORARY OR PERMANENT) SHALL BE PROVIDED AS SOON AS COMBUSTIBLE MATERIALS ARRIVE ON SITE.
6. UTILITY CONSTRUCTION APPROVAL IS REQUIRED FOR THIS PROJECT, PLANS TO BE PREPARED BY NC PROFESSIONAL ENGINEER.
7. RIGHT OF WAY AND/OR EASEMENT DEDICATION PLAT IS REQUIRED FOR THIS PROJECT (PRIOR TO CITY ACCEPTANCE OF UTILITIES).
8. ALL NECESSARY WETLAND, RIPARIAN BUFFER AND FLOODPLAIN PERMITS FROM USACE, NCDWQ & FEMA SHALL BE OBTAINED PRIOR TO CONSTRUCTION.
9. PROJECT SHALL EXTEND PUBLIC WATER MAINS ALONG ALL INTERIOR AND ABUTTING RIGHT OF WAYS OF DEVELOPMENT.
10. FIRE HYDRANT ASSEMBLIES SHALL BE INSTALLED AT EVERY INTERSECTION AND AT 500' (RESIDENTIAL) MAX INTERVALS ALONG SITE FRONTAGE.
11. ALL MAINS UP TO 12 INCHES IN SIZE SHALL BE DESIGNED WITH A BLOW-OFF ASSEMBLY THE SAME SIZE AS THE DIAMETER OF THE PIPE.
12. ALL WATER MAINS SHALL BE PRESSURE CLASS OR THICKNESS CLASS DUCTILE IRON PIPE DESIGNED IN ACCORDANCE WITH AWWA STANDARD C-150.
13. PROJECT SHALL EXTEND PUBLIC GRAVITY SEWER TO PERIPHERY OF DEVELOPMENT BASED ON NATURAL TOPOGRAPHY.
14. ALL CITY OF RALEIGH SANITARY SEWER EASEMENTS SHALL BE A MINIMUM OF 30 FEET.
15. THE SANITARY SEWER DESIGN SHALL BE EVALUATED DURING THE CONSTRUCTION DRAWING REVIEW TO ENSURE ADJACENT PROPERTIES HAVE ACCESS TO SANITARY SEWER WHERE FEASIBLE AND IN COMPLIANCE WITH THE CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT STANDARDS AND SPECIFICATIONS.
16. ALL OFF-SITE EASEMENTS SHALL BE ACQUIRED BY THE DEVELOPER. THESE OFF-SITE EASEMENTS SHALL BE RECORDED BY MAP AND BY DEED OF EASEMENT PRIOR TO CONSTRUCTION APPROVAL. THE EASEMENTS SHALL BE DEDICATED TO THE CITY OF RALEIGH AND ENTITLED "CITY OF RALEIGH SANITARY SEWER EASEMENT".
17. MAINTAIN APPROPRIATE COVER AND SEPARATION ON UTILITIES AND LABEL IN PROFILES; ANY UTILITY CROSSINGS ARE SUBJECT TO MINIMUM REQUIREMENTS.
18. CONSTRUCTION APPROVAL WILL BE REQUIRED FOR ANY EXTENSIONS OF PUBLIC WATER OR SEWER MAINS.
19. PLAT RECORDATION REQUIRED AFTER CONSTRUCTION APPROVAL PRIOR TO BUILDING PERMIT.
20. DOT ENCROACHMENT AGREEMENT REQUIRED.
21. PRIVATE WATER SERVICES SIZED 3/4" - 2" SHOULD BE TYPE "K" SOFT COPPER AND IN ACCORDANCE WITH PU HANDBOOK, APP. B, STANDARD WATER DETAIL W-23 AND W-25. IF WATER METERS CANNOT BE LOCATED WITHIN THE RIGHT-OF-WAY THEY MUST BE WITHIN RECORDED "CITY OF RALEIGH WATERLINE EASEMENTS.


## CORPUD STANDARD UTILITY NOTES:

**STANDARD UTILITY NOTES (AS APPLICABLE):**

1. ALL MATERIALS & CONSTRUCTION METHODS SHALL BE IN ACCORDANCE WITH CITY OF RALEIGH DESIGN STANDARDS, DETAILS & SPECIFICATIONS (REFERENCE: CORPUD HANDBOOK, CURRENT EDITION).
2. UTILITY SEPARATION REQUIREMENTS:
   a) A DISTANCE OF 100' SHALL BE MAINTAINED BETWEEN SANITARY SEWER & ANY PRIVATE OR PUBLIC WATER SUPPLY SOURCE SUCH AS AN IMPOUNDED RESERVOIR USED AS A SOURCE OF DRINKING WATER. IF ADEQUATE LATERAL SEPARATION CANNOT BE ACHIEVED, FERROUS SANITARY SEWER PIPE SHALL BE SPECIFIED & INSTALLED TO WATERLINE SPECIFICATIONS. HOWEVER, THE MINIMUM SEPARATION SHALL NOT BE LESS THAN 25' FROM A PRIVATE WELL OR 50' FROM A PUBLIC WELL.
   b) WHEN INSTALLING WATER &/OR SEWER MAINS, THE HORIZONTAL SEPARATION BETWEEN UTILITIES SHALL BE 10'. IF THIS SEPARATION CANNOT BE MAINTAINED DUE TO EXISTING CONDITIONS, THE VARIATION ALLOWED IS THE WATER MAIN IN A SEPARATE TRENCH WITH THE ELEVATION OF THE WATER MAIN AT LEAST 18" ABOVE THE TOP OF THE SEWER & MUST BE APPROVED BY THE PUBLIC UTILITIES DIRECTOR. ALL DISTANCES ARE MEASURED FROM OUTSIDE DIAMETER TO OUTSIDE DIAMETER.
   c) WHERE IT IS IMPOSSIBLE TO OBTAIN PROPER SEPARATION, OR ANYTIME A SANITARY SEWER PASSES OVER A WATERMAIN, PVC MATERIALS OR STEEL ENCASEMENT EXTENDED 10' ON EACH SIDE OF CROSSING MUST BE SPECIFIED & INSTALLED TO WATERLINE SPECIFICATIONS.
   d) 5.0' MINIMUM HORIZONTAL SEPARATION IS REQUIRED BETWEEN ALL SANITARY SEWER & STORM SEWER FACILITIES, UNLESS PVC MATERIAL IS SPECIFIED FOR SANITARY SEWER.
   e) MAINTAIN 18" MIN. VERTICAL SEPARATION AT ALL WATERMAIN & RCP STORM DRAIN CROSSINGS; MAINTAIN 24" MIN. VERTICAL SEPARATION AT ALL SANITARY SEWER & RCP STORM DRAIN CROSSINGS. WHERE ADEQUATE SEPARATIONS CANNOT BE ACHIEVED, SPECIFY PVC MATERIALS & A CONCRETE CRADLE HAVING 6" MIN. CLEARANCE (PER CORPUD DETAILS W-41 & S-49).
   f) ALL OTHER UNDERGROUND UTILITIES SHALL CROSS WATER & SEWER FACILITIES WITH 18" MIN. VERTICAL SEPARATION REQUIRED.
3. ANY NECESSARY FIELD REVISIONS ARE SUBJECT TO REVIEW & APPROVAL OF AN AMENDED PLAN &/OR PROFILE BY THE CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT PRIOR TO CONSTRUCTION
4. CONTRACTOR SHALL MAINTAIN CONTINUOUS WATER & SEWER SERVICE TO EXISTING RESIDENCES & BUSINESSES THROUGHOUT CONSTRUCTION OF PROJECT. ANY NECESSARY SERVICE INTERRUPTIONS SHALL BE PRECEDED BY A 24 HOUR ADVANCE NOTICE TO THE CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT.
5. 3.0' MINIMUM COVER IS REQUIRED ON ALL WATER MAINS & SEWER FORCEMAINS. 4.0' MINIMUM COVER IS REQUIRED ON ALL REUSE MAINS.
6. IT IS THE DEVELOPER'S RESPONSIBILITY TO ABANDON OR REMOVE EXISTING WATER & SEWER SERVICES NOT BEING USED IN REDEVELOPMENT OF A SITE UNLESS OTHERWISE DIRECTED BY THE CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT. THIS INCLUDES ABANDONING TAP AT MAIN & REMOVAL OF SERVICE FROM ROW OR EASEMENT PER CORPUD HANDBOOK PROCEDURE.
7. INSTALL ¾" COPPER* WATER SERVICES WITH METERS LOCATED AT ROW OR WITHIN A 2'X2' WATERLINE EASEMENT IMMEDIATELY ADJACENT. NOTE: IT IS THE APPLICANT'S RESPONSIBILITY TO PROPERLY SIZE THE WATER SERVICE FOR EACH CONNECTION TO PROVIDE ADEQUATE FLOW & PRESSURE.
8. INSTALL 4" PVC* SEWER SERVICES @ 1.0% MINIMUM GRADE WITH CLEANOUTS LOCATED AT ROW OR EASEMENT LINE & SPACED EVERY 75 LINEAR FEET MAXIMUM.
9. PRESSURE REDUCING VALVES ARE REQUIRED ON ALL WATER SERVICES EXCEEDING 80 PSI; BACKWATER VALVES ARE REQUIRED ON ALL SANITARY SEWER SERVICES HAVING BUILDING DRAINS LOWER THAN 1.0' ABOVE THE NEXT UPSTREAM MANHOLE.
10. ALL ENVIRONMENTAL PERMITS APPLICABLE TO THE PROJECT MUST BE OBTAINED FROM NCDWQ, USACE &/OR FEMA FOR ANY RIPARIAN BUFFER, WETLAND &/OR FLOODPLAIN IMPACTS (RESPECTIVELY) PRIOR TO CONSTRUCTION.
11. NCDOT / RAILROAD ENCROACHMENT AGREEMENTS ARE REQUIRED FOR ANY UTILITY WORK (INCLUDING MAIN EXTENSIONS & SERVICE TAPS) WITHIN STATE OR RAILROAD ROW PRIOR TO CONSTRUCTION.
12. GREASE INTERCEPTOR / OIL WATER SEPARATOR SIZING CALCULATIONS & INSTALLATION SPECIFICATIONS SHALL BE APPROVED BY THE CORPUD FOG PROGRAM COORDINATOR PRIOR TO ISSUANCE OF A BUILDING PERMIT. CONTACT TIM BEASLEY AT (919) 996-2334 OR TIMOTHY.BEASLEY@RALEIGHNC.GOV FOR MORE INFORMATION.
13. CROSS-CONNECTION CONTROL PROTECTION DEVICES ARE REQUIRED BASED ON DEGREE OF HEALTH HAZARD INVOLVED AS LISTED IN APPENDIX-B OF THE RULES GOVERNING PUBLIC WATER SYSTEMS IN NORTH CAROLINA. THESE GUIDELINES ARE THE MINIMUM REQUIREMENTS. THE DEVICES SHALL MEET AMERICAN SOCIETY OF SANITARY ENGINEERING (ASSE) STANDARDS OR BE ON THE UNIVERSITY OF SOUTHERN CALIFORNIA APPROVAL LIST. THE DEVICES SHALL BE INSTALLED AND TESTED (BOTH INITIAL AND PERIODIC TESTING THEREAFTER) IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS OR THE LOCAL CROSS-CONNECTION CONTROL PROGRAM, WHICHEVER IS MORE STRINGENT. CONTACT JOANIE HARTLEY AT (919) 996-5923 OR JOANIE.HARTLEY@RALEIGHNC.GOV FOR MORE INFORMATION.

## LEGEND:

- W — WATER LINE
- SS — SANITARY SEWER LINE
- WATER METER / SERVICE
- SANITARY CLEANOUT / SERVICE
- FIRE HYDRANT ASSEMBLY
- GATE VALVE
- TEE
- BLOW OFF VALVE
- SANITARY MANHOLE




**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL: NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

# RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

## PRELIMINARY SITE PLAN
## OVERALL UTILITY PLAN

DRAWING SHEET
**C-6.0**

PROGRESS PLOT DATE: 12/05/2023

CHARLES ALFONSA JONES AND WIFE ALLIE V. JONES PIN: 1757484609 DB 2305 PG 673

BENJAMIN FERRELL DB 1697 PG 465

ALESHIA FERRELL & ARRON WALKER DB 6374 PG 89

15.0' TYPE II PERIMETER BUFFER

CHRIST HOLINESS CHURCH #1 DB 2928 PG 328

CHRIST HOLINESS CHURCH #1 DB 4321 PG 788

CHRIST HOLINESS CHURCH #1 DB 9467 PG 430

ALICIA BROWN & CARL T. JONES DB 16128 PG 183

RS RENTAL II LLC DB 18703 PG 2414

KAREN E. BASS DB 12560 PG 1626

PROPERTY LINE

HENRY ALSTON AND WIFE, MARIE J. ALSTON PIN: 1757481376 DB 3198 PG 631 BM 1982 PG 721

PING CHEN PIN: 1757471559 DB 18953 PG 592 NEW LOT 1 - BM 2007 PG 1224

JONESVILLE RD

30.00' STREET YARD BUFFER

30.00' SANITARY SEWER EASEMENT

STREET 'S'

STREET 'R'

STREET 'Q'

PARK #4 ACTIVE OPEN SPACE

PARK #3 ACTIVE OPEN SPACE

SCM #6 WET POND

COMMUNITY GARDEN

10.0' GREENWAY

30.0' GREENWAY EASEMENT

TOWN OF ROLESVILLE INTERCEPTOR EASEMENT 30.0' EXISTING HARRIS CREEK BM 1982 PG 655

SWAMP/MARSH HARRIS CREEK

FOOD ZONE AE

3/4" WATER METER & SERVICE (TYP.)

4" SANITARY SEWER C/O & SERVICE (TYP.)

8" BLOW OFF ASSEMBLY

8"x8" TEE W / (3) 8" GV

FHA W/T 5'X5' CORWLE

8" 45° BEND

8" DIP W/L

SSMH #01 SSMH #02 SSMH #03 SSMH #04 SSMH #05 SSMH #06 SSMH #07 SSMH #08 SSMH #09 SSMH #10 SSMH #11 SSMH #12 SSMH #13 SSMH #14 SSMH #15

EX. SSMH #02 EX. SSMH #03 EX. SSMH #04 EX. SSMH #05 EX. SSMH #06 EX. SSMH #07 EX. SSMH #08

EX. P #01 EX. P #03 EX. P #04 EX. P #05 EX. P #06 EX. P #07 EX. P #08

W1

WTLD 100YR

MATCH LINE
FOR CONTINUATION, SEE C-6.2

MATCH LINE
FOR CONTINUATION, SEE C-6.4

MAGNETIC NORTH ADOPTED BOM 1980 PG 396

7°32'15.0" NC GRID NORTH - NAD 83 ADOPTED BOM 1992 PG 655

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

SITE KEY PLAN

C-6.1 C-6.2 C-6.3 C-6.4 C-6.5 C-6.6 C-6.7 C-6.8 C-6.9

LEGEND:

SEE SHEET C-6.0 FOR LEGEND.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

SEAL

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN I**

DRAWING SHEET
**C-6.1**

**27 OF 57**

PROGRESS PLOT DATE: 12/05/2023

KAREN E. BASS
DB 12560 PG 1626

JAMES K. WILLIAMS
DB 16784 PG 1013

GRO PEG PROPERTIES LLC
DB 18359 PG 1707

COMMUNITY GARDEN

EX. SSMH #01

EX. SSMH #02

EX. P #01

EX. P #02

30.0' EXISTING
TOWN OF ROLESVILLE
INTERCEPTOR DB 1992 PG 655
HARRIS CREEK

PROPERTY LINE

SCM #5
WET POND

FOOD ZONE AE

FLOODWAY

SWAMP/MARSH
HARRIS CREEK

10.0'
GREENWAY

30.0' GREENWAY
CONSERVATION
EASEMENT

8" BLOW OFF ASSEMBLY

SSMH #16

15.0' TYPE II
PERIMETER BUFFER

4" SANITARY SEWER
C/O & SERVICE (TYP.)

3/4" WATER METER
& SERVICE (TYP.)

P #16

P #18

P #19

P #17

8" DIP W/L

SSMH #18

SSMH #19

SSMH #20

8"x8" TEE
W / (3) 8" GV

8" 45° BEND

8" 45° BEND

8" DIP W/L

8" DIP W/L

FHA W/T
5'X5' CORWLE

FHA W/T
5'X5' CORWLE

8" DIP W/L

GRO PEG
PROPERTIES LLC
DB 18359 PG 1707

SCOTT & THERESA
CARLE
DB 14863 PG 2493

**MATCH LINE**
FOR CONTINUATION, SEE C-6.1

**MATCH LINE**
FOR CONTINUATION, SEE C-6.3

**GRO PEG RD**
60' PRIVATE R/W
RECORDED BOOK OF MAPS
1980 PAGE 396

SCM #4
WET POND

W1


WTLD

100YR

500YR

SS


W




**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-6.0 FOR LEGEND.




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONG ROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN II**

DRAWING SHEET
**C-6.2**

**28 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

# RESERVE @ MITCHELL MILL

TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

## PRELIMINARY SITE PLAN

## PARTIAL UTILITY PLAN III

DRAWING SHEET

C-6.3

29 OF 57


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-6.0 FOR LEGEND.

7°32'15.0" NC GRID NORTH - NAD 83 ADOPTED BOM 1992 PG 655

MAGNETIC NORTH ADOPTED BOM 1980 PG 396

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )

1 inch = 50 ft.

C-6.1 C-6.2 C-6.3 C-6.4 C-6.5 C-6.6 C-6.7 C-6.8 C-6.9

**MATCH LINE**
FOR CONTINUATION, SEE C-6.1

**MATCH LINE**
FOR CONTINUATION, SEE C-6.5

**MATCH LINE**
FOR CONTINUATION, SEE C-6.3

FLOODZONE AE

FLOODWAY

SWAMP/MARSH HARRIS CREEK

PERENNIAL STREAM E

30.0' STREAM BUFFER ZONE 1

20.3' STREAM BUFFER ZONE 2

W1

W2

BRIDGE

PROPERTY LINE

30.0' SANITARY SEWER EASEMENT

30.0' GREENWAY EASEMENT

10.0' GREENWAY

0.2% ANNUAL CHANCE FLOOD HAZARD

SCM #3 WETPOND

SCM #7 WET POND

JONESVILLE RD

STREET 'G'

STREET 'H'

STREET 'J'

STREET 'K'

STREET 'L'

STREET 'M'

CLUB HOUSE

15.0' TYPE II PERIMETER BUFFER

4" SANITARY SEWER C/O & SERVICE (TYP.)

3/4" WATER METER & SERVICE (TYP.)

8" BLOW OFF ASSEMBLY

8"x8" TEE W / (3) 8" GV

8"x8" CROSS W / (4) 8" GV

FHA W/T 5'X5' CORWLE

FHA

8" DIP W/L

8" 22.5° BEND

8" 11.25° BEND

SSMH #39 INSIDE DROP MANHOLE

SSMH #49 INSIDE DROP MANHOLE

EX. SSMH #07 EX. SSMH #08 EX. SSMH #09 EX. SSMH #10 EX. SSMH #11 EX. SSMH #12 EX. SSMH #13 SSMH #34 SSMH #37 SSMH #38 SSMH #40 SSMH #41 SSMH #50 SSMH #51 SSMH #65 SSMH #66 SSMH #80 SSMH #82 SSMH #86

EX. P #06 EX. P #07 EX. P #08 EX. P #09 EX. P #10 EX. P #11 EX. P #12 EX. P #13 P #15 P #33 P #34 P #36 P #37 P #38 P #39 P #41 P #42 P #43 P #50 P #51 P #52 P #53 P #67 P #68 P #69 P #84 P #85 P #86 P #87


STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

| | |
|---|---|
| STRONG ROCK PROJECT PSP-23-03 | |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN VI**

DRAWING SHEET

**C-6.4**

**30 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

FOR CONTINUATION, SEE C-6.4

**MATCH LINE**

FLOODWAY

**SCM #7 WET POND**

**SCM #8 WET POND**

JERRI JO MASSEY & TAMMY G. BUTLER DB 8265 PG 202

MEGAN KULAWIAK DEED BOOK 16226 PAGE 1133

30.0' SANITARY SEWER EASEMENT

INTERMITTENT STREAM I

30.0' STREAM BUFFER ZONE 1

20.0' STREAM BUFFER ZONE 2

PERENNIAL STREAM G

INTERMITTENT STREAM J

EXISTING DRY POND

10.0' GREENWAY

30.0' GREENWAY EASEMENT

15.0' TYPE II PERIMETER BUFFER

STREET 'A'

STREET 'E'

STREET 'F'

STREET 'G'

STREET 'H'

STREET 'I'

STREET 'K'

JONESVILLE RD

PUBLIC ALLEY '1'

PUBLIC ALLEY '2'

PUBLIC ALLEY '3'

SSMH #51 SSMH #52 SSMH #53 SSMH #54 SSMH #55 SSMH #56 SSMH #57 SSMH #58 SSMH #59 SSMH #60 SSMH #61 SSMH #62 SSMH #63 SSMH #64 SSMH #65 SSMH #66 SSMH #67 SSMH #68 SSMH #75 SSMH #76 SSMH #77 SSMH #78 INSIDE DROP MANHOLE SSMH #79 SSMH #80 SSMH #81 SSMH #82 SSMH #85 SSMH #87

EX. SSMH #11 EX. SSMH #12 EX. SSMH #13 EX. SSMH #14

EX. P #11 EX. P #12 EX. P #13

P #50 P #51 P #52 P #53 P #54 P #55 P #56 P #57 P #58 P #59 P #60 P #61 P #62 P #63 P #64 P #65 P #66 P #67 P #68 P #69 P #70 P #71 P #72 P #79 P #80 P #81 P #82 P #83 P #84 P #85 P #86 P #87 P #88

8" DIP W/L

8" BLOW OFF ASSEMBLY

8"x8" TEE W / (3) 8" GV

8"x8" CROSS W / (4) 8" GV

8" 22.5° BEND

8" 11.25° BEND

8" 90° BEND

FHA W/T 5'X5' CORWLE

4" SANITARY SEWER C/O & SERVICE (TYP.)

3/4" WATER METER & SERVICE (TYP.)

WTLD

100YR

500YR

SS

W

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-6.0 FOR LEGEND.

C-6.1 C-6.2 C-6.3 C-6.4 C-6.5 C-6.6 C-6.7 C-6.8 C-6.9

MAGNETIC NORTH ADOPTED BOM 1980 PG 396

7°32'15.0" NG GRID NORTH - NAD 83 ADOPTED BOM 1992 PG 655

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )

1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

SEAL

STRONG ROCK ENGINEERING, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

STRONG ROCK PROJECT PSP-23-03

NOT FOR CONSTRUCTION

| | |
|---|---|
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

# RESERVE @ MITCHELL MILL

TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

## PRELIMINARY SITE PLAN

## PARTIAL UTILITY PLAN V


DRAWING SHEET

**C-6.5**

**31 OF 57**

PROGRESS PLOT DATE: 12/05/2023

STREET 'G'
STREET 'H'
JONESVILLE RD
PUBLIC ALLEY '3'
STREET 'E'
PUBLIC ALLEY '1'
STREET 'F'
STREET 'I'
PUBLIC ALLEY '2'
STREET 'K'
STREET 'L'
CLUB HOUSE
SCM #2
WET POND
LOT 1 BLOCK A
MATCH LINE
FOR CONTINUATION, SEE C-6.5
MATCH LINE
FOR CONTINUATION, SEE C-6.7
30.0' SANITARY SEWER EASEMENT
30.0' GREENWAY EASEMENT
10.0' GREENWAY
15.0'
TYPE II PERIMETER BUFFER




**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-6.0 FOR LEGEND.

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA.
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN VI**

DRAWING SHEET
**C-6.6**

**32 OF 57**

PROGRESS PLOT DATE: 12/05/2023





**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-6.0 FOR LEGEND.




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN VII**

DRAWING SHEET

**C-6.7**

**33 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

MATCH LINE
FOR CONTINUATION, SEE C-6.5

STREET 'A'
STREET 'B'
STREET 'C'
STREET 'D'
STREET 'F'
STREET 'I'
MITCHELL MILL RD.
60' PUBLIC R/W

SCM #1
WETPOND

SCM #2
WET POND

EXERCISE PARKING

10.0'
GREENWAY

30.0' GREENWAY
EASEMENT

15.0'
TYPE II PERIMETER BUFFER

30.0'
STREET YARD BUFFER

INTERMITTENT STREAM G

30.0' STREAM
BUFFER ZONE 1

20.0' STREAM
BUFFER ZONE 2

W6

WTLD

FHA W/T
5'X5' CORWLE

FHA

8" DIP W/L

8" BLOW OFF ASSEMBLY

3/4" WATER METER
& SERVICE (TYP.)

4" SANITARY SEWER
C/O & SERVICE (TYP.)

8"x8" TEE
W / (3) 8" GV

P #72
P #73
P #74
P #75
P #76
P #77
P #78
P #79

SSMH #71
SSMH #72
SSMH #73
SSMH #74
SSMH #69
SSMH #70
SSMH #83
INSIDE DROP MANHOLE

16+58
16+00
15+00
10+00
14+00

MARCIE L.
HOLDEN
DEED BOOK
15599 PAGE 1003

BERNARD MILLER
DEED BOOK 15416
PAGE 1651

KENNETH S.
TOUTLOFF
DEED BOOK
9236 PAGE
2229

HEATHER MARIE
PERRY
PIN: 1757357582
DB 18954 PG 338
LOT 1 & 2 - BM 1990
PG 956

ABAHOR ELIAS
AND SPOUSE,
SUSAN ELIAS
PIN: 1757553215
DB 17220 PG 2509
LOT 3 - BM 2018 PG
1333

PHETIS JONES
BRADSHER
PIN: 1757349473
DB 15208 PG 2320
BM 2013 PG 868

CURTIS L. HONEYCUTT
AND WIFE, CHARITY
M. HONEYCUTT
PIN: 1757540996
DB 10488 PG 1888
LOT 1 - BM 2018 PG 1333

TODD KENDALL
HONEYCUTT
PIN: 1757551202
DB 13474 PG 1974
LOT 2 - BM 2018
PG 1333

C-6.1 C-6.2 C-6.3 C-6.4 C-6.5 C-6.6 C-6.7 C-6.8 C-6.9

7°32'15.0"
NC GRID NORTH - NAD 83
ADOPTED BOM 1992 PG 655
MAGNETIC NORTH
ADOPTED BOM 1980 PG 396

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-6.0 FOR LEGEND.

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT
SEAL


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM



| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN VIII**

DRAWING
SHEET
**C-6.8**

**34 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.





**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-6.0 FOR LEGEND.

**TOWNHOME NOTES:**


STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.




THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA.
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN IX**

DRAWING SHEET
**C-6.9**

**35 OF 57**

PROGRESS PLOT DATE: 12/05/2023

**Label existing vegetation to be preserved.**
**Label TPF.**
**Label critical root zones.**





**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

**LEGEND:**

- STORM DRAIN LINE
- FLARED END SECTION
- CATCH BASIN
- STORM DRAIN MANHOLE
- 240 EX. MAJOR CONTOURS
- EX. MINOR CONTOURS
- 240 PROP. MAJOR CONTOURS
- PROP. MINOR CONTOURS




GRAPHIC SCALE

200 0 100 200 400 800

( IN FEET )

1 inch = 200 ft.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

SEAL

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN

**OVERALL GRADING AND DRAINAGE PLAN**

DRAWING SHEET

**C-7.0**

**36 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

CHARLES ALFONSA JONES AND WIFE ALLIE V. JONES PIN: 1757484609 DB 2305 PG 673

BENJAMIN FERRELL DB 1697 PG 465

ALESHIA FERRELL & ARRON WALKER DB 6374 PG 89

15.00' TYPE II PERIMETER BUFFER

CHRIST HOLINESS CHURCH #1 DB 2928 PG 328

CHRIST HOLINESS CHURCH #1 DB 4321 PG 788

CHRIST HOLINESS CHURCH #1 DB 9467 PG 430

ALICIA BROWN & CARL T. JONES DB 16128 PG 183

PROPERTY LINE

RS RENTAL II LLC DB 18703 PG 2414

KAREN E. BASS DB 12560 PG 1626

STREET 'S'

STREET 'R'

STREET 'Q'

JONESVILLE RD

COMMUNITY GARDEN
69181.15 SF
1.59 AC

PARK #4
ACTIVE OPEN SPACE
45,842 SF

PARK #3
ACTIVE OPEN SPACE
7,639 SF

SCM #6
WET POND
TOP: 240.00
WSE: 234.00
BOT: 230.00

HENRY ALSTON AND WIFE, MARIE J. ALSTON PIN: 1757481376 DB 3198 PG 631 BM 1982 PG 721

PING CHEN PIN: 1757471559 DB 18953 PG 592 NEW LOT 1 - BM 2007 PG 1224

20.0' PUBLIC DRAINAGE EASEMENT

20.0' PUBLIC DRAINAGE EASEMENT

20.00' PRIVATE DRAINAGE EASEMENT

SCM MAINTENANCE EASEMENT

SWAMP/MARSH HARRIS CREEK

EMERGENCY SPILLWAY: 239.00

30.00' EXISTING TOWN OF ROLESVILLE HARRIS CREEK INTERCEPTOR BM 1992 PG 655

FLOODZONE AE

MATCH LINE
FOR CONTINUATION, SEE C-7.2

MATCH LINE
FOR CONTINUATION, SEE C-7.4

TW: 248.01 BW: 247.32

TW: 252.59 BW: 244.03

TW: 251.48 BW: 244.00

TW: 251.14 BW: 242.57

TW: 249.61 BW: 245.28

TW: 248.00 BW: 247.51

MAGNETIC NORTH ADOPTED BOM 1980 PG 396

7°32'15.0" NC GRID NORTH - NAD 83 ADOPTED BOM 1992 PG 655

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

SITE KEY PLAN

LEGEND

SEE SHEET C-7.0 FOR LEGEND

C-7.1 C-7.2 C-7.3 C-7.4 C-7.5 C-7.6 C-7.7 C-7.8 C-7.9

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL GRADING AND DRAINAGE PLAN I**

DRAWING SHEET
**C-7.1**

**37 OF 57**

PROGRESS PLOT DATE: 12/05/2023

KAREN E. BASS
DB 12560 PG 1626

JAMES K. WILLIAMS
DB 16784 PG 1013

GRO PEG PROPERTIES LLC
DB 18359 PG 1707

MATCH LINE
FOR CONTINUATION, SEE C-7.1

30.0' EXISTING TOWN OF ROLESVILLE HARRIS CREEK INTERCEPTOR DB 1992 PG 655

PROPERTY LINE

15.0' TYPE II PERIMETER BUFFER

SCM MAINTENANCE EASEMENT

FES #318

OCS #407

P #201

EMERGENCY SPILLWAY: 250.0

SCM #5
WET POND
TOP: 251.00
WSE: 245.00
BOT: 241.00

TW: 253.79
BW: 253.91

TW: 238.96
BW: 238.82

TW: 241.79
BW: 237.86

TW: 242.88
BW: 239.21

TW: 240.03
BW: 248.45

FES #317

TW: 294.39
BW: 270.40

TW: 240.59
BW: 238.14

TW: 238.71
BW: 238.48

P #200

TW: 250.25
BW: 241.03

TW: 264.13
BW: 268.31

TW: 252.66
BW: 241.47

TW: 249.86
BW: 249.84

20.0' PUBLIC DRAINAGE EASEMENT

10.0' GREENWAY

CB #78

TW: 265.33
BW: 265.69

P #199

CB #168

CB #169

P #198

TW: 257.54
BW: 256.00

TW: 259.36
BW: 244.15

TW: 260.13
BW: 259.77

TW: 254.16
BW: 250.04

P #188

TW: 250.82
BW: 249.81

STREET 'O'

STREET 'N'

P #197

GRO PEG PROPERTIES LLC
DB 18359 PG 1707

15.0' TYPE II PERIMETER BUFFER

SCM MAINTENANCE EASEMENT

FOOD ZONE AE

OCS #406

CB #147

CB #166

CB #167

P #175

CB #148

P #196

SCOTT & THERESA CARLE
DB 14863 PG 2493

MATCH LINE
FOR CONTINUATION, SEE C-7.3

P #176

P #177

CB #149

CB #150

P #178

P #195

STREET 'O'

STREET 'N'

EMERGENCY SPILLWAY: 245.0

SCM #4
WET POND
TOP: 246.00
WSE: 240.00
BOT: 236.00

P #194

CB #164

CB #165

CB #151

SWAMP/MARSH
HARRIS CREEK

FLOODWAY

FOOD ZONE AE

SWAMP/MARSH
HARRIS CREEK

W1


WTLD

100YR

SS

W

## SITE KEY PLAN




## LEGEND

SEE SHEET C-7.0 FOR LEGEND

7°32'15.0"
MAGNETIC NORTH
ADOPTED BOM 1980 PG 396
NC GRID NORTH, NAD 83
ADOPTED BOM 1992 PG 655

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


# RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

## PRELIMINARY SITE PLAN
## PARTIAL GRADING AND DRAINAGE PLAN II

DRAWING SHEET
C-7.2

38 OF 57

PROGRESS PLOT DATE: 12/05/2023










**SITE KEY PLAN**

**LEGEND**

SEE SHEET C-7.0 FOR LEGEND

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN

**PARTIAL GRADING AND DRAINAGE PLAN III**

DRAWING SHEET


**C-7.3**

**39 OF 57**

PROGRESS PLOT DATE: 12/05/2023

**TOWNHOME NOTES:**


STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.




**SITE KEY PLAN**

**LEGEND**

SEE SHEET C-7.0 FOR LEGEND




THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN


**PARTIAL GRADING AND DRAINAGE PLAN IV**

DRAWING SHEET

**C-7.4**

**40 OF 57**

PROGRESS PLOT DATE: 12/05/2023




**SITE KEY PLAN**

**LEGEND**

SEE SHEET C-7.0 FOR LEGEND

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

**MATCH LINE**
FOR CONTINUATION, SEE C-7.4

**SCM #7**
**WET POND**
TOP: 246.00
WSE: 240.00
BOT: 235.00

**SCM #8**
**WET POND**
TOP: 246.00
WSE: 240.00
BOT: 236.00

JERRI JO MASSEY & TAMMY G. BUTLER DB 8265 PG 202

MEGAN KULAWIAK DEED BOOK 16226 PAGE 1133

STREET 'A'
STREET 'E'
STREET 'G'
STREET 'H'
STREET 'M'
JONESVILLE RD
STREET 'J'
STREET 'K'
STREET 'I'
PUBLIC ALLEY '1'
PUBLIC ALLEY '2'

EXISTING DRY POND

SCM MAINTENANCE EASEMENT

20.0' PUBLIC DRAINAGE EASEMENT

20.0' PRIVATE DRAINAGE EASEMENT

30.0' STREAM BUFFER ZONE 1

20.0' STREAM BUFFER ZONE 2

EMERGENCY SPILLWAY: 245.0

INTERMITTENT STREAM I

INTERMITTENT STREAM J

INV OUT: 238.73

INV IN: 241.56

**MATCH LINE**
FOR CONTINUATION, SEE C-7.8

**MATCH LINE**
FOR CONTINUATION, SEE C-7.6

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL GRADING AND DRAINAGE PLAN V**

DRAWING SHEET
**C-7.5**

**41 OF 57**

PROGRESS PLOT DATE: 12/05/2023

CLUB HOUSE
64,341 SF
1.48 AC

STREET 'G'
STREET 'H'
STREET 'E'
STREET 'J'
STREET 'K'
STREET 'L'
STREET 'F'
STREET 'I'
JONESVILLE RD
PUBLIC ALLEY '1'
PUBLIC ALLEY '2'

20.0' PUBLIC DRAINAGE EASEMENT

30.0' STREET YARD BUFFER

SCM #2
WET POND
TOP: 270.00
WSE: 264.00
BOT: 260.00

SCM MAINTENANCE EASEMENT

20.0' PRIVATE DRAINAGE EASEMENT

MATCH LINE
FOR CONTINUATION, SEE C-7.5


MATCH LINE
FOR CONTINUATION, SEE C-7.8

MATCH LINE
FOR CONTINUATION, SEE C-7.7

15.0'
TYPE II PERIMETER BUFER

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT




**SITE KEY PLAN**

**LEGEND**

SEE SHEET C-7.0 FOR LEGEND




THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN


**PARTIAL GRADING AND DRAINAGE PLAN VI**


DRAWING SHEET

**C-7.6**

**42 OF 57**

PROGRESS PLOT DATE: 12/05/2023





**SITE KEY PLAN**

**LEGEND**

SEE SHEET C-7.0 FOR LEGEND




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

# RESERVE @ MITCHELL MILL

TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

## PRELIMINARY SITE PLAN
## PARTIAL GRADING AND DRAINAGE PLAN VII

DRAWING SHEET

**C-7.7**

**43 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

EXISTING DRY POND

MATCH LINE
FOR CONTINUATION, SEE C-7.5

STREET 'A'

STREET 'C'

STREET 'D'

STREET 'B'

STREET 'I'

STREET 'F'

SCM #1 WETPOND
TOP: 272.00
WSE: 266.00
BOT: 262.00

SCM #2 WET POND
TOP: 270.00
WSE: 264.00
BOT: 260.00

EMERGENCY SPILLWAY: 271.00

30.0' STREAM BUFFER ZONE 1

20.0' STREAM BUFFER ZONE 2

INTERMITTENT STREAM G

20.0' PRIVATE DRAINAGE EASEMENT

20.0' PUBLIC DRAINAGE EASEMENT

SCM MAINTENANCE EASEMENT

15.0' TYPE II PERIMETER BUFFER

PROPERTY LINE

MITCHELL MILL RD.
60' PUBLIC R/W

MARCIE L. HOLDEN
DEED BOOK
15599 PAGE 1003

BERNARD MILLER
DEED BOOK 15416
PAGE 1651

KENNETH S. TOUTLOFF
DEED BOOK
9236 PAGE
2229

HEATHER MARIE PERRY
PIN: 1757357582
DB 18954 PG 338
LOT 1 & 2 - BM 1990
PG 956

PHETIS JONES BRADSHER
PIN: 1757349473
DB 15208 PG 2320
BM 2013 PG 868

CURTIS L. HONEYCUTT AND WIFE, CHARITY M. HONEYCUTT
PIN: 1757540996
DB 10488 PG 1888
LOT 1 - BM 2018 PG 1333

TODD KENDALL HONEYCUTT
PIN: 1757551202
DB 13474 PG 1974
LOT 2 - BM 2018
PG 1333

ABAHOR ELIAS AND SPOUSE, SUSAN ELIAS
PIN: 1757553215
DB 17220 PG 2509
LOT 3 - BM 2018 PG 1333

MATCH LINE
FOR CONTINUATION, SEE C-7.7

C-7.1 C-7.2 C-7.3 C-7.4 C-7.5 C-7.6 C-7.7 C-7.8 C-7.9

7°32'15.0"
NC GRID NORTH - NAD 83
ADOPTED BOM 1992 PG 655
MAGNETIC NORTH
ADOPTED BOM 1980 PG 396

SITE KEY PLAN

LEGEND

SEE SHEET C-7.0 FOR LEGEND

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONG ROCK ENGINEERING GROUP

ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM
STRONG ROCK ENGINEERING GROUP, PLLC
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609

| STRONG ROCK PROJECT PSP-23-03 | NOT FOR CONSTRUCTION | SCALE | AS SHOWN | DESIGNED BY | JWL | DRAWN BY | SRG | CHECKED BY | JWL |
|---|---|---|---|---|---|---|---|---|---|

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA


PRELIMINARY SITE PLAN

**PARTIAL GRADING AND DRAINAGE PLAN VIII**

DRAWING SHEET
C-7.8


44 OF 57

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.




**TOWNHOME NOTES:**


STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT




**SITE KEY PLAN**

**LEGEND**

SEE SHEET C-7.0 FOR LEGEND




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL GRADING AND DRAINAGE PLAN IX**

DRAWING SHEET

**C-7.9**

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| EX. PIPE #01 | RCP | 18" | 44 | 290.51 | 289.86 | 1.49% |
| EX. PIPE #02 | RCP | 24" | 82 | 289.20 | 288.25 | 1.15% |
| EX. PIPE #03 | RCP | 18" | 46 | 285.75 | 283.40 | 5.09% |
| EX. PIPE #04 | RCP | 18" | 42 | 282.94 | 281.31 | 3.89% |
| EX. PIPE #05 | RCP | 18" | 35 | 288.17 | 287.16 | 2.89% |
| EX. PIPE #06 | RCP | 18" | 23 | 286.16 | 285.72 | 1.90% |
| P #01 | RCP | 15" | 26 | 280.07 | 279.94 | 0.50% |
| P #02 | RCP | 15" | 150 | 279.74 | 275.10 | 3.09% |
| P #03 | RCP | 15" | 26 | 275.97 | 275.84 | 0.50% |
| P #04 | RCP | 18" | 141 | 274.90 | 273.64 | 0.90% |
| P #05 | RCP | 15" | 26 | 278.00 | 277.87 | 0.50% |
| P #06 | RCP | 15" | 48 | 277.67 | 275.73 | 4.07% |
| P #07 | RCP | 18" | 26 | 275.52 | 274.94 | 2.24% |
| P #08 | RCP | 18" | 106 | 273.44 | 272.91 | 0.50% |
| P #09 | RCP | 18" | 52 | 272.71 | 272.45 | 0.50% |
| P #10 | RCP | 18" | 97 | 272.25 | 268.99 | 3.38% |
| P #11 | RCP | 24" | 103 | 268.79 | 268.27 | 0.50% |
| P #12 | RCP | 24" | 127 | 268.07 | 267.04 | 0.81% |
| P #13 | RCP | 15" | 26 | 280.30 | 280.17 | 0.50% |
| P #14 | RCP | 15" | 164 | 279.97 | 278.56 | 0.86% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #15 | RCP | 15" | 26 | 278.55 | 278.42 | 0.50% |
| P #16 | RCP | 18" | 48 | 278.22 | 277.57 | 1.33% |
| P #17 | RCP | 18" | 26 | 277.37 | 276.79 | 2.27% |
| P #18 | RCP | 15" | 26 | 276.65 | 276.52 | 0.50% |
| P #19 | RCP | 15" | 78 | 276.32 | 275.93 | 0.50% |
| P #20 | RCP | 18" | 49 | 275.73 | 275.49 | 0.50% |
| P #21 | RCP | 18" | 190 | 275.29 | 274.26 | 0.54% |
| P #22 | RCP | 15" | 26 | 275.75 | 275.62 | 0.50% |
| P #23 | RCP | 18" | 168 | 274.06 | 269.94 | 2.46% |
| P #24 | RCP | 24" | 112 | 269.73 | 267.04 | 2.40% |
| P #25 | RCP | 30" | 153 | 266.84 | 266.00 | 0.55% |
| P #26 | RCP | 24" | 64 | 262.00 | 261.00 | 1.57% |
| P #27 | RCP | 15" | 26 | 272.02 | 271.72 | 1.17% |
| P #28 | RCP | 15" | 150 | 271.52 | 266.45 | 3.38% |
| P #29 | RCP | 15" | 26 | 267.05 | 266.92 | 0.50% |
| P #30 | RCP | 18" | 150 | 266.25 | 264.32 | 1.28% |
| P #31 | RCP | 15" | 26 | 264.59 | 264.46 | 0.50% |
| P #32 | RCP | 18" | 188 | 264.12 | 257.70 | 3.42% |
| P #33 | RCP | 15" | 48 | 264.54 | 260.13 | 9.15% |
| P #34 | RCP | 15" | 26 | 259.93 | 259.80 | 0.50% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #35 | RCP | 24" | 48 | 257.50 | 254.20 | 6.84% |
| P #36 | RCP | 24" | 37 | 254.00 | 252.20 | 4.87% |
| P #37 | RCP | 30" | 117 | 252.00 | 243.75 | 7.06% |
| P #38 | RCP | 30" | 98 | 243.55 | 240.00 | 3.63% |
| P #39 | RCP | 24" | 92 | 238.00 | 234.00 | 4.35% |
| P #40 | RCP | 36" | 131 | 241.56 | 238.73 | 2.17% |
| P #41 | RCP | 15" | 45 | 310.94 | 309.30 | 3.67% |
| P #42 | RCP | 15" | 230 | 307.69 | 293.96 | 5.98% |
| P #43 | RCP | 15" | 45 | 294.21 | 293.96 | 0.56% |
| P #44 | RCP | 15" | 183 | 293.76 | 280.50 | 7.23% |
| P #45 | RCP | 15" | 50 | 280.71 | 280.46 | 0.50% |
| P #46 | RCP | 15" | 150 | 280.26 | 270.99 | 6.16% |
| P #47 | RCP | 18" | 98 | 270.79 | 265.64 | 5.27% |
| P #48 | RCP | 15" | 56 | 266.37 | 266.10 | 0.50% |
| P #49 | RCP | 18" | 86 | 265.44 | 261.70 | 4.36% |
| P #50 | RCP | 18" | 150 | 261.49 | 253.90 | 5.05% |
| P #51 | RCP | 15" | 45 | 254.13 | 253.90 | 0.50% |
| P #52 | RCP | 24" | 150 | 253.70 | 244.60 | 6.06% |
| P #53 | RCP | 24" | 81 | 244.80 | 238.00 | 8.40% |
| P #54 | RCP | 15" | 26 | 279.45 | 279.32 | 0.50% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #115 | RCP | 24" | 51 | 278.66 | 277.70 | 1.88% |
| P #116 | RCP | 24" | 26 | 277.22 | 276.87 | 1.33% |
| P #117 | RCP | 18" | 51 | 281.31 | 278.43 | 5.60% |
| P #118 | RCP | 18" | 18 | 287.16 | 286.25 | 5.00% |
| P #119 | RCP | 18" | 252 | 284.76 | 283.50 | 0.50% |
| P #120 | RCP | 18" | 258 | 283.30 | 280.05 | 1.26% |
| P #121 | RCP | 18" | 49 | 279.85 | 277.70 | 4.36% |
| P #122 | RCP | 30" | 88 | 276.67 | 272.70 | 4.54% |
| P #123 | RCP | 30" | 44 | 272.50 | 271.74 | 1.73% |
| P #124 | RCP | 15" | 26 | 294.87 | 294.74 | 0.50% |
| P #125 | RCP | 15" | 202 | 294.54 | 283.95 | 5.25% |
| P #126 | RCP | 18" | 26 | 283.75 | 283.62 | 0.50% |
| P #127 | RCP | 18" | 197 | 283.42 | 273.08 | 5.25% |
| P #128 | RCP | 15" | 26 | 273.47 | 273.08 | 1.50% |
| P #129 | RCP | 24" | 201 | 272.88 | 261.83 | 5.50% |
| P #130 | RCP | 15" | 26 | 262.60 | 261.83 | 3.00% |
| P #131 | RCP | 24" | 143 | 261.59 | 254.09 | 5.25% |
| P #132 | RCP | 15" | 26 | 254.87 | 254.09 | 3.00% |
| P #133 | RCP | 24" | 58 | 253.89 | 251.55 | 4.00% |
| P #134 | RCP | 24" | 66 | 251.35 | 250.04 | 2.00% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #135 | RCP | 15" | 26 | 250.81 | 250.04 | 3.00% |
| P #136 | RCP | 24" | 44 | 249.84 | 249.61 | 0.50% |
| P #137 | RCP | 24" | 38 | 249.41 | 249.23 | 0.50% |
| P #138 | RCP | 15" | 38 | 256.73 | 255.60 | 3.00% |
| P #139 | RCP | 18" | 154 | 255.40 | 249.23 | 4.00% |
| P #140 | RCP | 24" | 45 | 249.03 | 248.58 | 1.00% |
| P #141 | RCP | 24" | 80 | 248.38 | 247.58 | 1.00% |
| P #142 | RCP | 24" | 63 | 247.41 | 246.47 | 1.50% |
| P #143 | RCP | 15" | 201 | 285.38 | 278.36 | 3.50% |
| P #144 | RCP | 15" | 26 | 278.61 | 278.36 | 1.00% |
| P #145 | RCP | 18" | 199 | 278.15 | 270.68 | 3.75% |
| P #146 | RCP | 15" | 26 | 271.19 | 270.68 | 2.00% |
| P #147 | RCP | 18" | 142 | 270.48 | 265.50 | 3.50% |
| P #148 | RCP | 15" | 26 | 265.89 | 265.50 | 1.50% |
| P #149 | RCP | 18" | 46 | 265.30 | 264.96 | 0.75% |
| P #150 | RCP | 18" | 38 | 264.76 | 264.38 | 1.00% |
| P #151 | RCP | 18" | 39 | 264.18 | 262.25 | 5.00% |
| P #152 | RCP | 18" | 27 | 262.05 | 261.50 | 2.00% |
| P #153 | RCP | 24" | 82 | 261.30 | 257.63 | 4.50% |
| P #154 | RCP | 24" | 54 | 257.43 | 254.72 | 5.00% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #155 | RCP | 15" | 26 | 256.01 | 254.72 | 5.00% |
| P #156 | RCP | 24" | 148 | 254.52 | 248.21 | 4.25% |
| P #157 | RCP | 15" | 26 | 250.11 | 249.26 | 3.30% |
| P #158 | RCP | 24" | 121 | 248.01 | 246.47 | 1.27% |
| P #159 | RCP | 30" | 26 | 246.27 | 245.76 | 2.00% |
| P #160 | RCP | 36" | 125 | 245.56 | 243.17 | 1.91% |
| P #161 | RCP | 36" | 193 | 242.97 | 242.00 | 0.50% |
| P #162 | RCP | 18" | 50 | 239.00 | 238.00 | 1.98% |
| P #163 | RCP | 15" | 26 | 264.44 | 264.18 | 1.00% |
| P #164 | RCP | 15" | 99 | 263.99 | 260.56 | 3.47% |
| P #165 | RCP | 18" | 87 | 260.36 | 257.76 | 3.00% |
| P #166 | RCP | 18" | 80 | 257.56 | 255.55 | 2.50% |
| P #167 | RCP | 15" | 27 | 256.55 | 256.41 | 0.50% |
| P #168 | RCP | 18" | 70 | 255.35 | 253.94 | 2.00% |
| P #169 | RCP | 18" | 90 | 253.74 | 251.51 | 2.50% |
| P #170 | RCP | 15" | 38 | 252.86 | 252.67 | 0.50% |
| P #171 | RCP | 15" | 45 | 252.37 | 252.14 | 0.50% |
| P #172 | RCP | 18" | 26 | 251.94 | 251.81 | 0.50% |
| P #173 | RCP | 24" | 53 | 251.31 | 248.64 | 5.00% |
| P #174 | RCP | 24" | 38 | 248.44 | 248.25 | 0.50% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #55 | RCP | 15" | 208 | 279.04 | 263.00 | 7.70% |
| P #56 | RCP | 18" | 26 | 264.00 | 263.50 | 1.96% |
| P #57 | RCP | 15" | 47 | 262.00 | 259.40 | 5.50% |
| P #58 | RCP | 15" | 26 | 259.73 | 259.60 | 0.50% |
| P #59 | RCP | 15" | 63 | 259.20 | 257.78 | 2.25% |
| P #60 | RCP | 18" | 126 | 257.58 | 254.62 | 2.35% |
| P #61 | RCP | 15" | 26 | 254.89 | 254.76 | 0.50% |
| P #62 | RCP | 18" | 159 | 254.42 | 250.20 | 2.66% |
| P #63 | RCP | 15" | 26 | 250.80 | 250.60 | 0.78% |
| P #64 | RCP | 18" | 66 | 250.00 | 248.77 | 1.86% |
| P #65 | RCP | 18" | 52 | 248.57 | 247.31 | 2.44% |
| P #66 | RCP | 15" | 26 | 247.74 | 247.62 | 0.50% |
| P #67 | RCP | 24" | 54 | 246.72 | 246.05 | 1.25% |
| P #68 | RCP | 15" | 162 | 287.65 | 281.12 | 4.03% |
| P #69 | RCP | 15" | 43 | 280.92 | 278.41 | 5.79% |
| P #70 | RCP | 18" | 168 | 278.21 | 269.67 | 5.09% |
| P #71 | RCP | 18" | 66 | 269.47 | 266.45 | 4.58% |
| P #72 | RCP | 24" | 159 | 266.25 | 258.40 | 4.95% |
| P #73 | RCP | 15" | 36 | 274.54 | 274.36 | 0.50% |
| P #74 | RCP | 15" | 162 | 274.16 | 267.55 | 4.08% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #75 | RCP | 15" | 44 | 267.35 | 264.89 | 5.60% |
| P #76 | RCP | 18" | 168 | 264.69 | 258.92 | 3.43% |
| P #77 | RCP | 24" | 66 | 258.20 | 255.96 | 3.40% |
| P #78 | RCP | 24" | 83 | 255.76 | 252.43 | 4.01% |
| P #79 | RCP | 24" | 42 | 252.23 | 250.56 | 4.03% |
| P #80 | RCP | 15" | 26 | 255.48 | 255.35 | 0.50% |
| P #81 | RCP | 15" | 132 | 255.15 | 251.10 | 3.06% |
| P #82 | RCP | 30" | 133 | 250.02 | 245.78 | 3.19% |
| P #83 | RCP | 30" | 26 | 245.58 | 245.45 | 0.50% |
| P #84 | RCP | 30" | 48 | 245.25 | 243.56 | 3.50% |
| P #85 | RCP | 15" | 26 | 246.03 | 245.90 | 0.50% |
| P #86 | RCP | 15" | 60 | 245.70 | 245.11 | 0.99% |
| P #87 | RCP | 15" | 26 | 244.91 | 244.78 | 0.50% |
| P #88 | RCP | 30" | 48 | 243.36 | 242.47 | 1.85% |
| P #89 | RCP | 30" | 62 | 242.27 | 241.37 | 1.46% |
| P #90 | RCP | 15" | 26 | 255.50 | 255.14 | 1.41% |
| P #91 | RCP | 15" | 132 | 254.94 | 250.59 | 3.30% |
| P #92 | RCP | 15" | 26 | 250.72 | 250.59 | 0.50% |
| P #93 | RCP | 18" | 61 | 250.39 | 248.89 | 2.48% |
| P #94 | RCP | 18" | 167 | 248.69 | 243.82 | 2.92% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #95 | RCP | 15" | 26 | 244.67 | 244.54 | 0.50% |
| P #96 | RCP | 24" | 120 | 243.32 | 241.37 | 1.62% |
| P #97 | RCP | 36" | 111 | 241.17 | 240.51 | 0.60% |
| P #98 | RCP | 36" | 61 | 240.31 | 240.00 | 0.50% |
| P #99 | RCP | 24" | 114 | 236.00 | 235.00 | 0.88% |
| P #100 | RCP | 15" | 26 | 271.40 | 271.27 | 0.50% |
| P #101 | RCP | 15" | 152 | 271.07 | 269.80 | 0.84% |
| P #102 | RCP | 15" | 26 | 269.85 | 269.73 | 0.50% |
| P #103 | RCP | 18" | 159 | 269.53 | 267.88 | 1.04% |
| P #104 | RCP | 18" | 26 | 267.68 | 267.55 | 0.50% |
| P #105 | RCP | 24" | 72 | 267.35 | 264.00 | 4.67% |
| P #106 | RCP | 18" | 73 | 262.00 | 261.64 | 0.50% |
| P #107 | RCP | 18" | 26 | 261.44 | 261.31 | 0.50% |
| P #108 | RCP | 18" | 122 | 261.11 | 260.00 | 0.91% |
| P #109 | RCP | 15" | 48 | 289.35 | 290.17 | 1.71% |
| P #110 | RCP | 15" | 44 | 289.15 | 288.26 | 2.00% |
| P #111 | RCP | 24" | 158 | 287.24 | 283.67 | 2.26% |
| P #112 | RCP | 24" | 152 | 283.47 | 281.95 | 1.00% |
| P #113 | RCP | 18" | 15 | 283.40 | 282.93 | 3.10% |
| P #114 | RCP | 24" | 204 | 281.75 | 278.86 | 1.42% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #175 | RCP | 15" | 26 | 254.53 | 254.40 | 0.50% |
| P #176 | RCP | 15" | 101 | 254.20 | 253.70 | 0.50% |
| P #177 | RCP | 15" | 26 | 254.03 | 253.90 | 0.50% |
| P #178 | RCP | 18" | 81 | 253.50 | 252.68 | 1.00% |
| P #179 | RCP | 18" | 78 | 252.48 | 251.57 | 1.17% |
| P #180 | RCP | 15" | 26 | 251.83 | 251.70 | 0.50% |
| P #181 | RCP | 18" | 60 | 251.29 | 248.27 | 5.00% |
| P #182 | RCP | 24" | 196 | 248.07 | 243.16 | 2.50% |
| P #183 | RCP | 18" | 38 | 244.87 | 244.68 | 0.50% |
| P #184 | RCP | 15" | 38 | 246.18 | 245.89 | 0.75% |
| P #185 | RCP | 18" | 100 | 245.69 | 244.71 | 0.98% |
| P #186 | RCP | 30" | 115 | 242.96 | 241.04 | 1.67% |
| P #187 | RCP | 30" | 53 | 240.84 | 240.00 | 1.59% |
| P #188 | RCP | 18" | 287 | 238.00 | 236.00 | 0.70% |
| P #189 | RCP | 15" | 38 | 278.78 | 278.02 | 2.00% |
| P #190 | RCP | 18" | 131 | 277.82 | 271.26 | 5.00% |
| P #191 | RCP | 18" | 127 | 271.06 | 265.36 | 4.50% |
| P #192 | RCP | 15" | 38 | 266.87 | 265.36 | 4.00% |
| P #193 | RCP | 18" | 43 | 265.08 | 262.06 | 7.00% |
| P #194 | RCP | 15" | 26 | 262.70 | 262.06 | 2.50% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #195 | RCP | 24" | 243 | 261.86 | 255.77 | 2.51% |
| P #196 | RCP | 15" | 26 | 256.03 | 255.77 | 1.00% |
| P #197 | RCP | 24" | 173 | 255.57 | 252.06 | 2.04% |
| P #198 | RCP | 24" | 26 | 251.86 | 251.73 | 0.50% |
| P #199 | RCP | 24" | 85 | 251.53 | 250.68 | 1.00% |
| P #200 | RCP | 30" | 179 | 250.48 | 245.00 | 3.07% |
| P #201 | RCP | 15" | 66 | 241.00 | 240.00 | 1.51% |
| P #202 | RCP | 15" | 26 | 256.33 | 255.65 | 2.60% |
| P #203 | RCP | 15" | 119 | 255.45 | 254.86 | 0.50% |
| P #204 | RCP | 15" | 26 | 258.46 | 256.66 | 7.00% |
| P #205 | RCP | 18" | 50 | 254.66 | 254.41 | 0.50% |
| P #206 | RCP | 15" | 26 | 258.01 | 256.21 | 7.00% |
| P #207 | RCP | 18" | 157 | 254.21 | 253.43 | 0.50% |
| P #208 | RCP | 15" | 26 | 253.94 | 253.43 | 2.00% |
| P #209 | RCP | 18" | 136 | 253.23 | 248.82 | 3.25% |
| P #210 | RCP | 15" | 26 | 249.72 | 248.82 | 3.50% |
| P #211 | RCP | 18" | 132 | 248.62 | 245.00 | 2.75% |
| P #212 | RCP | 18" | 51 | 244.80 | 241.85 | 5.75% |
| P #213 | RCP | 18" | 26 | 241.65 | 241.12 | 2.07% |
| P #214 | RCP | 18" | 26 | 252.03 | 251.64 | 1.50% |

| PIPE TABLE | | | | | | |
|---|---|---|---|---|---|---|
| PIPE NO | TYPE | SIZE | LF | INV. IN | INV. OUT | GRADE |
| P #215 | RCP | 18" | 103 | 251.44 | 249.43 | 1.95% |
| P #216 | RCP | 15" | 26 | 249.75 | 249.62 | 0.50% |
| P #217 | RCP | 18" | 82 | 249.23 | 247.62 | 1.97% |
| P #218 | RCP | 18" | 79 | 247.42 | 245.89 | 1.94% |
| P #219 | RCP | 15" | 26 | 246.15 | 245.89 | 1.00% |
| P #220 | RCP | 18" | 66 | 245.69 | 244.45 | 1.86% |
| P #221 | RCP | 18" | 73 | 244.24 | 243.77 | 0.64% |
| P #222 | RCP | 15" | 26 | 244.03 | 243.77 | 1.00% |
| P #223 | RCP | 18" | 268 | 243.57 | 242.23 | 0.50% |
| P #224 | RCP | 15" | 26 | 243.64 | 242.23 | 5.50% |
| P #225 | RCP | 18" | 91 | 242.03 | 241.12 | 1.00% |
| P #226 | RCP | 24" | 118 | 240.92 | 236.19 | 4.00% |
| P #227 | RCP | 18" | 26 | 237.48 | 236.19 | 5.00% |
| P #228 | RCP | 24" | 49 | 235.99 | 235.31 | 1.40% |
| P #229 | RCP | 24" | 70 | 235.11 | 234.76 | 0.50% |
| P #230 | RCP | 30" | 112 | 234.56 | 234.00 | 0.50% |
| P #231 | RCP | 18" | 84 | 233.00 | 231.64 | 1.62% |
| P #232 | RCP | 48" | 119 | 238.95 | 237.95 | 0.84% |

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

**STORM DRAINAGE TABLES**

DRAWING SHEET

**C-7.10**



THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #01 | 2' X 3' | 284.51 | | 280.07 N |
| CB #02 | 2' X 3' | 284.50 | 279.94 S | 279.74 E |
| CB #03 | 2' X 3' | 280.43 | | 275.97 N |
| CB #04 | 2' X 3' | 280.43 | 275.10 W<br>275.84 S | 274.90 E |
| CB #05 | 2' X 3' | 282.43 | | 278.00 W |
| CB #06 | 2' X 3' | 282.48 | 277.87 E | 277.67 NW |
| CB #07 | 2' X 3' | 280.23 | 275.73 SE | 275.52 N |
| CB #08 | 2' X 3' | 279.65 | 273.64 W<br>274.94 S | 273.44 E |
| CB #09 | 2' X 3' | 278.79 | 272.91 W | 272.71 NE |
| CB #10 | 2' X 3' | 278.40 | 272.45 SW | 272.25 NW |
| CB #11 | 2' X 3' | 284.73 | | 280.30 E |
| CB #12 | 2' X 3' | 284.73 | 280.17 W | 279.97 N |
| CB #13 | 2' X 3' | 282.99 | | 278.55 E |
| CB #14 | 2' X 3' | 282.99 | 278.56 S<br>278.42 W | 278.22 NE |
| CB #15 | 2' X 3' | 282.36 | 277.57 SW | 277.37 N |
| CB #16 | 2' X 3' | 281.09 | | 276.65 E |
| CB #17 | 2' X 3' | 281.09 | 276.52 W | 276.32 S |
| CB #18 | 2' X 3' | 281.98 | 275.93 N | 275.73 SE |
| CB #19 | 2' X 3' | 282.03 | 276.79 S<br>275.49 NW | 275.29 E |
| CB #20 | 2' X 3' | 280.18 | | 275.75 N |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #21 | 2' X 3' | 280.19 | 275.62 S<br>274.26 W | 274.06 E |
| CB #22 | 2' X 3' | 275.08 | 269.94 W | 269.73 NE |
| CB #23 | 2' X 3' | 276.46 | | 272.02 E |
| CB #24 | 2' X 3' | 276.44 | 271.72 W | 271.52 N |
| CB #25 | 2' X 3' | 271.49 | | 267.05 E |
| CB #26 | 2' X 3' | 271.49 | 266.45 S<br>266.92 W | 266.25 N |
| CB #27 | 2' X 3' | 269.03 | | 264.59 E |
| CB #28 | 2' X 3' | 269.03 | 264.32 S<br>264.46 W | 264.12 N |
| CB #29 | 2' X 3' | 268.98 | | 264.54 SE |
| CB #30 | 2' X 3' | 265.96 | 260.13 NW | 259.93 E |
| CB #31 | 2' X 3' | 265.96 | 257.70 S<br>259.80 W | 257.50 NE |
| CB #32 | 2' X 3' | 261.46 | 254.20 SW | 254.00 NE |
| CB #33 | 2' X 3' | 259.51 | 252.20 SW | 252.00 N |
| CB #34 | 2' X 3' | 315.37 | | 310.94 SW |
| CB #35 | 2' X 3' | 313.73 | 309.30 NE | 307.69 NW |
| CB #36 | 2' X 3' | 298.69 | | 294.21 SW |
| CB #37 | 2' X 3' | 298.39 | 293.96 NE<br>293.96 SE | 293.76 NW |
| CB #38 | 2' X 3' | 285.15 | | 280.71 SW |
| CB #39 | 2' X 3' | 285.15 | 280.50 SE<br>280.46 NE | 280.26 NW |
| CB #40 | 2' X 3' | 275.93 | 270.99 SE | 270.79 NW |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #41 | 2' X 3' | 270.81 | | 266.37 SW |
| CB #42 | 2' X 3' | 270.88 | 265.64 SE<br>266.10 NE | 265.44 NW |
| CB #43 | 2' X 3' | 266.41 | 261.70 SE | 261.49 NW |
| CB #44 | 2' X 3' | 258.56 | | 254.13 SW |
| CB #45 | 2' X 3' | 259.31 | 253.90 SE<br>253.90 NE | 253.70 NW |
| CB #46 | 2' X 3' | 250.84 | 244.60 SE | 244.80 W |
| CB #47 | 2' X 3' | 283.89 | | 279.45 N |
| CB #48 | 2' X 3' | 283.89 | 279.32 S | 279.04 W |
| CB #49 | 2' X 3' | 268.71 | | 264.00 N |
| CB #50 | 2' X 3' | 268.65 | 263.50 S<br>263.00 E | 262.00 NW |
| CB #51 | 2' X 3' | 264.17 | | 259.73 E |
| CB #52 | 2' X 3' | 264.14 | 259.40 SE<br>259.60 W | 259.20 N |
| CB #53 | 2' X 3' | 262.53 | 257.78 S | 257.58 NW |
| CB #54 | 2' X 3' | 259.33 | | 254.89 NE |
| CB #55 | 2' X 3' | 259.33 | 254.62 SE<br>254.76 SW | 254.42 NW |
| CB #56 | 2' X 3' | 255.24 | | 250.80 NE |
| CB #57 | 2' X 3' | 255.43 | 250.60 SW<br>250.20 SE | 250.00 NW |
| CB #58 | 2' X 3' | 253.52 | 248.77 SE | 248.57 N |
| CB #59 | 2' X 3' | 251.71 | | 247.74 E |
| CB #60 | 2' X 3' | 252.07 | 247.31 S<br>247.62 W | 246.72 NE |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #61 | 2' X 3' | 251.98 | 246.05 SW<br>245.78 E | 245.58 N |
| CB #62 | 2' X 3' | 259.90 | | 255.48 S |
| CB #63 | 2' X 3' | 259.92 | 255.35 N | 255.15 W |
| CB #64 | 2' X 3' | 251.62 | 245.45 S | 245.25 NW |
| CB #65 | 2' X 3' | 250.47 | | 246.03 N |
| CB #66 | 2' X 3' | 250.49 | 245.90 S | 245.70 NE |
| CB #67 | 2' X 3' | 249.54 | 245.11 SW | 244.91 E |
| CB #68 | 2' X 3' | 249.45 | 244.78 W<br>243.56 SE | 243.36 N |
| CB #69 | 2' X 3' | 248.27 | 242.47 S | 242.27 N |
| CB #70 | 2' X 3' | 247.10 | 241.37 NE<br>241.37 S | 241.17 NW |
| CB #71 | 2' X 3' | 259.93 | | 255.50 NE |
| CB #72 | 2' X 3' | 259.57 | 255.14 SW | 254.94 NW |
| CB #73 | 2' X 3' | 255.16 | | 250.72 NE |
| CB #74 | 2' X 3' | 255.16 | 250.59 SE<br>250.59 SW | 250.39 NW |
| CB #75 | 2' X 3' | 253.62 | 248.89 SE | 248.69 SW |
| CB #76 | 2' X 3' | 249.13 | | 244.67 NW |
| CB #77 | 2' X 3' | 249.14 | 243.82 NE<br>244.54 SE | 243.32 SW |
| CB #78 | 2' X 3' | 275.83 | | 271.40 W |
| CB #79 | 2' X 3' | 275.84 | 271.27 E | 271.07 N |
| CB #80 | 2' X 3' | 274.29 | | 269.85 W |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #81 | 2' X 3' | 274.29 | 269.80 S<br>269.73 E | 269.53 N |
| CB #82 | 2' X 3' | 272.50 | 267.88 S | 267.68 E |
| CB #83 | 2' X 3' | 272.50 | 267.55 W | 267.35 E |
| CB #84 | 2' X 3' | 268.39 | 261.64 E | 261.44 W |
| CB #85 | 2' X 3' | 268.38 | 261.31 E | 261.11 W |
| CB #86 | 2' X 3' | 294.79 | | 290.17 W |
| CB #87 | 2' X 3' | 294.12 | 289.35 E | 289.15 SW |
| CB #88 | 2' X 3' | 292.76 | 288.26 NE<br>288.25 E | 287.24 W |
| CB #89 | 2' X 3' | 289.76 | 283.67 E | 283.47 W |
| CB #90 | 2' X 3' | 287.37 | 281.95 E<br>282.93 SE | 281.75 W |
| CB #91 | 2' X 3' | 285.16 | 278.86 E | 278.66 NW |
| CB #92 | 2' X 3' | 283.23 | 277.70 SE | 277.22 W |
| CB #93 | 2' X 3' | 289.47 | 286.25 S | 284.76 E |
| CB #94 | 2' X 3' | 288.55 | 283.50 W | 283.30 E |
| CB #95 | 2' X 3' | 285.24 | 280.05 W | 279.85 NE |
| CB #96 | 2' X 3' | 282.47 | 277.70 SW<br>276.87 E<br>278.43 SE | 276.67 N |
| CB #97 | 2' X 3' | 278.19 | 272.70 S | 272.50 NW |
| CB #98 | 2' X 3' | 299.94 | | 294.87 E |
| CB #99 | 2' X 3' | 299.89 | 294.74 W | 294.54 N |
| CB #100 | 2' X 3' | 289.02 | 283.95 S | 283.75 W |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #101 | 2' X 3' | 289.02 | 283.62 E | 283.42 N |
| CB #102 | 2' X 3' | 278.38 | | 273.47 W |
| CB #103 | 2' X 3' | 278.38 | 273.08 E<br>273.08 S | 272.88 N |
| CB #104 | 2' X 3' | 267.58 | | 262.60 W |
| CB #105 | 2' X 3' | 267.54 | 261.83 E<br>261.83 S | 261.59 N |
| CB #106 | 2' X 3' | 259.85 | | 254.87 W |
| CB #107 | 2' X 3' | 259.84 | 254.09 S<br>254.09 E | 253.89 N |
| CB #108 | 2' X 3' | 257.36 | 251.55 S | 251.35 NW |
| CB #109 | 2' X 3' | 255.65 | | 250.81 SW |
| CB #110 | 2' X 3' | 255.65 | 250.04 NE<br>250.04 SE | 249.84 W |
| CB #111 | 2' X 3' | 256.13 | 249.61 E | 249.41 NW |
| CB #112 | 2' X 3' | 261.44 | | 256.73 NW |
| CB #113 | 2' X 3' | 261.41 | 255.60 SE | 255.40 NE |
| CB #114 | 2' X 3' | 256.13 | 249.23 SW<br>249.23 SE | 249.03 N |
| CB #115 | 2' X 3' | 254.48 | 248.58 S | 248.38 NW |
| CB #116 | 2' X 3' | 253.03 | 247.58 SE | 247.41 W |
| CB #117 | 2' X 3' | 290.89 | | 285.38 NW |
| CB #118 | 2' X 3' | 283.07 | | 278.61 SW |
| CB #119 | 2' X 3' | 283.04 | 278.36 NE<br>278.36 SE | 278.15 NW |
| CB #120 | 2' X 3' | 275.25 | | 271.19 SW |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #121 | 2' X 3' | 275.25 | 270.68 NE<br>270.68 SE | 270.48 NW |
| CB #122 | 2' X 3' | 269.71 | | 265.89 SW |
| CB #123 | 2' X 3' | 269.70 | 265.50 SE<br>265.50 NE | 265.30 W |
| CB #124 | 2' X 3' | 270.24 | 264.96 E | 264.76 NW |
| CB #125 | 2' X 3' | 270.14 | 264.38 SE | 264.18 N |
| CB #126 | 2' X 3' | 267.49 | 262.25 S | 262.05 NE |
| CB #127 | 2' X 3' | 267.02 | 261.50 SW | 261.30 NW |
| CB #128 | 2' X 3' | 263.64 | 257.63 SE | 257.43 N |
| CB #129 | 2' X 3' | 260.74 | | 256.01 SE |
| CB #130 | 2' X 3' | 260.84 | 254.72 S<br>254.72 NW | 254.52 NE |
| CB #131 | 2' X 3' | 254.54 | | 250.11 SE |
| CB #132 | 2' X 3' | 254.54 | 248.21 SW<br>249.26 NW | 248.01 NE |
| CB #133 | 2' X 3' | 252.15 | 246.47 SW<br>246.47 E | 246.27 NW |
| CB #134 | 2' X 3' | 252.15 | 245.76 SE | 245.56 NW |
| CB #135 | 2' X 3' | 269.21 | | 264.44 SE |
| CB #136 | 2' X 3' | 269.22 | 264.18 NW | 263.99 SW |
| CB #137 | 2' X 3' | 265.37 | 260.56 NE | 260.36 W |
| CB #138 | 2' X 3' | 263.10 | 257.76 E | 257.56 W |
| CB #139 | 2' X 3' | 260.98 | | 256.55 SW |
| CB #140 | 2' X 3' | 260.99 | 256.41 NE<br>255.55 E | 255.35 NW |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #141 | 2' X 3' | 259.16 | 253.94 SE | 253.74 NW |
| CB #142 | 2' X 3' | 257.29 | | 252.86 S |
| CB #143 | 2' X 3' | 257.38 | 252.67 N | 252.37 S |
| CB #144 | 2' X 3' | 256.71 | 252.14 N | 251.94 SW |
| CB #145 | 2' X 3' | 256.71 | 251.81 NE<br>251.51 SE | 251.31 W |
| CB #146 | 2' X 3' | 254.35 | 248.64 E | 248.44 NW |
| CB #147 | 2' X 3' | 258.97 | | 254.53 W |
| CB #148 | 2' X 3' | 258.97 | 254.40 E | 254.20 S |
| CB #149 | 2' X 3' | 258.47 | | 254.03 W |
| CB #150 | 2' X 3' | 258.46 | 253.90 E<br>253.70 N | 253.50 S |
| CB #151 | 2' X 3' | 257.61 | 252.68 N | 252.48 S |
| CB #152 | 2' X 3' | 256.26 | | 251.83 W |
| CB #153 | 2' X 3' | 256.28 | 251.57 N<br>251.70 E | 251.29 S |
| CB #154 | 2' X 3' | 254.21 | 248.25 SE<br>248.27 N | 248.07 SW |
| CB #155 | 2' X 3' | 249.58 | | 244.87 NW |
| CB #156 | 2' X 3' | 250.68 | | 246.18 NW |
| CB #157 | 2' X 3' | 250.67 | 245.89 SE | 245.69 NE |
| CB #158 | 2' X 3' | 249.57 | 243.16 NE<br>244.68 SE<br>244.71 SW | 242.96 NW |
| CB #159 | 2' X 3' | 283.24 | | 278.78 N |
| CB #160 | 2' X 3' | 283.22 | 278.02 S | 277.82 W |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #161 | 2' X 3' | 276.73 | 271.26 E | 271.06 W |
| CB #162 | 2' X 3' | 271.41 | | 266.87 N |
| CB #163 | 2' X 3' | 271.43 | 265.36 S<br>265.36 E | 265.08 NW |
| CB #164 | 2' X 3' | 267.24 | | 262.70 E |
| CB #165 | 2' X 3' | 267.29 | 262.06 SE<br>262.06 W | 261.86 N |
| CB #166 | 2' X 3' | 261.78 | | 256.03 E |
| CB #167 | 2' X 3' | 261.80 | 255.77 S<br>255.77 W | 255.57 N |
| CB #168 | 2' X 3' | 258.04 | 252.06 S | 251.86 W |
| CB #169 | 2' X 3' | 257.93 | 251.73 E | 251.53 N |
| CB #170 | 2' X 3' | 256.76 | 250.68 S | 250.48 NE |
| CB #171 | 2' X 3' | 260.77 | | 256.33 S |
| CB #172 | 2' X 3' | 260.09 | 255.65 N | 255.45 E |
| CB #173 | 2' X 3' | 263.68 | | 258.46 S |
| CB #174 | 2' X 3' | 263.64 | 254.86 W<br>256.66 N | 254.66 SE |
| CB #175 | 2' X 3' | 263.27 | | 258.01 W |
| CB #176 | 2' X 3' | 263.24 | 256.21 E<br>254.41 NW | 254.21 S |
| CB #177 | 2' X 3' | 258.40 | | 253.94 W |
| CB #178 | 2' X 3' | 258.40 | 253.43 E<br>253.43 N | 253.23 S |
| CB #179 | 2' X 3' | 254.22 | | 249.72 W |
| CB #180 | 2' X 3' | 254.22 | 248.82 E<br>248.82 N | 248.62 S |

| CATCH BASIN TABLE | | | | |
|---|---|---|---|---|
| CB NO | SIZE | TOP | INV. IN | INV. OUT |
| CB #181 | 2' X 3' | 250.16 | 245.00 N | 244.80 S |
| CB #182 | 2' X 3' | 246.75 | 241.85 N | 241.65 SE |
| CB #183 | 2' X 3' | 256.80 | | 252.03 E |
| CB #184 | 2' X 3' | 256.35 | 251.64 W | 251.44 S |
| CB #185 | 2' X 3' | 254.19 | | 249.75 SE |
| CB #186 | 2' X 3' | 254.14 | 249.43 N<br>249.62 NW | 249.23 SW |
| CB #187 | 2' X 3' | 252.32 | 247.62 NE | 247.42 SW |
| CB #188 | 2' X 3' | 250.64 | | 246.15 SE |
| CB #189 | 2' X 3' | 250.60 | 245.89 NE<br>245.89 NW | 245.69 SW |
| CB #190 | 2' X 3' | 249.16 | 244.45 NE | 244.24 SW |
| CB #191 | 2' X 3' | 248.50 | | 244.03 SE |
| CB #192 | 2' X 3' | 248.50 | 243.77 NE<br>243.77 NW | 243.57 SW |
| CB #193 | 2' X 3' | 250.01 | | 243.64 SE |
| CB #194 | 2' X 3' | 250.01 | 242.23 NE<br>242.23 NW | 242.03 SW |
| CB #195 | 2' X 3' | 246.75 | 241.12 NW<br>241.12 NE | 240.92 SW |
| CB #196 | 2' X 3' | 242.30 | | 237.48 SE |
| CB #197 | 2' X 3' | 241.78 | 236.19 NE<br>236.19 NW | 235.99 S |
| CB #198 | 2' X 3' | 239.21 | 235.31 N | 235.11 SE |
| CB #199 | 2' X 3' | 238.68 | 234.76 NW | 234.56 E |

| DROP INLET TABLE | | | | |
|---|---|---|---|---|
| DI NO | SIZE | TOP | INV. IN | INV. OUT |
| DI #201 | 2' X 3' | 292.17 | | 287.65 SW |
| DI #202 | 2' X 3' | 285.56 | 281.12 NE | 280.92 NW |
| DI #203 | 2' X 3' | 282.93 | 278.41 SE | 278.21 SW |
| DI #204 | 2' X 3' | 274.46 | 269.67 NE | 269.47 NW |
| DI #205 | 2' X 3' | 271.50 | 266.45 SE | 266.25 NW |
| DI #206 | 2' X 3' | 279.00 | | 274.54 SE |
| DI #207 | 2' X 3' | 280.77 | 274.36 NW | 274.16 SW |
| DI #208 | 2' X 3' | 271.99 | 267.55 NE | 267.35 NW |
| DI #209 | 2' X 3' | 269.33 | 264.89 SE | 264.69 SW |
| DI #210 | 2' X 3' | 264.37 | 258.40 SE<br>258.92 NE | 258.20 NW |
| DI #211 | 2' X 3' | 261.41 | 255.96 SE | 255.76 NW |
| DI #212 | 2' X 3' | 257.68 | 252.43 SE | 252.23 N |
| DI #213 | 2' X 3' | 255.81 | 251.10 E<br>250.56 S | 250.02 W |

| FES TABLE | | | | |
|---|---|---|---|---|
| FES NO | SIZE | TOP | INV. IN | INV. OUT |
| FES #301 | 30" | 268.88 | | 266.00 SE |
| FES #302 | 24" | 263.33 | | 261.00 S |
| FES #303 | 30" | 242.88 | | 240.00 SE |
| FES #304 | 24" | 236.33 | | 234.00 SW |
| FES #305 | 24" | 240.33 | | 238.00 E |
| FES #306 | 24" | 237.33 | | 235.00 SE |
| FES #307 | 36" | 243.42 | | 240.00 E |
| FES #308 | 24" | 266.33 | | 264.00 W |
| FES #309 | 18" | 261.79 | | 260.00 E |
| FES #310 | 30" | 274.61 | | 271.74 SE |
| FES #311 | 36" | 244.98 | 241.56 N | |
| FES #312 | 36" | 242.15 | | 238.73 S |
| FES #313 | 36" | 245.42 | | 242.00 E |
| FES #314 | 18" | 239.79 | | 238.00 S |
| FES #315 | 30" | 242.88 | | 240.00 S |
| FES #316 | 18" | 237.79 | | 236.00 S |
| FES #317 | 30" | 247.88 | | 245.00 SW |
| FES #318 | 15" | 241.52 | | 240.00 E |
| FES #319 | 30" | 236.88 | | 234.00 W |
| FES #320 | 18" | 233.43 | | 231.64 N |

| OCS TABLE | | | | |
|---|---|---|---|---|
| OCS NO | SIZE | TOP | INV. IN | INV. OUT |
| OCS #401 | 2' X 3' | 269.00 | | 262.00 N |
| OCS #402 | 2' X 3' | 243.00 | | 238.00 NE |
| OCS #403 | 2' X 3' | 243.50 | | 236.00 NW |
| OCS #404 | 2' X 3' | 267.00 | | 262.00 W |
| OCS #405 | 2' X 3' | 245.00 | | 239.00 N |
| OCS #406 | 2' X 3' | 239.71 | | 238.00 N |
| OCS #407 | 2' X 3' | 248.00 | | 241.00 W |
| OCS #408 | 2' X 3' | 237.00 | | 233.00 S |

| SDMH TABLE | | | | |
|---|---|---|---|---|
| SDMH NO | SIZE | TOP | INV. IN | INV. OUT |
| SDMH #501 | 4' | 254.59 | 243.75 S | 243.55 NW |
| SDMH #502 | 4' | 246.42 | 240.51 SE | 240.31 W |
| SDMH #503 | 4' | 293.61 | 289.86 SE | 289.20 W |
| SDMH #504 | 4' | 247.05 | 243.17 SE | 242.97 W |
| SDMH #505 | 4' | 246.84 | 241.04 SE | 240.84 N |

| YARD INLET TABLE | | | | |
|---|---|---|---|---|
| YI NO | SIZE | TOP | INV. IN | INV. OUT |
| YI #601 | 2' X 3' | 274.70 | 268.99 SE | 268.79 NW |
| YI #602 | 2' X 3' | 274.34 | 268.27 SE | 268.07 N |
| YI #603 | 2' X 3' | 272.29 | 267.04 SW<br>267.04 S | 266.84 NW |

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

SEAL

STRONGROCK

ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

**STORM DRAINAGE TABLES**

DRAWING SHEET

**C-7.11**

**47 OF 57**

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| STREET NAME | JONESVILLE WEST | JONESVILLE EAST | MITCHELL MILL | STREET A | STREET E | STREET H | STREET B | STREET C | STREET D | STREET F | STREET G | STREET I | STREET J | STREET K | STREET L | STREET M | STREET N | STREET O | STREET P | STREETQ | TOTALS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| REQUIRED STREET TREES | 59 | 40 | 48 | 54 | 66 | 54 | 14 | 16 | 16 | 8 | 16 | 22 | 36 | 20 | 20 | 16 | 20 | 30 | 14 | 24 | 593 |
| PLANNED | | | | | | | | | | | | | | | | | | | | | |
| ACRE FLORIDARIUM | - | - | - | 27 | - | - | - | 8 | 8 | - | - | 11 | 18 | - | 10 | - | - | 11 | - | 15 | 108 |
| WILLOW OAK | - | - | - | - | 33 | - | 7 | - | - | - | 8 | - | - | 10 | - | 8 | - | 9 | - | - | 75 |
| QUERCUS LYRATA 'QLFTB' | - | - | 17 | - | - | 27 | - | - | - | 4 | - | - | - | - | - | - | 10 | - | 9 | - | 67 |
| QUERCUS SHUMMARDII 'QSFTC' | - | - | 16 | - | - | 27 | - | - | - | - | - | - | 18 | - | - | - | 5 | - | - | - | 66 |
| CELTIS OCCIDENTALIS | - | - | - | 27 | - | - | - | - | - | - | 8 | 10 | - | - | 10 | 8 | - | - | 8 | 18 | 89 |
| TILLA AMERICANA | 30 | 20 | - | - | 33 | - | - | - | 8 | 4 | - | - | - | 10 | - | - | - | - | - | - | 105 |
| ULMUS PARVIFOLIA | 29 | 20 | - | - | - | - | 7 | 8 | | | - | - | - | - | - | - | 5 | - | - | - | 69 |
| **TOTALS** | **59** | **40** | **33** | **54** | **66** | **54** | **14** | **16** | **16** | **8** | **16** | **21** | **36** | **20** | **20** | **16** | **20** | **20** | **17** | **33** | 579 |

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT


**There are 14 street trees missing.**

## PLANT SCHEDULE

| PERMITER BUFFERS | NUMBER | SYMBOL | LABEL | BOTANICAL NAME | COMMON NAME | CONTAINER | HEIGHT | CALIPER |
|---|---|---|---|---|---|---|---|---|
| **CANOPY** | | | | | | | | |
| | 15 | | QUFP | **QUERCUS FALCATA PAGODIFOLIA** | **CHERRYBARK OAK** | B&B | 8' | 2.0" |
| | 59 | | MAGH | **MAGNOLIA X SSP.** | **"YELLOW BIRD" HYBRID MAGNOLIA** | B&B | 8' | 2.0" |
| | 60 | | MEGL | **METASEQUOIA GLYPTOSTROBIES** | **DAWN REDWOOD** | B&B | 8' | 2.0" |
| | 60 | | SOAL | **SORBUS ALNIFOLIA "SKYLINE"** | **SKYLINE KOREAN MOUNTAN ASH** | B&B | 8' | 2.0" |
| | **194** | | | | | | | |
| **UNDERSTORY** | 13 | | CHVA | **CHIONANTHUS VIRGINICUS** | **FRINGE TREE** | B&B | 8'-10' | 1.5" |
| | 12 | | COMA | **CORNUS MAS** | **CORNELIAN CHERRY DOGWOOD** | B&B | 8'-10' | 1.5" |
| | 12 | | OSVA | **OSTRYA VIRGINIANA** | **AMERICAN HOPHORNBEAM** | B&B | 8'-10' | 1.5" |
| | 11 | | PIVA | **PINUS VIRGINIANA** | **VIRGINIA PINE** | B&B | 8'-10' | 1.5" |
| | 14 | | MAVA | **MAGNOLIA VIRGINIANA** | **SWEETBAY MAGNOLIA** | B&B | 8'-10' | 1.5" |
| | **62** | | | | | | | |
| **SHURBS** | 631 | | DEL | **PRUNUS LAUROCERASUS** | **DWARF ENGLISH LAUREL** | 3 GAL | 24" MIN | |
| | 641 | | DSWM | **MYRICA CEIFERA "DON'S DWARF'** | **DWARF SOUTHERN WAX MYRTLE** | 3 GAL | 24" MIN | |
| | 631 | | DHF | **CHAMAECYPARIS OBTUSA "NANA"** | **DWARF HINOKI FALSECYPRESS** | 3 GAL | 24" MIN | |
| | 638 | | DGA | **GARDENIA JASMINODIES** | **DWARF GARDENIA** | 3 GAL | 24" MIN | |
| | 631 | | DYH | **ILEX VOMITORIA** | **DWARF YAUPON HOLLY** | 3 GAL | 24" MIN | |
| | **3,172** | | | | | | | |

## PLANT SCHEDULE

| PARKING LOT | NUMBER | SYMBOL | LABEL | BOTANICAL NAME | COMMON NAME | CONTAINER | HEIGHT | CALIPER |
|---|---|---|---|---|---|---|---|---|
| **GREENWAY TRAIL HEAD** | | | | | | | | |
| CANOPY TREE | 1 | | | | | | | |
| PERIMETER LF | 132 | | | | | | | |
| PERIMTER SHRUBS | 44 | | | | | | | |
| CANOPY | 1 | | NYSA | NYSSA SALVATICA | BLACK GUM | B&B | 8' | 2.0" |
| SHURBS | 14 | | BEJU | BERBERIS JULIANAE | WINTERGREEN BARBERRY | 3 GAL | 24" MIN | |
| | 15 | | BUMA | BUXUS MICROPHYLLA | WINTERGREEN BOXWOOD | 3 GAL | 24" MIN | |
| | 15 | | RAIN | RHAPHIOLEPIS INDICA | INDIAN HAWTHORNE | 3 GAL | 24" MIN | |
| **TOWNHOME AREA SOUTH** | | | | | | | | |
| CANOPY TREE | 1 | | | | | | | |
| PERIMETER LF | 210 | | | | | | | |
| SHRUBS | 70 | | | | | | | |
| CANOPY | 1 | | NYSA | NYSSA SALVATICA | BLACK GUM | B&B | 8' | 2.0" |
| SHURBS | 25 | | BEJU | BERBERIS JULIANAE | WINTERGREEN BARBERRY | 3 GAL | 24" MIN | |
| | 25 | | BUMA | BUXUS MICROPHYLLA | WINTERGREEN BOXWOOD | 3 GAL | 24" MIN | |
| | 20 | | RAIN | RHAPHIOLEPIS INDICA | INDIAN HAWTHORNE | 3 GAL | 24" MIN | |
| **TOWNHOME AREA NORTH** | | | | | | | | |
| CANOPY TREE | 1 | | | | | | | |
| LF PERIMETER | 290 | | | | | | | |
| SHURBS REQUIRED | 97 | | | | | | | |
| CANOPY | 1 | | NYSA | NYSSA SALVATICA | BLACK GUM | B&B | 8' | 2.0" |
| SHURBS | 33 | | BEJU | BERBERIS JULIANAE | WINTERGREEN BARBERRY | 3 GAL | 24" MIN | |
| | 32 | | BUMA | BUXUS MICROPHYLLA | WINTERGREEN BOXWOOD | 3 GAL | 24" MIN | |
| | 32 | | RAIN | RHAPHIOLEPIS INDICA | INDIAN HAWTHORNE | 3 GAL | 24" MIN | |
| **TOWNHOME AREA NORTH DUMPSTER** | | | | | | | | |
| LF PERIMETER | 40 | | | | | | | |
| SHRUBS | 6 | | | | | | | |
| SHURBS | 7 | | ILNS | ILEX X NELLIE R. STEVENS | NELLIE R STEVENS HOLLY | 3 GAL | 18" MIN | |




GRAPHIC SCALE

200 0 100 200 400 800

( IN FEET )

1 inch = 200 ft.

**Please refer to the memo for a full list of landscape and preservation comments.**




**LEGEND:**

- METASEQUOIA GLYPTOSTROBIES (MEGL)
- QUERCUS FALCATA PAGODIFOLIA (QUFP)
- MAGNOLIA X SSP. (MAGH)
- SORBUS ALNIFOLIA "SKYLINE" (SOAL)
- ACER FLORIDARIUM (ACFA)
- QUERCUS PHELLOS (QUPH)
- QUERCUS LYRATA 'QLFTB' (QULA)
- QUERCUS SHUMMARDII 'QSFTC' (QUSH)
- CELTIS OCCIDENTALIS (CEOC)
- TILLA AMERICANA (TIAM)
- ULMUS PARVIFOLIA (ULPA)
- NYSSA SALVATICA (NYSA)
- CHIONANTHUS VIRGINICUS (CHVA)
- CORNUS MAS (COMA)
- OSTRYA VIRGINIANA (OSVA)
- PINUS VIRGINIANA (PIVA)
- MAGNOLIA VIRGINIANA (MAVA)
- PRUNUS LAUROCERASUS (DEL)
- MYRICA CEIFERA "DON'S DWARF" (DSWM)
- CHAMAECYPARIS OBTUSA "NANA" (DHF)
- GARDENIA JASMINODIES (DGA)
- ILEX VOMITORIA (DYH)
- BERBERIS JULIANAE (BEJU)
- BUXUS MICROPHYLLA (BUMA)
- RHAPHIOLEPIS INDICA (RAIN)
- ILEX X NELLIE R. STEVENS (ILNS)

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

SEAL:

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

# PRELIMINARY SITE PLAN

# OVERALL LANDSCAPE PLAN

DRAWING SHEET

**C-8.0**

PROGRESS PLOT DATE: 12/05/2023

CHARLES ALFONSA JONES AND WIFE ALLIE V. JONES
PIN: 1757484609
DB 2305 PG 673

BENJAMIN FERRELL
DB 1697 PG 465

ALESHIA FERRELL & ARRON WALKER
DB 6374 PG 89

15.00' TYPE II PERIMETER BUFFER

CHRIST HOLINESS CHURCH #1
DB 2928 PG 328

CHRIST HOLINESS CHURCH #1
DB 4321 PG 788

CHRIST HOLINESS CHURCH #1
DB 9467 PG 430

ALICIA BROWN & CARL T. JONES
DB 16128 PG 183

RS RENTAL II LLC
DB 18703 PG 2414

KAREN E. BASS
DB 12560 PG 1626

PROPERTY LINE

TOWN OF ROLESVILLE INTERCEPTOR BM 1992 PG 655
30.0' EXISTING HARRIS CREEK

COMMUNITY GARDEN

STREET 'S'

STREET 'R'

STREET 'Q'

PARK #4
ACTIVE OPEN SPACE

PARK #3
ACTIVE OPEN SPACE

FOOD ZONE AE

30.00' GREENWAY EASEMENT

10.00' GREENWAY

30.0' STREET YARD BUFFER

HENRY ALSTON AND WIFE, MARIE J. ALSTON
PIN: 1757481376
DB 3198 PG 631
BM 1982 PG 721

PING CHEN
PIN: 1757471559
DB 18953 PG 592
NEW LOT 1 - BM 2007
PG 1224

JONESVILLE RD

SCM #6
WET POND

SWAMP/MARSH
HARRIS CREEK

MATCH LINE
FOR CONTINUATION, SEE C-8.2

MATCH LINE
FOR CONTINUATION, SEE C-8.4

MAGNETIC NORTH
ADOPTED BOM 1980 PG 396

7°32'15.0"
NC GRID NORTH, NAD 83
ADOPTED BOM 1992 PG 655

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

SITE KEY PLAN

C-8.1
C-8.2
C-8.3
C-8.4
C-8.5
C-8.6
C-8.7
C-8.8
C-8.9

LEGEND:

SEE SHEET C-8.0 FOR LEGEND.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL LANDSCAPE PLAN I**

DRAWING SHEET
**C-8.1**

PROGRESS PLOT DATE: 12/05/2023

KAREN E. BASS
DB 12560 PG 1626

JAMES K. WILLIAMS
DB 16784 PG 1013

GRO PEG PROPERTIES LLC
DB 18359 PG 1707

PROPERTY LINE

COMMUNITY GARDEN

TOWN OF ROLESVILLE INTERCEPTOR 66" 1992 PG 655

30.0' EXISTING PERMANENT HARRIS CREEK

FOOD ZONE AE

FLOODWAY

SWAMP/MARSH
HARRIS CREEK

10.0' GREENWAY

30.0' GREENWAY EASEMENT

SCM #5
WET POND

SCM #4
WET POND

STREET 'N'

STREET 'O'

STREET 'N'

15.00' TYPE II
PERIMETER BUFFER

GRO PEG
PROPERTIES LLC
DB 18359 PG 1707

SCOTT & THERESA
CARLE
DB 14863 PG 2493

GRO PEG RD
60' PRIVATE R/W
RECORDED BOOK OF MAPS
1980 PAGE 396

MATCH LINE
FOR CONTINUATION, SEE C-8.1


MATCH LINE
FOR CONTINUATION, SEE C-8.3

W1

WTLD

100YR


SSWW




**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA.

PRELIMINARY SITE PLAN

**PARTIAL LANDSCAPE PLAN II**

DRAWING SHEET

**C-8.2**

**50 OF 57**

PROGRESS PLOT DATE: 12/05/2023

FLOODWAY
SWAMP/MARSH
HARRIS CREEK
W1
FLOODZONE AE
0.2% ANNUAL CHANCE FLOOD HAZARD
100YR
500YR
WTLD
SWAMP
MATCH LINE
FOR CONTINUATION, SEE C-8.2
10.0' GREENWAY
SCM #4
WET POND
STREET 'N'
STREET 'O'
STREET 'P'
STREET 'J'
STREET 'M'
STREET 'L'
GRO PEG PROPERTIES LLC
DB 18359 PG 1707
SCOTT & THERESA CARLE
DB 14863 PG 2493
Would suggest moving this away from the ramp.
PROPERTY LINE
PARK #2
ACTIVE OPEN SPACE
OPEN SPACE #1
OPEN SPACE #2
30.0' STREAM BUFFER ZONE 1
20.0' STREAM BUFFER ZONE 2
PERENNIAL STREAM E
15.00' TYPE II PERIMETER BUFFER
CLUB HOUSE
MT. CALVARY HOLINESS CHURCH OF WAKE CO. INC
DEED BOOK 10124 PAGE 2778
GROVER ARCHIE UNDERHILL JR.
BOOK OF MAPS 1982 PAGE 581
GRO PEG ROAD
90' PRIVATE R/W
RECORDED BOOK OF MAPS 1980 PAGE 396

C-8.1 C-8.2 C-8.4 C-8.3 C-8.5 C-8.6 C-8.8 C-8.9 C-8.7

7°32'15.0" NC GRID NORTH - NAD 83 ADOPTED BOM 1992 PG 595
MAGNETIC NORTH ADOPTED BOM 1980 PG 396

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

**THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.**

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL:
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL LANDSCAPE PLAN III**

DRAWING SHEET
**C-8.3**

**51 OF 57**

PROGRESS PLOT DATE: 12/05/2023


**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.





GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )

1 inch = 50 ft.




MATCH LINE
FOR CONTINUATION, SEE C-8.1

MATCH LINE
FOR CONTINUATION, SEE C-8.5

MATCH LINE
FOR CONTINUATION, SEE C-8.3

30.0' SANITARY SEWER EASEMENT

30.0' STREAM BUFFER ZONE 1

20.3' STREAM BUFFER ZONE 2

PERENNIAL STREAM E

W1

W2

SWAMP/MARSH HARRIS CREEK

FLOODZONE AE

FLOODWAY

BRIDGE

PROPERTY LINE

0.2% ANNUAL CHANCE FLOOD HAZARD

30.00' GREENWAY EASEMENT

10.0' GREENWAY

SCM #3 WETPOND

SCM #7 WET POND

JONESVILLE RD

STREET 'G'

STREET 'H'

STREET 'J'

STREET 'K'

STREET 'L'

STREET 'M'

CLUB HOUSE

15.00' TYPE II PERIMETER BUFFER

| No. | DATE | BY |
|---|---|---|
| 01 | 08/01/2023 | SREG |
| 02 | 12/05/2023 | SREG |

REVISIONS

PRELIMINARY SUBDIVISION PLAT PSP-23-03
TOWN OF ROLESVILLE COMMENTS PSP-23-03

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

SEAL


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| STRONG ROCK PROJECT PSP-23-03 | | | |
|---|---|---|---|
| NOT FOR CONSTRUCTION | | | |
| SCALE | AS SHOWN | | |
| DESIGNED BY | JWL | DRAWN BY | SRG |
| CHECKED BY | JWL | | |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

**PARTIAL UTILITY PLAN VI**

DRAWING SHEET

**C-8.4**

**52 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT

**MATCH LINE**
FOR CONTINUATION, SEE C-8.4

**MATCH LINE**
FOR CONTINUATION, SEE C-8.8

**MATCH LINE**
FOR CONTINUATION, SEE C-8.6

SCM #7
WET POND

SCM #8
WET POND

30.0' SANITARY SEWER EASEMENT

30.0' STREAM BUFFER ZONE 1
20.0' STREAM BUFFER ZONE 2

30.00' STREET YARD BUFFER

10.0' GREENWAY

30.0' GREENWAY EASEMENT

15.0' TYPE II PERIMETER BUFFER

STREET 'A'
STREET 'E'
STREET 'F'
STREET 'G'
STREET 'H'
STREET 'I'
STREET 'K'
PUBLIC ALLEY '1'
PUBLIC ALLEY '2'
JONESVILLE RD

JERRI JO MASSEY & TAMMY G. BUTLER
DB 8265 PG 202

MEGAN KULAWIAK
DEED BOOK 16226
PAGE 1133

**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.

C-8.1 C-8.2 C-8.3 C-8.4 C-8.5 C-8.6 C-8.7 C-8.8 C-8.9

MAGNETIC NORTH
ADOPTED BOM 1980 PG 396

7°32'15.0"
NC GRID NORTH, NAD 83
ADOPTED BOM 1992 PG 635

GRAPHIC SCALE
50 0 25 50 100 200
( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL
NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN

**PARTIAL LANDSCAPE PLAN V**

DRAWING SHEET
**C-8.5**

PROGRESS PLOT DATE: 12/05/2023

STREET 'G'
STREET 'H'
JONESVILLE RD
STREET 'E'
PUBLIC ALLEY '1'
STREET 'F'
PUBLIC ALLEY '2'
STREET 'I'
JONESVILLE RD
STREET 'K'
CLUB HOUSE
STREET 'L'
10.0' GREENWAY
30.0' GREENWAY EASEMENT
WTLD
SCM #2
WET POND
LOT 1 BLOCK A
15.0'
TYPE II PERIMETER BUFFER
MATCH LINE
FOR CONTINUATION, SEE C-8.8
MATCH LINE
FOR CONTINUATION, SEE C-8.5
MATCH LINE
FOR CONTINUATION, SEE C-8.7





**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM



| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |


RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL UTILITY PLAN VI**

DRAWING SHEET
**C-8.6**

**54 OF 57**

PROGRESS PLOT DATE: 12/05/2023





**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.




| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK ENGINEERING GROUP

STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| | NOT FOR CONSTRUCTION |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA
PRELIMINARY SITE PLAN
**PARTIAL LANDSCAPE PLAN VII**

DRAWING SHEET

**C-8.7**

**55 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

PROGRESS PLOT DATE: 12/05/2023

EXISTING DRY POND

W6

WTLD

MATCH LINE
FOR CONTINUATION, SEE C-8.5

SCM #1 WETPOND

SCM #2 WET POND

PUBLIC ALLEY '1'

STREET 'I'

STREET 'D'

STREET 'A'

STREET 'C'

STREET 'B'

STREET 'F'

EXERCISE PARKING

INTERMITTENT STREAM G

30.0' STREAM BUFFER ZONE 1

20.0' STREAM BUFFER ZONE 2

10.0' GREENWAY

30.0' GREENWAY EASEMENT

15.0' TYPE II PERIMETER BUFFER

30.0' STREET YARD BUFFER

MATCH LINE
FOR CONTINUATION, SEE C-8.7

MITCHELL MILL RD.
60' PUBLIC R/W

MARCIE L. HOLDEN
DEED BOOK 15599 PAGE 1003

BERNARD MILLER
DEED BOOK 15416 PAGE 1651

KENNETH S. TOUTLOFF
DEED BOOK 9236 PAGE 2229


HEATHER MARIE PERRY
PIN: 1757357582
DB 18954 PG 338
LOT 1 & 2 - BM 1990 PG 956

ABAHOR ELIAS AND SPOUSE, SUSAN ELIAS
PIN: 1757553215
DB 17220 PG 2509
LOT 3 - BM 2018 PG 1333

PHETIS JONES BRADSHER
PIN: 1757349473
DB 15208 PG 2320
BM 2013 PG 868

CURTIS L. HONEYCUTT AND WIFE, CHARITY M. HONEYCUTT
PIN: 1757540996
DB 10488 PG 1888
LOT 1 - BM 2018 PG 1333

TODD KENDALL HONEYCUTT
PIN: 1757551202
DB 13474 PG 1974
LOT 2 - BM 2018 PG 1333




SITE KEY PLAN

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.

GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT


STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM


| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN


**PARTIAL LANDSCAPE PLAN VIII**

DRAWING SHEET

**C-8.8**

**56 OF 57**


THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.




**SITE KEY PLAN**

**LEGEND:**

SEE SHEET C-8.0 FOR LEGEND.

**TOWNHOME NOTES:**

STATES INTERNAL TOWNHOME DRIVEWAYS ARE PRIVATE EASEMENTS AS PER CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT




GRAPHIC SCALE

50 0 25 50 100 200

( IN FEET )
1 inch = 50 ft.




THIS PLANSET AND ANY ASSOCIATED DOCUMENTS ARE PRELIMINARY AND NOT AUTHORIZED FOR CONSTRUCTION UNTIL SIGNED, DATED, AND OFFICIALLY RELEASED FOR CONSTRUCTION BY THE ENGINEER OF RECORD.

| No. | REVISIONS | DATE | BY |
|---|---|---|---|
| 01 | PRELIMINARY SUBDIVISION PLAT PSP-23-03 | 08/01/2023 | SREG |
| 02 | TOWN OF ROLESVILLE COMMENTS PSP-23-03 | 12/05/2023 | SREG |

SEAL

NORTH CAROLINA PROFESSIONAL SEAL 036225 ENGINEER JOSHUA W. LAMBERT

STRONGROCK
ENGINEERING GROUP
STRONG ROCK ENGINEERING GROUP, PLLC | COMPANY LICENSE # P-2166
305 CHURCH AT NORTH HILLS STREET, SUITE 1110 RALEIGH, NC 27609 | INFORMATION@STRONGROCKGROUP.COM

| | |
|---|---|
| STRONG ROCK PROJECT | PSP-23-03 |
| NOT FOR CONSTRUCTION | |
| SCALE | AS SHOWN |
| DESIGNED BY | JWL |
| DRAWN BY | SRG |
| CHECKED BY | JWL |

RESERVE @ MITCHELL MILL
TOWN OF ROLESVILLE, WAKE COUNTY, NORTH CAROLINA

PRELIMINARY SITE PLAN

**PARTIAL LANDSCAPE PLAN IX**

DRAWING SHEET

**C-8.9**

**57 OF 57**